

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Merax](#) /
- › [Merax Modern Upholstered Platform Bed, Twin Size - Instruction Manual](#)

Merax B0FSZDCCTZ

Merax Modern Upholstered Platform Bed, Twin Size - Instruction Manual

Model: B0FSZDCCTZ

INTRODUCTION

Thank you for purchasing the Merax Modern Upholstered Platform Bed. This manual provides detailed instructions for assembly, usage, maintenance, and troubleshooting to ensure a safe and enjoyable experience with your new bed frame. Please read all instructions carefully before assembly and retain this manual for future reference.

IMPORTANT SAFETY INFORMATION

- Always assemble the bed frame on a soft, non-abrasive surface to prevent damage to the product or your floor.
- Ensure all parts are securely fastened before use. Periodically check and tighten all connections.
- Do not exceed the maximum weight capacity of 500 pounds for the Twin size bed.
- Keep small parts away from children during assembly to prevent choking hazards.
- Use only the recommended mattress thickness of 6 to 14 inches to ensure proper fit and support.
- This product is designed for indoor use only.

PACKAGE CONTENTS

Your Merax Platform Bed package includes all necessary hardware and components for assembly. Please verify that all parts are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- Upholstered Headboard
- Upholstered Side Rails (2)
- Upholstered Footboard
- Wood Slats

- Center Support Beam
- Support Legs
- Assembly Hardware (bolts, washers, nuts, Allen wrench)



Image: Overview of the Merax Twin Bed frame components, including the headboard, side rails, footboard, and wood slats.

SETUP AND ASSEMBLY

Assembly typically takes approximately 40 minutes with two adults. All necessary tools are included. Follow these steps carefully:

1. **Unpack Components:** Carefully remove all parts from the packaging. Place them on a clean, soft surface to prevent scratches.
2. **Attach Side Rails to Headboard:** Align the side rails with the headboard. Secure them using the provided bolts and an Allen wrench. Do not fully tighten bolts until all major components are connected.
3. **Attach Side Rails to Footboard:** Connect the other end of the side rails to the footboard using the same method. Ensure the bed frame is properly aligned.
4. **Install Center Support Beam:** Place the center support beam into the designated slots or brackets along the length of the bed frame. Attach any support legs to the center beam as instructed.
5. **Insert Wood Slats:** Lay the wood slats across the bed frame, fitting them into the pre-drilled holes or

securing them with the provided fasteners. Ensure even spacing for optimal mattress support.

6. **Final Tightening:** Once all components are in place and aligned, securely tighten all bolts and fasteners.
7. **Position Bed:** Carefully move the assembled bed frame to its desired location.



Image: The Merax Twin Upholstered Platform Bed fully assembled, ready for a mattress.

OPERATING AND USAGE

This platform bed is designed to provide sturdy support for your mattress without the need for a box spring. The integrated wood slats offer direct support.

- **Mattress Placement:** Place your mattress directly onto the wood slats. Ensure the mattress is centered and fits within the frame.
- **Recommended Mattress Thickness:** For optimal comfort and aesthetic, use a mattress with a thickness between 6 and 14 inches.
- **Weight Capacity:** The Twin size bed frame has a maximum weight capacity of 500 pounds, including the mattress and occupants.
- **Headboard Use:** The upholstered headboard provides a comfortable backrest for reading or relaxing.



Weight Capacity

Max to 500 lbs



Mattress

6" - 14"

TWIN SIZE: INCH



Image: The Merax Twin Bed with a mattress and bedding, showcasing its functional use.

MAINTENANCE

Regular maintenance will help prolong the life and appearance of your bed frame.

- **Cleaning the Upholstery:** For general cleaning, wipe the upholstered surfaces with a dry cloth. For spills or stains, gently wipe with a damp cloth and mild soap, then blot dry immediately. Avoid harsh chemicals.
- **Frame Cleaning:** Wipe the wood and metal components with a dry cloth to remove dust.
- **Hardware Check:** Periodically (every 3-6 months) check all bolts and fasteners to ensure they are tight. Re-tighten if necessary to maintain stability.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight may cause fading of the upholstery fabric.

TROUBLESHOOTING

If you encounter any issues with your bed frame, refer to the following common solutions:

- **Squeaking Noises:**

- Ensure all bolts and fasteners are securely tightened. Loose connections are a common cause of squeaking.
- Check if the wood slats are properly seated and not rubbing against the frame.

- **Instability/Wobbling:**

- Verify that the bed frame is assembled on a flat, even surface.
- Re-check all connections and ensure they are fully tightened.
- Confirm that all support legs (including center support) are making firm contact with the floor.

- **Parts Missing/Damaged:**

- Before assembly, carefully check the package contents against the parts list.
- Contact Merax customer support immediately for replacement parts.

SPECIFICATIONS

Model	B0FSZDCCTZ
Size	Twin
Overall Dimensions (L x W x H)	85" x 53.25" x 40"
Weight Capacity	500 lbs
Recommended Mattress Thickness	6" - 14"
Material	Engineered Wood, Linen, Wood
Color	Beige
Assembly Required	Yes (Approx. 40 minutes, 2 adults)
Box Spring Needed	No



Image: Detailed dimension diagram for the Merax Twin Upholstered Platform Bed, showing length, width, height, and headboard thickness.

WARRANTY AND SUPPORT

Merax products are manufactured with quality and care. For specific warranty details, please refer to the warranty card included with your purchase or visit the official Merax website. If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact Merax customer support.

Customer Support: Please refer to your purchase documentation or the Merax official website for contact information.

Return Policy: This product may be eligible for a 90-day easy return policy. Please check with your retailer for specific return terms and conditions.

