

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [STANLEY](#) /

› [Stanley AeroLight Transit Bottle 16 oz Instruction Manual](#)

STANLEY 10-10787-237

Stanley AeroLight Transit Bottle 16 oz Instruction Manual

Model: 10-10787-237

INTRODUCTION

Thank you for choosing the Stanley AeroLight Transit Bottle. This manual provides essential information for the proper use, care, and maintenance of your new insulated bottle. Please read it thoroughly before first use.





Image 1: Stanley AeroLight Transit Bottle (Cranberry, 16 oz). This image displays the full bottle, showcasing its sleek design and cranberry finish.

PRODUCT FEATURES

- **18/8 Stainless Steel, BPA-Free:** Constructed from durable, food-grade stainless steel, free from harmful BPA.
- **AeroLight Spun-Steel, Double-Wall Vacuum Insulation:** Advanced insulation technology for superior temperature retention while maintaining a lightweight design.
- **Leakproof Design:** Engineered to prevent spills and leaks, ensuring your beverages stay contained.
- **Locking, Drink-Through Lid:** Features a secure lid mechanism that allows for easy drinking and prevents accidental opening.
- **Car Cup Holder Compatible:** Designed to fit most standard car cup holders for convenience during travel.

SETUP AND FIRST USE

1. **Unpack:** Carefully remove the bottle and all components from the packaging.
2. **Initial Cleaning:** Before first use, wash the bottle and lid thoroughly with warm, soapy water. Rinse completely and allow to air dry.

3. **Inspect:** Check all parts for any damage or defects. Do not use if any part is damaged.

OPERATING INSTRUCTIONS

Filling the Bottle

- Unscrew the lid from the bottle.
- Pour your desired beverage into the bottle. Do not overfill; leave space for the lid.
- For best temperature retention, pre-heat with hot water or pre-chill with cold water for 5 minutes before filling with your beverage.
- Securely screw the lid back onto the bottle, ensuring it is tightened to prevent leaks.

Using the Locking Drink-Through Lid



Image 2: Detailed view of the locking drink-through lid. This image highlights the mechanism for opening and closing the drinking spout.

1. **To Open:** Locate the small lever or button on the lid. Push or slide it to unlock the drinking spout. The spout will pop open.
2. **To Drink:** Sip directly from the opened spout.
3. **To Close and Lock:** Push the drinking spout down until it clicks securely into place. Then, slide the lever or button back to the locked position to prevent accidental spills.

Temperature Retention

The AeroLight double-wall vacuum insulation is designed to keep beverages hot or cold for extended periods. For optimal performance, ensure the lid is securely closed and locked when not in use.

MAINTENANCE AND CLEANING

- **Daily Cleaning:** After each use, wash the bottle and lid with warm, soapy water. Use a bottle brush for thorough cleaning of the interior.
- **Lid Cleaning:** The lid can be disassembled for more thorough cleaning. Pay special attention to the drinking spout and sealing components to prevent residue buildup.
- **Dishwasher Safe:** The bottle and lid are typically dishwasher safe (top rack recommended). However, hand washing is often preferred to prolong the life of the finish and seals.
- **Drying:** Allow all parts to air dry completely before reassembling and storing to prevent odors or mildew.
- **Avoid Abrasives:** Do not use abrasive cleaners, bleach, or scrubbers that could damage the stainless steel finish or lid components.





Image 3: Stanley AeroLight Transit Bottle, angled view. This image shows the "AeroLight" branding near the base of the bottle, emphasizing its lightweight technology.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Bottle leaks	Lid not securely tightened; spout not fully closed/locked; seal damaged or missing.	Ensure lid is tightly screwed on. Confirm spout is pushed down and locked. Check lid seal for proper placement and condition.
Beverage not staying hot/cold	Lid not properly sealed; bottle not pre-heated/chilled; extreme external temperatures.	Verify lid is securely closed and locked. Pre-heat or pre-chill the bottle before use. Avoid leaving the bottle in direct sunlight or extreme cold for prolonged periods.
Difficulty opening/closing lid	Residue buildup; lid components misaligned.	Thoroughly clean the lid, especially around the spout mechanism. Ensure all lid components are correctly assembled.

SPECIFICATIONS

Feature	Detail
Brand	STANLEY
Model Name	Stanley AeroLight™ Transit Bottle
Model Number	10-10787-237
Capacity	16 Ounces
Material	Stainless Steel (18/8), BPA-Free
Color (as reviewed)	Cranberry
Special Features	Double Wall Vacuum Insulation, Leakproof, Locking Drink-Through Lid
Dimensions (LxWxH)	2.71 x 2.83 x 7.95 inches
UPC	041604460425

WARRANTY INFORMATION

The Stanley AeroLight Transit Bottle comes with a **Lifetime Warranty**. Stanley prioritizes functionality and durability and stands behind its products with a "Built For Life™" lifetime warranty. For detailed information regarding warranty claims or terms, please visit the official Stanley website or contact their customer support.

Note: Warranty terms may vary by region. Please refer to the official Stanley website for the most current and accurate warranty details.

SUPPORT AND CONTACT

Should you have any questions, require assistance, or need to report an issue with your Stanley AeroLight Transit Bottle, please contact Stanley Customer Support through their official website. You can typically find contact information, FAQs, and product registration details on their support pages.

For more information, visit the [STANLEY Store on Amazon](#).

