

## PawHut D06-121V01

# PawHut Pet Gate Instruction Manual

Model: D06-121V01

## 1. INTRODUCTION

---

Thank you for choosing the PawHut Pet Gate, Model D06-121V01. This gate is designed to provide a safe barrier for small to medium-sized pets, preventing access to certain areas of your home. It features a durable steel frame, an automatic closing mechanism, and a convenient small pet door. Please read this manual thoroughly before installation and use to ensure proper function and safety.



Image 1.1: Overview of the PawHut Pet Gate.

## 2. SAFETY INFORMATION

---

- Always ensure the gate is securely installed according to the instructions.
- This gate is designed for pets. While it shares features with child safety gates, it is primarily intended for animal containment.
- Regularly check all parts for wear, damage, or loose components. Do not use if any part is damaged.
- Never leave pets unattended if there is a risk of them climbing over or dislodging the gate.
- Do not use the gate at the top of stairs unless specifically designed and secured for that purpose. This model is suitable for doorways and bottom of stairs.
- Keep small parts away from children and pets during assembly.

## 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning assembly:

- Main Gate Panel with small pet door
- Extension Panels (if applicable for your chosen width)
- 4 Adjustable Pressure Bolts
- Wall Cups/Protectors
- Instruction Manual



Image 3.1: Example of product packaging.

## 4. SETUP INSTRUCTIONS

---

The PawHut Pet Gate is designed for easy pressure-mounted installation. No drilling is typically required.

### 4.1. Measure Your Opening

Before installation, measure the width of your desired opening (doorway, hallway, or bottom of stairs). This gate is suitable for openings between 74-105 cm. Select the appropriate extension panels if your opening is wider than the main gate panel.



**NOTA:**

Misura l'altezza della spalla del tuo animale prima di acquistare il prodotto.  
 $25\text{cm} < \text{L'altezza della spalla} < 50\text{cm}$


Image 4.1: Gate dimensions and recommended pet shoulder height (25-50 cm).

#### 4.2. Assemble Extensions (if needed)

If your opening requires extensions, attach them to the main gate panel according to the provided diagrams. Ensure they are securely connected.

## LARGHEZZA REGOLABILE

Dispone di 2 estensioni,  
4 viti regolabili e accessori,  
apertura da 74 a 80cm,  
da 84 a 95cm, da 99 a 105cm



Misurare i propri spazi prima di acquistare il cancelletto

Image 4.2: Illustration of adjustable width with extensions and pressure bolts.

### 4.3. Install the Gate

1. Place the gate in the desired opening.
2. Insert the four adjustable pressure bolts into the corners of the gate.
3. Position the wall cups/protectors against the wall where the pressure bolts will make contact.
4. Gradually tighten the pressure bolts by rotating them. Tighten opposing bolts (e.g., top-left and bottom-right) simultaneously to ensure even pressure.
5. Continue tightening until the gate is firmly secured and does not move when pushed. The gap in the door slot should be reduced to 2-3 mm, indicating sufficient tension.
6. Test the gate's stability and ensure the door opens and closes smoothly.

## OCCASIONI ADEGUATE

Montaggio a pressione




Image 4.3: Examples of the gate installed in a doorway and at the bottom of stairs.

## 5. OPERATING INSTRUCTIONS

### 5.1. Opening the Gate


The gate features a double-lock system for enhanced security. To open:

1. Slide the two buttons on the handle simultaneously.
2. Lift the handle to disengage the lock.
3. Push or pull the gate door open.

The gate can be configured to open in both directions or only one, using the rotating locks at the bottom.

## SISTEMA A DOPPIO BLOCCHI



 **Apri il Cannello con una Sola Mano**  
Fai scivolare i 2 pulsanti contemporaneamente  
e solleva



**Blocco di Bloccaggio Inferiore**  
Per garantire la stabilità



Image 5.1: Detail of the double lock system for opening the gate.

### 5.2. Automatic Closure

The gate door is designed to close automatically when the opening angle is less than 90 degrees. If the door is pushed open beyond 90 degrees, it will remain open, allowing for free passage.



# CHIUSURA AUTOMATICA

Progettato per aprirsi in entrambe le direzioni



Image 5.2: Illustration of the automatic closing mechanism. The gate closes automatically if opened less than 90 degrees and stays open if opened beyond 90 degrees.

## 5.3. Small Pet Door

A small door is integrated into the main gate panel, allowing smaller pets, such as cats, to pass through without opening the main gate. This small door can be secured if not needed.



## PORTA PICCOLA



-Progettato per permettere ai gatti di passare facilmente

Image 5.3: A cat passing through the small pet door.

## 6. MAINTENANCE

- **Cleaning:** Wipe the gate with a damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all connections, especially the pressure bolts, to ensure they remain tight and secure. Inspect the gate for any signs of damage or wear.
- **Lubrication:** If the hinges become stiff, apply a small amount of silicone-based lubricant.

## 7. TROUBLESHOOTING

- **Gate not closing properly:** Ensure the gate is installed squarely within the opening. Re-tighten the pressure bolts evenly until the gap in the door slot is 2-3 mm.
- **Gate feels unstable:** Re-tighten all four pressure bolts. Ensure wall cups are properly seated against a flat, sturdy surface.
- **Difficulty opening the gate:** Check for any obstructions. Ensure the double-lock mechanism is fully

disengaged by sliding and lifting the buttons completely.

- **Small pet door not functioning:** Check for any debris in the hinge mechanism. Ensure it is not locked if you intend for it to swing freely.

## 8. SPECIFICATIONS

Feature	Detail
Brand	PawHut
Model Number	D06-121V01
Mounting Type	Wall Mount (Pressure)
Overall Dimensions	105L x 76.2H cm (Adjustable width for openings 74-105 cm)
Item Weight	5.5 Kilograms
Material	Steel Alloy, Plastic
Color	Black
Automatic Closure	Yes (closes under 90° open, stays open over 90° open)
Small Pet Door	Yes
Batteries Required	No

## 9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact PawHut customer service directly. Contact details can typically be found on the manufacturer's website or on the product packaging.