

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Garvee](#) /

› [Garvee 13'x26'x11.4' Heavy Duty Metal Carport Instruction Manual](#)

Garvee 13'x26'x11.4'

Garvee 13'x26'x11.4' Heavy Duty Metal Carport Instruction Manual

Official instruction manual for the Garvee 13'x26'x11.4' Heavy Duty Metal Carport.

1. INTRODUCTION

Thank you for choosing the Garvee 13'x26'x11.4' Heavy Duty Metal Carport. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new carport. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

2. IMPORTANT SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in serious injury or property damage.

- Always ensure the carport is properly anchored to the ground.
- Do not use in winds exceeding 100 MPH.
- Keep away from heat sources and open flames.
- Always follow the assembly instructions carefully.
- It is strongly recommended that a team of at least three people carry out the installation of this product in a safe manner.
- During the installation process, it is essential to wear gloves to prevent scratches from parts and sharp edges.
- Make sure to keep children and pets at a safe distance from the assembly area.

3. PRODUCT FEATURES

- **Heavy-Duty Construction:** Engineered with high-strength steel poles and a triple rust-resistant coating, designed to withstand winds up to 100 MPH and a heavy snow load of 35 PSF.
- **Reinforced Frame:** Features multiple roof and side reinforced bars for superior stability and anti-high wind performance. Includes heavy-duty anchor rods for secure installation on various surfaces.
- **Massive Size & High Clearance:** Dimensions of 25.9' L x 13' W x 11.4' H, accommodating 1 full-sized

pickup truck. A generous side pole height of 7.5' provides clearance for compact trailers, RVs, boats, and tractors.

- **Enhanced 120° Roof Design:** Increases top load-bearing capacity by 50% for heavy snow areas. Combined with high-density weatherstrip tape for excellent leak protection and effective snow shedding.
- **Straightforward Assembly:** Designed for easier installation with numbered parts and clear instructions.

4. SPECIFICATIONS

Attribute	Detail
Brand	Garvee
Material	Alloy Steel
Color	Gray
Item Weight	145 Pounds
Product Dimensions	310.8" L x 156" W x 136.8" H (25.9' L x 13' W x 11.4' H)
Ultraviolet Light Protection	UV-Resistant
Water Resistance Level	Water Resistant
Assembly Required	Yes

5. SETUP AND ASSEMBLY

The Garvee Metal Carport is designed for straightforward assembly. Please ensure all parts are present and accounted for before beginning. A minimum of three people is recommended for assembly.

5.1. Carport Dimensions and Capacity

Fits SUV, Truck, Boat & More




Image Description: An illustration of the Garvee 13'x26'x11.4' Metal Carport with key dimensions highlighted, including length (25.9"), width (13.0" at base, 16.2" at roof), peak height (11.4"), and side clearance (7.5"). This carport is designed to fit SUVs, trucks, boats, and more.

5.2. Weather Resistance Features

Rainproof – Even in Heavy Storms !



Image Description: A visual demonstrating the carport's rainproof capabilities, showing water cascading off the roof during a heavy storm. An inset highlights the foam tape used to improve waterproof performance between roof panels.

5.3. Installation Tips for Roof Panels

INSTALLATION TIPS



Measuring distance



Foam Tape Application



Panel Overlap



Self-Tapping Screws

Image Description: A four-panel image illustrating key installation tips for the carport roof. Panel 1 shows measuring distance between roof supports. Panel 2 shows the application of foam tape for sealing. Panel 3 shows proper panel overlap. Panel 4 shows the use of self-tapping screws to secure panels.

5.4. Galvanized Steel Roof and Windproof Support

Galvanized Steel Roof+Windproof Support



Snow-proof



Rain-proof



100 Mph



35 Psf



Lasts 2X Longer Than Regular Metal

Image Description: A full view of the carport with a vehicle underneath, emphasizing the galvanized steel roof and windproof support. Icons indicate snow-proof, rain-proof, 100 MPH wind resistance, and 35 PSF snow load. An inset shows the reinforced internal structure of the roof.

5.5. Reinforced Base Design



REINFORCED BASE DESIGN

Engineered for lasting support
our base upgrade enhances stability and durability

Image Description: A close-up view of the carport's reinforced base design, showing the sturdy metal frame and anchor points for enhanced stability and durability.

5.6. All-Weather Carport Applications

ALL-WEATHER CARPORT



Image Description: A collage of four images showcasing the carport in various scenarios: protecting a vehicle on a rainy day, covered in snow on a snowy day, serving as an outdoor workshop, and functioning as a boat shed.

5.7. Assembly Video Guide

Your browser does not support the video tag.

Video Description: An official seller video demonstrating the assembly process for a 13x26 metal carport. This video provides a visual guide to help users with the installation steps.

6. OPERATING INSTRUCTIONS

Once assembled and securely anchored, your Garvee Metal Carport provides reliable shelter. Simply drive

your vehicle or park your equipment underneath for protection from the elements. Ensure adequate clearance for entry and exit.

7. MAINTENANCE

- Regularly inspect all bolts, screws, and anchor points to ensure they remain tight and secure.
- Clear any accumulated snow or debris from the roof to prevent excessive load, especially in areas prone to heavy snowfall.
- Check the weatherstrip tape periodically and replace if it shows signs of wear to maintain waterproof integrity.
- Clean the metal surfaces with mild soap and water as needed to prevent dirt buildup and maintain appearance. Avoid abrasive cleaners.

8. TROUBLESHOOTING

8.1. Leakage Issues

If you experience any leakage after installation, first check the roof panels for proper overlap and ensure the weatherstrip tape is correctly applied and intact. Reapply or replace tape as necessary. Ensure all screws are tightened to create a secure seal.

9. WARRANTY AND SUPPORT

The Garvee 13'x26'x11.4' Heavy Duty Metal Carport is backed by a 1-year warranty. For any installation difficulties, shipping damages, or missing parts, please contact our dedicated customer support team. They are ready to assist you.