

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Garvee](#) /

> [Garvee King Size Bed Frame with Industrial Headboard, Retro Brown User Manual](#)

Garvee PHO_0PV5D3YW-gbi

Garvee King Size Bed Frame User Manual

Model: PHO_0PV5D3YW-gbi

[Contents](#) [Assembly](#) [Usage](#) [Introduction](#) [Safety Information](#) [Package](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Support](#)

1. INTRODUCTION

Thank you for choosing the Garvee King Size Bed Frame. This manual provides detailed instructions for the assembly, usage, maintenance, and troubleshooting of your new bed frame. Please read this manual thoroughly before beginning assembly and retain it for future reference.

2. SAFETY INFORMATION

Please observe the following safety precautions to prevent injury and damage to the product:

- **Weight Capacity:** Do not exceed the maximum weight capacity of **700 lbs** for this bed frame.
- **Assembly:** Assemble the bed frame on a soft, clean surface to prevent scratches. Ensure all bolts and screws are securely tightened before use.
- **Sharp Edges:** Exercise caution during assembly and handling, as some components may have sharp edges.
- **Children:** Keep small parts and packaging materials away from children to prevent choking hazards.
- **Regular Checks:** Periodically check all connections to ensure they remain tight and secure.

3. PACKAGE CONTENTS

Before assembly, verify that all parts and hardware are present. Refer to the included assembly diagram for a complete list of components. Typically, your package will include:

- Headboard and Footboard panels
- Side rails
- Center support beam(s)
- Steel slats
- Support legs
- Hardware pack (screws, bolts, washers, Allen wrench)

- Assembly instructions

KING



Figure 1: Overview of Garvee King Size Bed Frame with key dimensions (81"L x 77.15"W x 37.2"H).

4. ASSEMBLY INSTRUCTIONS

Assembly typically takes approximately 40 minutes with two people. All parts and tools are marked in the included manual. Follow these general steps:

1. **Unpack and Identify:** Carefully unpack all components and lay them out on a soft, clean surface. Identify each part using the provided assembly diagram.
2. **Attach Headboard and Footboard:** Connect the side rails to the headboard and footboard using the designated bolts and an Allen wrench. Do not fully tighten bolts until all major components are connected.
3. **Install Center Support:** Secure the center support beam(s) and any associated support legs to the frame.
4. **Place Slats:** Position the steel slats across the frame. Ensure they are evenly spaced and securely fastened. The frame features a noise-free design with integrated padding on the slats.



Figure 2: Detail of a secure frame connection point.



Figure 3: Close-up showing the noise-free design with padding on the steel slats.

5. **Final Tightening:** Once all components are in place, go back and fully tighten all bolts and screws. Do not overtighten.
6. **Position Bed:** Carefully move the assembled bed frame to its desired location.



Figure 4: The Garvee King Size Bed Frame fully assembled, ready for a mattress.

5. OPERATING INSTRUCTIONS (USAGE)

This bed frame is designed for use with a king-size mattress. No box spring is required due to the robust steel slat support system.

- **Mattress Placement:** Carefully place your king-size mattress directly onto the steel slats.
- **Under-Bed Storage:** Utilize the generous 13.8 inches of under-bed clearance for storage. This space is ideal for bins, boxes, or other items to maximize bedroom organization.



Under-Bed Large Storage Space

Figure 5: Demonstrating the 13.8-inch under-bed storage space.

- **Weight Distribution:** Distribute weight evenly across the bed frame to maintain stability and prolong its lifespan.

6. MAINTENANCE

Proper maintenance will ensure the longevity and continued performance of your Garvee bed frame:

- **Cleaning:** Wipe down the metal frame with a soft, damp cloth. For the wooden headboard and footboard, use a dry or slightly damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Check Connections:** Every 3-6 months, inspect all bolts and screws to ensure they are still tight. Retighten if necessary to prevent wobbling or squeaking.
- **Avoid Excessive Moisture:** Keep the bed frame in a dry environment to prevent rust on metal components and damage to the MDF panels.

7. TROUBLESHOOTING

Refer to this section for solutions to common issues:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Loose bolts or screws. Uneven floor surface.	Ensure all bolts and screws are fully tightened. Check if the floor is level; use furniture pads if needed.
Squeaking noises.	Loose connections. Friction between metal parts or slats.	Retighten all hardware. The frame has a noise-free design, but if squeaking occurs, check slat placement and connections.
Missing parts or damaged components.	Shipping error or manufacturing defect.	Do not proceed with assembly. Contact Garvee customer support immediately for assistance.

8. SPECIFICATIONS

Feature	Detail
Model Number	PHO_0PV5D3YW-gbi
Size	King (U.S. Standard)
Product Dimensions	81"L x 77.15"W x 37.2"H
Material	Metal frame, MDF headboard/footboard
Color	Retro Brown
Weight Capacity	Up to 700 lbs
Under-Bed Clearance	13.8 Inches
Assembly Required	Yes
Box Spring Required	No

9. WARRANTY AND CUSTOMER SUPPORT

Garvee is committed to providing high-quality products and customer satisfaction. While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims. For any questions, concerns, missing parts, or assistance with assembly, please contact Garvee customer support. Our team is available to provide professional, hassle-free service.

Contact Information: Refer to your purchase documentation or the Garvee official website for the most current customer support contact details.