

JUBEST MYCD2P-TH

JUBEST 72x80 Inch Sliding Closet Door User Manual

Model: MYCD2P-TH

- Introduction
- Safety Information
- Package Contents
- Specifications
- Setup & Installation
- Operating Instructions
- Maintenance
- Troubleshooting
- Warranty & Support

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your JUBEST 72x80 inch Sliding Closet Door. This product features a raised 2-panel arch top design, a white primed hollow core door slab, and includes all necessary hardware kits and matching fascia. Designed for space-saving applications, it is suitable for bedrooms, walk-in closets, laundry rooms, or hallways. Please read this manual thoroughly before beginning installation to ensure proper setup and safe use.



Figure 1: JUBEST 72x80 inch Sliding Closet Door in a home setting.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or damage to the product or property.

- **Heavy Lifting:** Door panels, though lightweight for their size, require careful handling. It is recommended to have at least two people for lifting and positioning the door panels to prevent injury.
- **Proper Tools:** Use appropriate tools for installation as specified in the setup section. Ensure tools are in good working condition.
- **Secure Installation:** Ensure all hardware is securely fastened to structural elements of the wall. Loose components can lead to door detachment and injury.
- **Pinch Points:** Be aware of pinch points when operating the sliding doors. Keep hands and fingers clear of the door edges and track system.
- **Children and Pets:** Supervise children and pets around the sliding door to prevent accidents.

- **Painting Safety:** If painting the door, work in a well-ventilated area and follow all safety guidelines provided by the paint manufacturer.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, please contact customer support.

- Preassembled Door Panels (2)
- Matching Fascia Board
- Top Track
- Floor Guide
- Finger Pulls (2)
- Roller Assemblies (4)
- Mounting Screws and Hardware

Ready to Assemble

All hardware kits include



Figure 2: Included components for the JUBEST Sliding Closet Door.

4. SPECIFICATIONS

Feature	Detail
Model Number	MYCD2P-TH
Overall Product Dimensions	72 x 1.38 x 80 inches (Width x Thickness x Height)
Recommended Rough Opening	72 inches wide x 80 inches high
Each Door Panel Size	36 19/64 inches wide x 78 3/16 inches high
Door Thickness	1 3/8 inches
Item Weight	65 pounds
Color	White (Primed, Paintable)
Material	Hollow Core with HDF Door Skin, Solid Pine Wood Frame, Honeycomb Paper Core

UNIQUE DESIGN



Option Name	A:Each Panel Size	B:Fit Opening Size	Thickness
48"×80"	24 31/64"	48" × 80"	1 3/8"
60"×80"	30 25/64"	60" × 80"	1 3/8"
72"×80"	36 19/64"	72" × 80"	1 3/8"

Figure 3: Dimensional specifications for the sliding closet door.

Door Panel Construction




Figure 4: Door panel construction details.

5. SETUP & INSTALLATION

5.1 Pre-Installation Checklist

- Ensure your rough opening dimensions are approximately 72 inches wide and 80 inches high.
- Gather necessary tools: measuring tape, level, drill, screwdriver, saw (if track adjustment is needed).
- Clear the installation area of any obstructions.

5.2 Installation Steps

Follow these steps for a quick and efficient installation:


1. **Install the Rail and Front Cover:** Secure the top track to the header of your door opening using the provided mounting screws. Ensure it is level and properly aligned. Attach the matching fascia board to the front of the track to conceal the hardware.

Quick installation

completed within **20** min



1. Install the rail and front cover;



2. Install the rollers to the door panels;



3. Hang the doors to the rail

Figure 5: Step 1 - Installing the rail and front cover.

2. **Install Rollers to Door Panels:** Attach the roller assemblies to the top edge of each door panel. The door panels are pre-drilled for easy attachment of the finger pulls.
3. **Hang the Doors to the Rail:** Carefully lift each door panel and engage the rollers with the top track. Adjust as necessary to ensure smooth movement and proper alignment. Install the floor guide to keep the doors stable and prevent swinging.

UNIQUE DESIGN



Built- in Front Cover

Matching fascia hides the sliding hardware from view



Floor Guide

Keeps floor opening clear and hazard-free




Figure 6: Details of the built-in front cover and floor guide.

6. OPERATING INSTRUCTIONS

Your JUBEST sliding closet door is designed for smooth and quiet operation. To open or close the doors, simply grasp the finger pulls and slide the door panels along the track. The bypass system allows both doors to move independently, providing access to either side of the closet opening.

- Ensure the track is free of debris to maintain smooth sliding.
- Avoid forcing the doors if they encounter resistance; inspect the track and rollers for obstructions.

7. MAINTENANCE

7.1 Cleaning

To clean the door panels, use a soft, damp cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals that could damage the primed surface. Regularly wipe down the top track and floor guide to remove dust and debris, ensuring continued smooth operation.

7.2 Painting

The door panels come pre-primed in white and are paintable on both sides, allowing you to customize them to match your home décor. Before painting, ensure the surface is clean and dry. Lightly sand with fine-grit sandpaper if desired for better paint adhesion, then apply your chosen paint according to the manufacturer's instructions.

DIY Your Favorite Color

Fully Paintable Surface



Figure 7: The door's paintable surface allows for customization.

8. TROUBLESHOOTING

If you encounter any issues with your sliding closet door, refer to the following common problems and solutions:

- **Doors are difficult to slide:**
 - Check the top track and floor guide for any debris or obstructions. Clean as necessary.
 - Ensure the rollers are properly seated in the track and are not damaged.
 - Verify that the track is level. Adjust if needed.
- **Doors are not aligned or rub against each other:**

- Check the alignment of the top track and ensure it is securely fastened and level.
- Inspect the roller assemblies for proper installation and adjustment.

- **Doors swing out from the bottom:**

- Ensure the floor guide is properly installed and secured to the floor.
- Verify that the door panels are correctly engaged with the floor guide.

If these steps do not resolve the issue, please contact JUBEST customer service for further assistance.

9. WARRANTY & SUPPORT

JUBEST is committed to providing quality products and excellent customer service. For any quality problems, missing parts, or installation issues, please do not hesitate to contact our professional customer service team. They are available to assist you with any concerns you may have regarding your sliding closet door.

Please refer to your purchase documentation or the JUBEST official website for specific warranty details and contact information.