

JUBEST MYCD2P-T

JUBEST 48x80 inch Sliding Closet Door Instruction Manual

Model: MYCD2P-T

1. PRODUCT OVERVIEW

The JUBEST 48x80 inch Sliding Closet Door system provides a space-saving and aesthetically pleasing solution for your closet or room openings. This system includes two raised 2-panel square top door slabs, pre-primed in white, along with all necessary hardware for a smooth bypass operation. Its design blends traditional elegance with modern simplicity, suitable for various interior styles.



Image: JUBEST 48x80 inch Sliding Closet Door installed, highlighting its functionality and design.

2. FEATURES

- **Design and Finish:** Features a raised 2-panel square top design. The doors are pre-primed in white with a smooth, paintable surface on both sides, allowing for customization to match your home décor.
- **Space-Saving Bypass System:** Designed to slide smoothly, eliminating the need for swing space. Ideal for compact areas, maximizing usable room.
- **Construction and Durability:** Constructed from composite materials, including HDF door skin, solid pine wood, and honeycomb paper core, making it lightweight yet durable for daily use. Finished with door skin on both sides for enhanced durability and appearance.
- **Paintable Surface:** The pre-primed surface is ready for painting, allowing you to easily customize the door color.



Save Space



Smoothly



Quietly



Light Weight

Image: Icons illustrating the benefits of the JUBEST Sliding Closet Door: space-saving, smooth operation, quiet performance, and lightweight construction.

DIY Your Favorite Color

Fully Paintable Surface



Image: Illustration of the door's paintable surface, allowing for custom color application.

Door Panel Construction




Image: Detailed view of the door panel construction, highlighting the HDF door skin, solid pine wood, and honeycomb paper core.

3. PACKAGE CONTENTS

The JUBEST Sliding Closet Door kit includes all necessary components for installation:

- Preassembled Door Panels (2 units)
- Matching Fascia
- Top Track
- Floor Guide
- Finger Pulls (2 units)
- All necessary Mounting Screws

Ready to Assemble

All hardware kits include



Image: All hardware kits included with the JUBEST Sliding Closet Door, ready for assembly.

4. SPECIFICATIONS

Specification	Detail
Model Number	MYCD2P-T
Overall Door Size	48 inches (width) x 80 inches (height)
Each Panel Size	24 31/64 inches (width) x 78 3/16 inches (height)
Door Thickness	1 3/8 inches
Recommended Rough Opening	48 inches (width) x 80 inches (height)
Material	Composite (HDF Door Skin, Solid Pine Wood, Honeycomb Paper)
Color	White (Primed)

Specification	Detail
Item Weight	45 Pounds

UNIQUE DESIGN



Option Name	A:Each Panel Size	B:Fit Opening Size	Thickness
48"×80"	24 31/64"	48" × 80"	1 3/8"
60"×80"	30 25/64"	60" × 80"	1 3/8"
72"×80"	36 19/64"	72" × 80"	1 3/8"

Image: Detailed dimensions for the JUBEST Sliding Closet Door, including panel size and fit opening size.

5. INSTALLATION

- This sliding closet door system is designed for easy installation. Follow these steps for a professional finish:
- 1. Prepare the Opening:** Ensure your rough opening dimensions are 48 inches wide and 80 inches high. The area should be clean and level.
 - 2. Install the Rail and Front Cover:** Securely mount the top track and its matching fascia (front cover) above the door opening. Use appropriate fasteners for your wall type.
 - 3. Install Rollers to Door Panels:** Attach the provided rollers to the top edge of each door panel. The panels are pre-drilled for this purpose.
 - 4. Hang the Doors:** Carefully lift and hang the door panels onto the installed top track. Ensure they engage properly with the rollers.

5. **Install Floor Guide:** Position and secure the floor guide at the bottom of the door opening. This guide helps the doors slide smoothly and prevents them from swinging.
6. **Install Finger Pulls:** Insert the finger pulls into the pre-drilled holes on the door panels.
7. **Adjust and Test:** Make any necessary adjustments to ensure the doors slide smoothly and quietly. Test the operation thoroughly.

Quick installation

completed within **20** min



1. Install the rail and front cover;



2. Install the rollers to the door panels;



3. Hange the doors to the rail

Image: Visual guide for quick installation, detailing steps for track, rollers, and door hanging.

UNIQUE DESIGN



Built-in Front Cover

Matching fascia hides the sliding hardware from view



Floor Guide

Keeps floor opening clear and hazard-free




Image: Close-up views of the built-in front cover and floor guide components.

6. MAINTENANCE

To ensure the longevity and smooth operation of your JUBEST Sliding Closet Door, follow these maintenance guidelines:

- **Cleaning:** Wipe the door panels with a soft, damp cloth. Avoid abrasive cleaners that may damage the primed surface.
- **Track Cleaning:** Periodically clean the top track and floor guide to remove dust, debris, or pet hair that may hinder smooth sliding. A vacuum cleaner with a narrow attachment can be effective.
- **Lubrication:** If the doors begin to stick or make noise, apply a silicone-based lubricant to the rollers and inside the top track. Do not use oil-based lubricants as they can attract dirt.
- **Hardware Check:** Annually inspect all mounting screws and hardware for tightness. Tighten any loose screws to maintain stability and safety.
- **Painting:** If you choose to paint the doors, ensure the surface is clean and dry before applying paint. Follow the paint manufacturer's instructions for best results.

7. TROUBLESHOOTING

If you encounter any issues with your sliding closet door, refer to the following common problems and solutions:

- **Doors are difficult to slide or stick:**
 - Check the top track and floor guide for obstructions (dirt, debris). Clean thoroughly.
 - Apply silicone lubricant to the rollers and track.
 - Ensure the track is level. Adjust if necessary.
- **Doors are noisy during operation:**
 - Lubricate the rollers and track.
 - Check for loose hardware and tighten any screws.
- **Doors are not aligned:**
 - Verify that the top track is installed level.
 - Inspect the floor guide for proper positioning and adjustment.
- **Door panels rub against each other or the frame:**
 - Check for proper installation of the floor guide and ensure it is centered.
 - Ensure the door panels are correctly hung on the rollers and not binding.

If these steps do not resolve the issue, please contact customer support.

8. WARRANTY AND SUPPORT

JUBEST is committed to providing quality products and customer satisfaction. For any installation questions, concerns, or support needs, please contact our professional customer service team. Refer to your purchase documentation for specific warranty details.

Contact Information: Please refer to the contact details provided at the point of purchase or on the official JUBEST website.
