

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [OTTOCAST](#) /

> [OTTOCAST Mini 3.0 Wireless CarPlay/Android Auto Adapter Instruction Manual](#)

## OTTOCAST CP88-T3

# OTTOCAST Mini 3.0 Wireless CarPlay/Android Auto Adapter Instruction Manual

Model: CP88-T3

## 1. INTRODUCTION

The OTTOCAST Mini 3.0 (Pot) is a 2-in-1 wireless adapter designed to convert your car's existing wired CarPlay or Android Auto system into a wireless experience. Enjoy seamless smartphone connectivity, navigation, music, and communication without the need for cables.




Image: The OTTOCAST MINI Pot adapter shown in a car interior, illustrating its wireless connectivity for Apple CarPlay and Android Auto.

## 2. WHAT'S IN THE BOX

Your OTTOCAST Mini 3.0 package includes the following items:

- Wireless CarPlay/Android Auto Adapter (OTTOCAST Mini Pot)
- USB Plug Adapter (Type-A to Type-C)
- User Manual
- Product Packaging



## Ottocast MINI Pot

- 1 Wireless CarPlay adapter
- 2 USB plug adapter (Type-A to C)
- 3 User manual
- 4 Product packaging

Image: The OTTOCAST Mini Pot, a USB-A to USB-C adapter, and the user manual, laid out next to the product box.

### 3. SETUP INSTRUCTIONS

Follow these steps to set up your OTTOCAST Mini 3.0 adapter for the first time:

1. **Plug in the Adapter:** Connect the OTTOCAST Mini 3.0 adapter into your car's USB port. If your car has a USB-C port, use the provided USB-A to USB-C adapter. The adapter's LED light will illuminate.
2. **Enable Bluetooth & Wi-Fi:** On your smartphone, ensure both Bluetooth and Wi-Fi are turned on.
3. **Pair with Bluetooth:** On your phone's Bluetooth settings, search for available devices and select

the one named "AUTO2-XXX" (where XXX is a unique identifier for your device). Confirm the pairing request on your phone and car's infotainment screen if prompted.

4. **Allow Permissions:** Grant necessary permissions for contacts and favorites sync if requested.
5. **Connect to CarPlay/Android Auto:** Once paired, your car's infotainment system should automatically launch Apple CarPlay or Android Auto wirelessly.



Image: Visual guide showing the three simple steps to set up the OTTOCAST Mini Pot: plugging it in, pairing via Bluetooth, and starting wireless CarPlay/Android Auto.

### Setup Video Guide:

Your browser does not support the video tag.

Video: An official seller video demonstrating the quick and easy plug-and-play setup process for the OTTOCAST Mini 3.0 adapter, highlighting wireless freedom.

## 4. OPERATING INSTRUCTIONS

Once the adapter is set up, it will automatically connect to your paired smartphone every time you start your car. The adapter maintains your original car controls for a familiar user experience.

- **Automatic Reconnection:** The adapter will reconnect in seconds once the engine is on, without any extra steps.
- **Original Car Controls:** Continue to use your car's touchscreen, steering wheel buttons, and rotary knob controls as you normally would for navigation, music, and calls.
- **Voice Assistant:** Activate your smartphone's voice assistant (Siri or Google Assistant) for hands-free control.
- **Dual Device Memory:** The adapter can store pairing information for two devices, automatically connecting to the most recently used phone. To switch between phones, ensure the currently connected phone's Bluetooth/Wi-Fi is off, then connect the other phone.



Voice Assistant



Touchscreen Control



Knob Control



Steering Wheel Control

Image: Icons illustrating various control methods supported by the adapter, including voice, touchscreen, knob, and steering wheel controls.

## 5. COMPATIBILITY

The OTTOCAST Mini 3.0 adapter is designed for broad compatibility with various vehicles and smartphones:

- **Vehicle Compatibility:** Works with most cars manufactured in 2016 or later that come with factory-wired Apple CarPlay or Android Auto.
- **Smartphone Compatibility:**
  - **iPhone:** Supports iOS 10 or later (iPhone 5 and all newer models).
  - **Android Phones:** Requires Android 11 or later with 5GHz Wi-Fi support (common in 2020+ models).
- **Note:** This adapter is not compatible with BMW or Tesla vehicles.




Image: A visual representation of the adapter's broad compatibility with over 800 car models, excluding BMW and Tesla.

For a detailed compatibility list, please visit: <https://check.adaptermanual.com/AMZ/>

## 6. MAINTENANCE

To ensure optimal performance and longevity of your OTTOCAST Mini 3.0 adapter:

- Keep the device clean and free from dust and debris.
- Avoid exposing the adapter to extreme temperatures or moisture.
- Handle the adapter gently to prevent physical damage.
- The metal frame is designed for fast heat dissipation, ensuring consistent performance.

## 7. TROUBLESHOOTING

If you encounter issues with your OTTOCAST Mini 3.0 adapter, try the following solutions:

- **No Connection:**

- Ensure the adapter is securely plugged into the correct USB port (data-enabled, not just charging).
- Verify that Bluetooth and Wi-Fi are enabled on your smartphone.
- Check your phone's Bluetooth settings to confirm it's paired with "AUTO2-XXX".
- Restart your car's infotainment system and your smartphone.

- **Intermittent Disconnections:**

- Ensure the adapter is firmly seated in the USB port. The tapered design helps maintain a strong connection.
- Minimize interference from other wireless devices in the car.
- Update the adapter's firmware (see "Online Update" section).

- **Screen Goes Black Occasionally:**

- This can be a rare wireless quirk. Ensure firmware is up to date.
- If persistent, try resetting the adapter (long press the button for 15 seconds to clear data).

- **Delay in Audio/Video:**

- While designed for low latency, some minor delays can occur. Ensure your phone's software and the adapter's firmware are updated.

### Online Update:

To update the adapter's firmware:

1. Plug the product into the car's USB port.
2. Connect your iPhone/Android phone to the product's Wi-Fi network.
3. Enter "192.168.1.101" in your mobile browser.
4. Go to the backend interface and click "Update" if a new version is available.

## 2-YEAR Protection, Twice the Standard

Order Date

1 Year

2 Years



We Go Beyond 1 Year

Hassle-free replacement for 2 years. Proof of purchase needed

Image: Visual guide detailing the steps for performing an online firmware update for the OTTOCAST Mini Pot.

For further support, scan the QR code or visit: <http://otto-cast.com/app/QRCode/download.html>

### 8. SPECIFICATIONS

<b>Model Name</b>	CP88-T3
<b>Special Feature</b>	Low Latency
<b>Connectivity Technology</b>	Bluetooth, 5GHz Wi-Fi (802.11ac)
<b>Power Source</b>	Corded Electric (USB)
<b>Material</b>	Metal, Plastic
<b>Color</b>	Black
<b>Installation Type</b>	Wireless
<b>Control Method</b>	App
<b>Compatible Devices</b>	iPhone (iOS 10+), Android (Android 11+ with 5GHz WiFi)
<b>Supported Applications</b>	Spotify, YouTube, MP3, AAC, etc.
<b>Item Dimensions (L x W x H)</b>	0.82"L x 0.82"W x 0.93"H

### 9. WARRANTY & SUPPORT

The OTTOCAST Mini 3.0 adapter comes with a **2-year manufacturer's warranty** for your peace of mind. This covers any defects in materials or workmanship under normal use.

- **Warranty Duration:** 24 months from the date of purchase.
- **Claim Process:** Proof of purchase is required for all warranty claims. Please contact OTTOCAST customer support for assistance.



Image: A graphic illustrating the 2-year protection plan offered with the OTTOCAST Mini Pot, emphasizing extended coverage.

For further support, troubleshooting, or warranty inquiries, please refer to the contact information provided in your user manual or visit the official OTTOCAST website.