

SLLEA 2-Prong AC Power Cord

SLLEA 2-Prong AC Power Cord User Manual

Model: 2-Prong AC Power Cord

Brand: SLLEA

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your SLLEA 2-Prong AC Power Cord. This power cord is designed to supply power to compatible electronic devices, specifically VOPLLS N3, V3, T-12000L, M03H, U-15000L, and M10 projectors. Please read this manual thoroughly before use and retain it for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

To prevent electric shock, fire, or injury, always follow these basic safety precautions:

- **Compatibility Check:** Prior to use, it is strongly recommended to consult the product manufacturer or a qualified expert to confirm compatibility with your device. Product specifications, power input/output requirements, and safety certifications may differ based on model, production batch, or region.
- **Proper Connection:** Ensure the power cord is fully and securely inserted into both the device and the power outlet. A loose connection can cause overheating or fire.
- **Voltage:** This power cord is designed for AC 100V-240Volt input. Ensure your power source matches this requirement.
- **Avoid Damage:** Do not bend, twist, or pull the cord excessively. Avoid placing heavy objects on the cord. Inspect the cord regularly for any signs of damage. If damaged, discontinue use immediately and replace.
- **Environmental Conditions:** Do not expose the power cord to water, excessive moisture, or extreme temperatures. Use indoors only.
- **Certification:** This AC adapter is CE certified and tested by the manufacturer, ensuring it meets safety standards. It includes over-heat and over-voltage protection.

3. PRODUCT OVERVIEW

The SLLEA 2-Prong AC Power Cord is a durable and reliable solution for powering your compatible electronic devices. It

features a standard 2-prong AC plug on one end and a C7 connector on the other.



Image 3.1: The SLLEA 2-Prong AC Power Cord shown coiled, highlighting its compact design and the two distinct connector ends.



Image 3.2: The SLLEA 2-Prong AC Power Cord partially coiled, displaying the standard 2-prong wall plug and the C7 connector for the device.



Image 3.3: The SLLEA 2-Prong AC Power Cord extended, illustrating its full length and the robust construction of the cable and connectors.

4. SETUP

Follow these steps to connect your power cord:

1. **Verify Compatibility:** Before connecting, double-check the connector end of the power cord and your device's power input port to ensure they match. This power cord features a C7 connector for the device side.
2. **Connect to Device:** Insert the C7 connector end of the power cord firmly into the power input port of your VOPLLS projector or other compatible device.
3. **Connect to Power Outlet:** Insert the 2-prong AC plug end of the power cord into a standard wall power outlet (AC 100V-240V).
4. **Secure Connection:** Ensure both ends are securely connected to prevent accidental disconnection or power interruptions.

5. OPERATING

Once the power cord is securely connected to both your device and a power outlet, your device should receive power. Refer to your device's specific user manual for instructions on how to power it on and operate it.

6. MAINTENANCE

Proper care and maintenance will extend the life of your power cord:

- **Cleaning:** Disconnect the power cord from both the device and the wall outlet before cleaning. Wipe the cord and connectors with a dry, soft cloth. Do not use liquid cleaners.
- **Storage:** When not in use, store the power cord in a cool, dry place, away from direct sunlight and excessive heat. Avoid tightly coiling or bending the cord sharply.
- **Durability:** The cord is designed for durability; wires are firmly secured to prevent easy pulling out or breakage during normal use or shipping. However, avoid unnecessary stress on the connectors.
- **Inspection:** Periodically inspect the cord for any signs of wear, cuts, fraying, or damage to the insulation. If any damage is observed, replace the cord immediately.

7. TROUBLESHOOTING

If your device is not receiving power, consider the following:

- **Check Connections:** Ensure both ends of the power cord are fully and securely plugged into the device and the wall outlet.
- **Test Outlet:** Plug another working appliance into the same wall outlet to confirm the outlet is functional.
- **Inspect Cord:** Visually inspect the power cord for any visible damage (cuts, bends, fraying). If damaged, do not use it.
- **Device Power:** Ensure your device's power switch is in the 'ON' position, if applicable.

If the issue persists after these steps, consult your device's manual or contact the device manufacturer for further assistance.

8. SPECIFICATIONS

Feature	Specification
Brand	SLLEA
Model	2-Prong AC Power Cord
Color	Black
Cable Length	5 feet (approx. 1.5 meters)
Input Voltage	AC 100V-240V
Connector Gender	Male-to-Female (2-prong AC plug to C7 connector)
Special Feature	Portable, Over-heat and Over-voltage Protection
Certifications	CE Certified
Manufacturer	SLLEA
ASIN	B0FVKVFZRS
Date First Available	October 10, 2025

9. WARRANTY AND SUPPORT

For warranty information or technical support regarding your SLLEA 2-Prong AC Power Cord, please refer to the product packaging or contact the manufacturer directly. Keep your purchase receipt as proof of purchase.

© 2025 SLLEA. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question