

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Outsunny](#) /

› [Outsunny 6' x 6' Outdoor Storage Shed Instruction Manual \(Model 84H-162V00GY\)](#)

## Outsunny 84H-162V00GY

# Outsunny 6' x 6' Outdoor Storage Shed Instruction Manual

Model: 84H-162V00GY

## INTRODUCTION

---

This manual provides detailed instructions for the assembly, operation, and maintenance of your Outsunny 6' x 6' Outdoor Storage Shed. This shed is designed to offer ample storage space for gardening tools and equipment, featuring a durable resin construction, natural light, and secure entry. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

## SETUP AND ASSEMBLY

---

The Outsunny storage shed is designed for straightforward assembly. For optimal results and safety, please follow these guidelines:

- **Teamwork:** Assembly typically requires 2-3 people and takes approximately 3 hours.
- **Safety First:** Always wear the provided gloves during installation to prevent injury.
- **Weather Conditions:** Avoid assembling the shed in strong winds to ensure stability and safety.
- **Tools Required:** Prepare an electric drill, a ladder, and other tools as specified in the detailed assembly manual included with your product.
- **Initial Assembly:** Begin by assembling the columns, then attach the wall panels from the bottom to the top.
- **Screw Alignment:** For proper alignment of holes, do not fully tighten screws until the entire structure is assembled.



Image: Step-by-step assembly guide, emphasizing safety and proper technique.

**Gloves included for safe installation**



**Corner protectors prevent accidental injury**



**Pent roof lets rain and snow slide down**



Image: Details on safety gloves, corner protectors, and the pent roof design for rain and snow runoff.

## OPERATING INSTRUCTIONS

Your Outsunny storage shed is equipped with features designed for convenience and security.

- **Lockable Doors:** The shed features double hinged doors for easy access. A latch and lock system is included to secure your stored items. Always ensure the doors are properly closed and locked when not in use to protect contents.
- **Vents:** Two integrated vents promote optimal airflow within the shed, helping to prevent odor buildup and keep your tools dry. Ensure vents are not obstructed.
- **Window:** A transparent window allows natural light to enter the shed, improving visibility inside without the need for artificial lighting during the day.
- **Built-in Floor:** The shed includes a built-in floor designed to block rainwater intrusion and keep the interior clean and dry.

# LOCKABLE DOORS

Add security for your tools



Image: Detail of the lockable doors, showing the latch and included padlock with keys.

# Vents

Prevent odor and  
keep your tools dry



**Window**  
Allow natural light in

Image: Details of the shed's vents for airflow and window for natural light.

## MAINTENANCE

To ensure the longevity and optimal performance of your Outsunny storage shed, follow these simple maintenance tips:

- **Cleaning:** Regularly clean the exterior of the shed with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the resin material.
- **Inspection:** Periodically check all screws and fasteners to ensure they remain tight. Re-tighten if necessary.
- **Drainage:** Ensure the area around the shed is clear of debris to allow for proper water runoff from the slanted roof and to prevent water accumulation around the base.
- **Material Properties:** The shed's 12mm thick wood grain polypropylene resin, reinforced with aluminum, is waterproof, UV-resistant, and rust-proof, requiring minimal specialized maintenance.

# RESIN CONSTRUCTION

Reinforced with aluminium



Waterproof



UV resistant



Rust-proof



Image: Visual representation of the shed's resin construction and its waterproof, UV-resistant, and rust-proof properties.


## TROUBLESHOOTING

If you encounter any issues with your storage shed, consider the following common solutions:

- **Stability Issues:** If the shed feels unstable, re-check all connections and ensure screws are tightened appropriately. Verify that the shed is placed on a level surface.
- **Door Misalignment:** If doors do not close properly, check for obstructions or ensure the shed base is level. Adjust hinges if necessary, following the detailed assembly instructions.
- **Water Leakage:** Although the shed is waterproof, ensure all panels are correctly seated and sealed during assembly. Check for any damage to the roof or walls.
- **Condensation:** Ensure the vents are clear and unobstructed to allow for proper air circulation, which helps reduce condensation inside the shed.

## SPECIFICATIONS

<b>Model Number</b>	84H-162V00GY
<b>Brand</b>	Outsunny
<b>Material</b>	Polypropylene Resin (Reinforced with Aluminum)
<b>Color</b>	Grey
<b>Overall Dimensions (External)</b>	181D x 181W x 220H cm (5.9' x 5.9' x 7.2')
<b>Internal Storage Area</b>	1.6 x 1.6 m (5.2' x 5.2')
<b>Wall Panel Thickness</b>	12mm
<b>Item Weight</b>	79.83 kg (176 Pounds)
<b>Water Resistance Level</b>	Waterproof
<b>Features</b>	Lockable Doors, Vents, Window, Built-in Floor, Slanted Roof



**Note:**

Before purchasing this product, it is recommended to measure the foundation size first.

- Overall dimension
- Bottom
- Inner storage

Bottom Area = 31 ft<sup>2</sup> (2.91 m<sup>2</sup>)

Image: Detailed dimensions of the storage shed. It is recommended to measure your foundation size before purchase.

**WARRANTY AND RETURNS**

---

This product is eligible for return or refund within 30 days of receipt. Please refer to the retailer's return policy for specific terms and conditions.

## **CUSTOMER SUPPORT**

---

For any questions, concerns, or assistance with your Outsunny storage shed, please contact the manufacturer:

- **Manufacturer:** Aosom Canada
- **Place of Business:** Markham, Ontario, CA
- **Telephone:** 1-416-792-6088