

[Manuals.plus](#) /

› [IDEALHOUSE](#) /

› IDEALHOUSE Twin Pop-Up Trundle Bed Instruction Manual

IDEALHOUSE Tslv8UbJdl6a5MpcDAJo2Au567

IDEALHOUSE Twin Pop-Up Trundle Bed Instruction Manual

Model: Tslv8UbJdl6a5MpcDAJo2Au567

INTRODUCTION

Thank you for choosing the IDEALHOUSE Twin Pop-Up Trundle Bed. This manual provides essential information for the safe assembly, operation, and maintenance of your new trundle bed. Please read these instructions carefully before beginning assembly and retain them for future reference.

SAFETY INFORMATION

- Always follow assembly instructions precisely. Incorrect assembly can lead to instability and injury.
- Ensure all bolts and fasteners are securely tightened before use. Periodically check and re-tighten as needed.
- Do not exceed the maximum weight capacity of 400 pounds.
- Keep small parts and packaging materials away from children to prevent choking hazards.
- Use the trundle bed on a flat, level surface to prevent tipping.
- Engage the wheel locks when the trundle is in its desired position to prevent unintended movement.
- When lifting or lowering the trundle, ensure hands and fingers are clear of moving parts to avoid pinching.

PACKAGE CONTENTS

Verify that all components are present before assembly. If any parts are missing or damaged, please contact customer support.

- Trundle Bed Frame Components (various metal bars and supports)
- 6 Lockable Casters
- Assembly Hardware (bolts, washers, nuts, Allen wrench)
- Instruction Manual

Demensions




Image: All components of the IDEALHOUSE Twin Pop-Up Trundle Bed frame laid out.

SETUP AND ASSEMBLY

Assembly typically takes 45 minutes to an hour for one person. It is recommended to have a second person for easier handling of larger components.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches. Identify each component using the parts list in your included manual.
2. **Attach Casters:** Securely attach the six lockable casters to the designated points on the trundle frame. Ensure they are firmly in place.
3. **Assemble Frame:** Begin assembling the main frame structure. When attaching side rails and crossbars, initially hand-tighten all bolts. **Important: Do not fully tighten any bolts until all stability/mattress holder slats are in place.** This allows for necessary flexibility to insert the slats.
4. **Insert Slats:** Once the frame is loosely assembled, insert all mattress support slats into their respective slots.
5. **Final Tightening:** After all slats are in position, go back and securely tighten all bolts using the provided Allen wrench. Ensure all connections are firm and stable.
6. **Position Trundle:** Place the assembled trundle in its desired location. If using under a daybed, ensure the daybed has an

internal length of 75 inches or more and an internal height of at least 12.6 inches for proper fit.



Image: Detailed size guide illustrating the dimensions of the trundle bed and compatibility with a daybed.

Trundle Highlights




Solid Metal Frame



Wheels with Brakes



Sturdy Legs



Easy Assembly

Image: The trundle bed demonstrating 12.6 inches of under-bed storage space when in the lower position.

OPERATING INSTRUCTIONS

The IDEALHOUSE Twin Pop-Up Trundle Bed offers versatile use as a standalone bed or as an additional sleeping surface under a daybed.

Rolling Out the Trundle

To use the trundle, ensure the caster locks are disengaged. Gently pull the trundle from under the main daybed (if applicable) or roll it to your desired location. The smooth-rolling casters allow for easy movement.



Image: The trundle bed partially pulled out from beneath a daybed, illustrating its roll-out function.

Lifting to Daybed Height

This trundle features a pop-up mechanism to raise it to daybed height (12.6 inches). To lift, locate the folding legs and carefully extend them upwards until they lock into place. This transforms the trundle into a comfortable standalone bed or a sofa-height seating option. To lower, release the locking mechanism on the legs and fold them flat for compact storage.



Image: The trundle bed fully extended and locked into its elevated daybed height position.

Locking Casters

Once the trundle is in its desired position, whether rolled out or popped up, engage the locks on all six casters. This will prevent the bed from sliding or wobbling, ensuring stability and safety during use.



Image: A detailed view of the trundle's pop-up mechanism and one of the lockable casters.

MAINTENANCE

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Fastener Check:** Periodically inspect all bolts and connections to ensure they remain tight. Re-tighten any loose fasteners to maintain the bed's stability and prevent squeaking.
- **Caster Inspection:** Check casters for any debris or hair that might impede smooth rolling. Clean as necessary.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Bed squeaks during use.	Loose bolts or connections.	Check and re-tighten all assembly bolts. Ensure the bed is on a level surface.
Trundle difficult to roll.	Caster locks engaged; debris in casters.	Disengage all caster locks. Clean any debris from the caster wheels.
Trundle does not lift or lower smoothly.	Mechanism obstruction; misaligned legs.	Ensure no bedding or objects are obstructing the folding legs. Check that the legs are properly aligned and not bent.
Parts missing or damaged upon arrival.	Manufacturing defect or shipping damage.	Do not attempt to assemble. Contact IDEALHOUSE customer support immediately for replacement parts.

SPECIFICATIONS

- **Model:** Tslv8UbJdl6a5MpcDAJo2Au567
- **Size:** Twin
- **Material:** Metal
- **Product Dimensions (L x W x H):** 73.6" x 38.9" x 12.6"
- **Item Weight:** 27.8 pounds
- **Maximum Weight Recommendation:** 400 pounds
- **Included Components:** Trundle frame, hardware, casters
- **Compatibility:** Designed to fit under a daybed with an internal length of 75" or more and an internal height of at least 12.6".

WARRANTY AND SUPPORT

For warranty information, product support, or to order replacement parts, please contact IDEALHOUSE customer service. Refer to your purchase documentation for specific warranty terms and contact details.

You can also visit the official IDEALHOUSE store for more information: [IDEALHOUSE Store](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question