

Electactic JC-18UEL-F

Electactic 0.6 cu.ft (24 Cans) Counter-top Wine Fridge Instruction Manual

Model: JC-18UEL-F | Brand: Electactic

[Instructions](#) [Maintenance](#) [Safety Information](#) [Setup](#) [Operating](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. SAFETY INFORMATION

Please read all instructions carefully before using your Electactic Wine Fridge. Retain this manual for future reference.

- **Proper Placement:** Ensure the appliance is placed on a stable, level surface. This unit is designed for freestanding counter-top use.
- **Ventilation:** This wine fridge features front ventilation. Do not block the front vents to ensure proper airflow and efficient cooling. Adequate clearance around the sides and back is not strictly required due to front venting, allowing for built-in applications if desired.
- **Power Supply:** Connect the appliance to a grounded 115 Volt electrical outlet. Do not use extension cords.
- **Child Safety:** The unit includes a lock and key feature to prevent unauthorized access, especially by children. Always keep keys out of reach of children.
- **Handling:** Allow the unit to stand upright for at least 4 hours before plugging it in to allow the refrigerant fluids to settle.
- **Cleaning:** Disconnect power before cleaning. Use a soft cloth and mild detergent.

2. SETUP GUIDE

2.1 Unboxing and Initial Placement

Carefully remove the wine fridge from its packaging. Inspect for any shipping damage. Place the unit in its desired location, ensuring it is on a stable, level surface. Allow the unit to stand upright for at least 4 hours before plugging it into an electrical outlet. This allows the compressor's coolant to settle, preventing potential damage.



Image: Electactic 0.6 cu.ft Wine Fridge, ready for setup.

2.2 Handle Installation

The door handle(s) are typically found inside the unit or in the packaging. Align the handle with the pre-drilled holes on the door and secure it using the provided screws. A screwdriver (not included) may be required.

2.3 Door Reversal (Optional)

The door hinge is reversible, allowing the door to open from either the left or right side to best suit your space. Refer to the detailed diagrams and instructions in the full product manual for step-by-step guidance on reversing the door.

2.4 Power Connection

After the initial 4-hour settling period, plug the unit into a dedicated 115V grounded electrical outlet. The digital

display will illuminate, indicating the current internal temperature.

Compact Wine Cooler

Power Cord Length: 5.26 Feet



Image: Product dimensions for placement consideration.

3. OPERATING INSTRUCTIONS

3.1 Temperature Control

The wine fridge features a digital temperature control panel located on the top of the unit. The adjustable temperature range is from 40°F to 61°F (5°C to 16°C).

- **Adjusting Temperature:** Use the '+' and '-' buttons on the control panel to set your desired temperature. The display will show the set temperature.
- **Celsius/Fahrenheit:** Press and hold both the '+' and '-' buttons simultaneously for 3 seconds to switch between Celsius and Fahrenheit display modes.

- **Temperature Lock:** The control panel may automatically lock after a period of inactivity. Press and hold the lock button (often indicated by a padlock icon) for 3 seconds to unlock and adjust settings.

Keep Wine Cool

Temperature Range: (40°F-61°F)



40°F-46°F
Pure milk



47°F-53°F
Iced cola



54°F-56°F
Champagne



57°F-61°F
Red wine

Image: Digital temperature control panel and suggested temperature settings.

3.2 Interior LED Light

The unit is equipped with an interior blue LED light. Use the light button (often indicated by a light bulb icon) on the control panel to turn the light on or off. This enhances visibility of your stored beverages.

3.3 Loading Beverages

The wine fridge has a capacity of 0.6 cubic feet, accommodating up to 24 standard cans. It includes one removable tempered glass shelf for organizing various beverages such as wine bottles, beer cans, soda, and juice.

- **Shelf Adjustment:** The included shelf can be adjusted or removed to accommodate taller bottles or different configurations.
- **Even Distribution:** For optimal cooling, distribute beverages evenly on the shelves and avoid overcrowding.

0.6 Cuft Wine Cooler

18L Capacity



6 Cans(355ml)and
4 Bottles(750ml)



24 Cans(355ml)



Image: Illustrates the capacity and flexible storage options.

3.4 Security Lock

The unit is equipped with a lock and key mechanism to secure your beverages. Insert the key into the lock located at the bottom of the door and turn to lock or unlock. Keep the keys in a safe place.

4. MAINTENANCE

4.1 Cleaning the Interior

To clean the interior, first unplug the unit. Remove all beverages and shelves. Wipe down the interior surfaces with a soft cloth dampened with a mild detergent solution. Rinse with clean water and dry thoroughly before replacing shelves and beverages. The unit features a frost-free defrost system, minimizing manual defrosting.

4.2 Cleaning the Exterior

The exterior is made of stainless steel and can be cleaned with a soft cloth and a non-abrasive stainless steel cleaner. Avoid harsh chemicals or abrasive pads that could scratch the surface. Regularly clean the front ventilation grille to ensure optimal performance.

4.3 Power Outage

In case of a power outage, keep the door closed to maintain the internal temperature for as long as possible. The unit will resume operation with its previous settings once power is restored.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not operate.	No power supply.	Check if the unit is plugged in. Check the circuit breaker.
Temperature is not cold enough.	Door not closed properly; excessive door opening; high ambient temperature; blocked ventilation; temperature setting too high.	Ensure door is sealed; reduce door openings; place unit in cooler area; clear front vents; lower temperature setting.
Unit is making excessive noise.	Unit not level; loose parts; normal compressor operation.	Adjust leveling feet; check for loose components; some noise is normal for compressor-based units.
Digital display is locked.	Child lock activated.	Press and hold the lock button for 3 seconds to unlock.

6. SPECIFICATIONS

Feature	Detail
Brand	Electactic
Model Name	Wine Fridge
Model Number	JC-18UEL-F
Capacity	0.6 Cubic Feet (24 Cans)
Product Dimensions (D x W x H)	14.84"D x 10.94"W x 16.53"H

Feature	Detail
Temperature Range	40°F to 61°F (5°C to 16°C)
Cooling Method	Compressor
Defrost System	Frost Free
Noise Level	≤ 43dB
Voltage	115 Volts
Included Components	1*Beverage Refrigerator, 1*Shelve

7. WARRANTY & SUPPORT

This Electactic Wine Fridge comes with a **1 Year Limited Warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any questions regarding your product, please contact Electactic customer service. Contact information can typically be found on the product packaging or the official Electactic website.

8. PRODUCT VIDEOS

Fresh Cool Beverage Anytime!

Your browser does not support the video tag.

Video Description: This video demonstrates the Electactic Wine Fridge in use, showcasing its compact size, interior lighting, and how it keeps beverages cool. It highlights the ease of placing and retrieving drinks, emphasizing its convenience for everyday use.