

[Manuals.plus](#) /

› [PGYTECH](#) /

› PGYTECH MagCam 2 Smartphone Grip User Manual - Modular 3-in-1 Kit with Bluetooth Remote & Wireless Charging

PGYTECH MagCam 2

PGYTECH MagCam 2 Smartphone Grip User Manual

Model: MagCam 2 (P-PG-081)

Brand: PGYTECH


1. INTRODUCTION

Thank you for choosing the PGYTECH MagCam 2 Smartphone Grip. This modular 3-in-1 kit is designed to enhance your mobile photography and videography experience, offering a Bluetooth remote control, a 3000mAh charging grip, and a magnetic MagSafe wireless charging stand. This manual provides detailed instructions for setup, operation, and maintenance to ensure optimal performance.

2. PACKAGE CONTENTS

Please verify that all items are present in your package:

- 1 x PGYTECH MagCam 2 Charging Grip Module
- 1 x PGYTECH MagCam 2 Magnetic Wireless Charging Stand Module
- 1 x PGYTECH MagCam 2 Bluetooth Remote Control Module
- 1 x Magnetic Ring (for non-MagSafe Android phones)
- 1 x Wrist Strap
- 1 x User Manual



Nota: Tenere premuti il "Pulsante Scatto/Registrazione/Focalizzazione" e il "Pulsante Accensione" per 5 secondi per resettare la memoria Bluetooth e ripairare.



Image: The PGYTECH MagCam 2 kit components laid out, including the main grip, magnetic wireless charging pad, detachable Bluetooth remote, a magnetic ring, and a wrist strap, alongside the user manual and packaging.

3. PRODUCT OVERVIEW

The MagCam 2 features a versatile 3-in-1 modular design, allowing components to be used together or independently.

3.1 Modular Components

- **Bluetooth Remote Control Module:** Detachable for remote operation.
- **Charging Grip Module:** Provides a stable hold and includes a 3000mAh power bank.
- **Magnetic Wireless Charging Stand Module:** Attaches magnetically to your smartphone for charging and acts as a stand.

Sei Motivi per Scegliere MagCam 2



Interazione Migliorata
Impugnatura confortevole,
esperienza di scatto da mirrorless



Design Modulare
Design multiuso che si trasforma
immediatamente in un supporto da
scrivania



**Controllo Intelligente
tramite App**
Si abbina perfettamente all'App
PGYTECH per una creazione
senza sforzo



Telecomando Bluetooth
Ghiera personalizzata per cambio
rapido dei parametri professionali



Ricarica Wireless MagSafe
Scatta mentre carichi, mai
senza energia



Sicuro e Affidabile
Batteria 3C con protezione da
sovraccarico e surriscaldamento

Image: An exploded view diagram illustrating the three main modules of the MagCam 2: the Bluetooth remote control (1), the charging grip (2), and the magnetic wireless charging stand (3).

3.2 Controls and Indicators

Bluetooth Compatibility								
Funzioni	Xiaomi	Huawei	Honor	OPPO (custom interaction for Find X9 series)	vivo X300	Samsung Galaxy S25	iPhone	 PGYTECH Photo- Video Creative app
Foto & Video	✓	✓	✓	✓	✓	✓	✓	✓
Fotocamera Regolazione Messa a Fuoco	✓	✓	✓	✓	✓	✓	✓	✓
Messa a Fuoco a Mezzo Pressione	✓	✓	✓	✓	✓	✓	✓	✓
Cambio Modalità	✓	✓	✓	✓	✓	✓	✓	✓
Avvio Rapido alla Standby	✓	✓	✓	✓	✓	✓	✓	✓
Flip Fotocamera	✓	✓	✓	✓	✓	✓	✓	✓
Regolazione Parametri Personalizzati	✗	✗	✗	Find X9 Series Special Edition	✗	✗	✗	✓

Nota: L'app "PGYTECH Camera" è solo per iOS. Le funzionalità possono essere limitate su modelli non elencati. Compatibilità completa dell'app (Find X9 supporta integrazione personalizzata); vivo (solo serie X300); Samsung (solo Galaxy S25). Supporto per altri modelli vivo/Samsung in sviluppo.

Image: A detailed diagram highlighting the controls on the MagCam 2 remote: Zoom Adjustment Button, Shutter/Record/Focus Button, Status Indicator Lights, Power/Quick Start/Mode Switch/Camera Flip/Bluetooth Pairing Button, and a Customizable Dial.

- **Shutter/Record/Focus Button:** Half-press to focus, full press to capture photo or start/stop video recording.
- **Zoom Adjustment Button:** Controls the zoom level of your camera.
- **Power/Mode Switch Button:** Powers the device on/off, switches camera modes, flips between front and rear cameras, and initiates Bluetooth pairing.
- **Customizable Dial:** Allows quick adjustment of professional parameters like ISO or exposure (functionality depends on smartphone app).
- **Status Indicator Lights:** Show device status and battery level.

Note: To clear Bluetooth memory and re-pair, press and hold the "Shutter/Record/Focus" button and the "Power" button simultaneously for 5 seconds.

4. SETUP

4.1 Assembling the Modules

The MagCam 2 modules connect via a quick-release mechanism.

1. Align the magnetic wireless charging stand module with the charging grip module.
2. Slide them together until they click securely into place.
3. The Bluetooth remote control module is magnetically attached to the charging grip and can be easily detached for use.




Image: A close-up view of hands demonstrating the quick-release button and sliding mechanism to attach the magnetic wireless charging module to the main grip.

4.2 Attaching Your Smartphone

- **For MagSafe compatible iPhones (12-17 series):** Simply align your iPhone with the magnetic wireless charging stand. The strong magnetic force will secure it in place.
- **For Android phones and non-MagSafe iPhones:** Use the included magnetic ring.
 - a. Clean the back surface of your phone or phone case.
 - b. Peel off the adhesive backing from the magnetic ring.
 - c. Carefully center and apply the magnetic ring to the back of your phone or case. Ensure the surface is flat for proper adhesion.
 - d. Once the ring is securely attached, your phone can be magnetically mounted to the MagCam 2.



Image: A smartphone securely attached to the MagCam 2 via MagSafe, demonstrating the strong magnetic connection. Another inset shows the included magnetic ring for compatibility with non-MagSafe phones.

4.3 Bluetooth Pairing

To enable remote control functionality, pair the Bluetooth remote with your smartphone.

1. Ensure the remote control module is charged. It charges automatically when attached to the grip.
2. Press and hold the Power/Mode Switch button on the remote until the indicator light flashes, indicating pairing mode.

3. On your smartphone, go to Bluetooth settings and search for "PGYTECH MagCam 2" (or similar).
4. Select the device to pair. The indicator light on the remote will turn solid when successfully paired.
5. For iPhone users, activate specific accessibility settings for full functionality (refer to the image below).



Image: A step-by-step guide showing how to enable "Zoom" and "Full Screen Zoom" in iPhone Accessibility settings, which is required for certain remote functions.

5. OPERATING INSTRUCTIONS

5.1 Using the Bluetooth Remote Control

The remote control allows for various camera functions:

- **Shutter/Record:** Press the shutter button to take photos or start/stop video recording. Half-press for focus.
- **Zoom:** Use the zoom adjustment button to zoom in or out.
- **Mode Switch:** Press the mode button to cycle through camera modes (e.g., photo, video, portrait).
- **Camera Flip:** Switch between front and rear cameras.
- **Customizable Dial:** Adjust professional camera settings (ISO, exposure) if supported by your phone's camera app or the PGYTECH app.

The remote has an automatic reconnection feature and can operate up to 10 meters away from your smartphone.

5.2 Charging Your Smartphone

The MagCam 2 charging grip features a 3000mAh battery for on-the-go power.

- Ensure the charging grip is charged via its Type-C input.
- When your MagSafe-compatible smartphone is attached to the magnetic wireless charging stand, wireless charging will begin automatically.
- The grip also provides 10W Type-C output for wired charging of other devices.

Design 3-in-1 per Usi Multipli



Image: A smartphone displaying a charging icon, indicating it is receiving wireless power from the PGYTECH MagCam 2 grip.

5.3 Using the PGYTECH App (for iPhone users)

iPhone users can download the PGYTECH Pro Imaging App for enhanced control and features.

- The app provides additional photographic and video tools.
- It allows for more precise control over camera settings using the customizable dial.

Note: Android users will use their native camera app for control, as the PGYTECH app is not available for Android.

Installa & Guarda, Stabile in Movimento

Il modulo di ricarica wireless e l'impugnatura presentano un design a **sgancio rapido**, consentendo un passaggio veloce e sicuro tra riprese e uso quotidiano



Pulsante di Rilascio Rapido



Mani libere, si infila facilmente in tasca

Image: A composite image showing the PGYTECH MagCam 2 in use with an iPhone, demonstrating Bluetooth remote control, the customizable dial, and the PGYTECH Pro Imaging App interface with professional controls.

5.4 Versatile Usage Modes

The modular design allows for various configurations:

- **Handheld Grip:** For stable and ergonomic shooting.
- **Desktop Stand:** The magnetic stand can be angled up to 58° for hands-free viewing, vlogging, or video calls.
- **Tripod Mount:** The 1/4" thread on the bottom of the grip allows attachment to tripods or other accessories.

Ricarica Wireless Magnetica

La batteria integrata da 3000 mAh consente la ricarica wireless MagSafe, mantenendo il dispositivo alimentato mentre fotografi.



Ricarica con
un solo tocco.



Indicatore di
batteria.



Conforme al trasporto
aereo.



Certificato 3C.

Image: A collage showing different ways to use the PGYTECH MagCam 2: holding it for a shot, using it as a desktop stand for a phone, mounting it on a tripod, and attaching an external light.

6. MAINTENANCE

- **Cleaning:** Wipe the device with a soft, dry cloth. Avoid using harsh chemicals or abrasive materials.
- **Storage:** Store the MagCam 2 in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** For optimal battery life, charge the grip regularly, even if not in frequent use. Avoid fully discharging the battery for extended periods.
- **Magnetic Ring:** Ensure the magnetic ring is securely attached. If it loses adhesion, replace it with a new one.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Device not powering on.	Low battery.	Charge the MagCam 2 grip using a Type-C cable.
Bluetooth remote not connecting.	Not paired, out of range, or low battery.	Ensure remote is charged. Re-pair the remote (press and hold Shutter + Power for 5 seconds). Ensure remote is within 10m of phone.
Wireless charging not working.	Phone not MagSafe compatible, misaligned, or grip battery low.	Ensure phone is MagSafe compatible or has a magnetic ring. Realign phone. Charge the grip.
Remote functions (e.g., zoom) not working on iPhone.	Accessibility settings not enabled.	Go to iPhone Settings > Accessibility > Zoom and enable "Zoom" and "Full Screen Zoom" as shown in the setup section.
Magnetic attachment is weak.	Magnetic ring improperly applied or surface not suitable.	Ensure the magnetic ring is correctly centered and applied to a flat, smooth surface. Avoid curved, silicone, leather, or fabric surfaces.

8. SPECIFICATIONS

Feature	Detail
Product Name	MagCam 2 Smartphone Grip
Model Number	P-PG-081
Brand	PGYTECH
Main Material	ABS+PC, Aluminum Alloy, Zinc Alloy
Net Weight	157.5 Grams
Compatible Devices	iPhone 12-17 series, Huawei Mate/P (HarmonyOS), Xiaomi 16/15/14, Redmi K series, OPPO, and other Android 14 devices (Incompatible with Google phones)
Grip Battery Capacity	3000 mAh
Type-C Input	5V/2A
Type-C Output	5V/2A (10W)
Wireless Charging Output	5V/1A
PIN Output (Remote)	5V/1A
Bluetooth Range	Up to 10 meters
Magnetic Holding Power	25W
Folded Dimensions (charging pad thickness)	4.5-5.5 mm

Feature	Detail
Shooting Modes	Portrait, Landscape, Tabletop Recording, Vlogging, Video Calls, Timelapse
Water Resistance Level	Not water resistant

9. WARRANTY AND SUPPORT

PGYTECH products are designed for reliability and performance. For warranty information and technical support, please refer to the official PGYTECH website or contact their customer service directly.

Official Website: www.pgytech.com

Customer Service: Refer to the contact information provided on the official website or your purchase documentation.

Return Policy: The product has a 14-day return policy (refund/replacement) as per Amazon's terms.

