

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Relaxdays](#) /

› [Relaxdays 3-Tier Rolling Cart \(Model 10052086\\_46\) Instruction Manual](#)

## Relaxdays 10052086\_46

# Relaxdays 3-Tier Rolling Cart (Model 10052086\_46) Instruction Manual

Your guide to assembly, operation, and maintenance.

[Introduction](#)   [Safety Instructions](#)   [Package Contents](#)   [Setup &](#)  
[Assembly](#)   [Operation](#)   [Maintenance](#)   [Troubleshooting](#)   [Specifications](#)   [Warranty & Support](#)

## 1. INTRODUCTION

---

Thank you for choosing the Relaxdays 3-Tier Rolling Cart. This versatile storage solution is designed to provide convenient organization in various settings, including kitchens, bathrooms, offices, and craft rooms. Its mobile design and adaptable features make it an ideal aid for daily tasks and storage needs. Please read this manual carefully before assembly and use to ensure proper function and longevity of your product.



Image 1.1: The Relaxdays 3-Tier Rolling Cart, showcasing its use in a kitchen environment.

## 2. SAFETY INSTRUCTIONS

- **Read all instructions:** Before assembly and use, carefully read and understand all instructions provided in this manual.
- **Adult assembly required:** Assembly should be performed by an adult. Keep small parts away from children during assembly.
- **Weight limits:** Do not exceed the maximum load capacity of 5 kg (11 lbs) per shelf. Overloading can cause instability and damage.
- **Stable surface:** Always place the cart on a flat, stable, and level surface.
- **Lock wheels:** Engage the locking brakes on the castors when the cart is stationary to prevent accidental movement.
- **Avoid climbing:** Do not allow children to climb on or play with the cart.
- **Chemicals:** Avoid using harsh chemicals or abrasive cleaners, which can damage the product's finish.
- **Regular inspection:** Periodically check all screws and connections to ensure they remain tight.

### 3. PACKAGE CONTENTS

---

Please verify that all components listed below are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- 1x Serving Trolley (in parts)
- 5x Dividers
- 1x Hanging Cup
- 4x Hooks
- 1x Assembly Instructions (this manual)





*Image 3.1: Example of a shelf with included dividers and hanging cup.*

## 4. SETUP AND ASSEMBLY

---

Assembly of the Relaxdays 3-Tier Rolling Cart is straightforward. Follow these steps:

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches.
2. **Attach Castors:** Insert the four swivel castors into the designated holes on the bottom of the lowest shelf. Ensure they are securely fitted. Two of the castors have locking brakes.
3. **Assemble Frame:** Connect the support poles to the corners of the shelves. Start with the lowest shelf, then attach the middle shelf, and finally the top shelf. Ensure all connections are firm.
4. **Install Dividers:** Place the five dividers into the slots on the shelves as desired to create customized compartments.
5. **Attach Hanging Cup and Hooks:** Clip the hanging cup and the four hooks onto the edges of the shelves as needed for additional storage.
6. **Final Check:** Once assembled, gently shake the cart to ensure all connections are secure and the cart is stable.



*Image 4.1: Detail of a swivel castor with locking brake for stability.*

## 5. OPERATING INSTRUCTIONS

---

### 5.1 Moving the Cart

The cart is equipped with 360° swivel castors for easy mobility. To move the cart, simply release the locking brakes on the two braked castors (if engaged) and push the cart to your desired location. Ensure the path is clear of obstacles.

### 5.2 Securing the Cart

When the cart is in its desired position, engage the locking brakes on the two castors to prevent unintended movement. This ensures stability, especially when loading or unloading items.

### 5.3 Utilizing Storage Features

- **Shelves:** Use the three spacious shelves to store various items. Remember the 5 kg (11 lbs) weight limit per shelf.
- **Dividers:** The included dividers can be repositioned within the shelves to create custom compartments for better organization of smaller items.

- **Hanging Cup:** Attach the hanging cup to the side of any shelf for quick access to utensils, pens, or other small tools.
- **Hooks:** Utilize the four hooks to hang towels, aprons, or other lightweight accessories on the cart's exterior.
- **Separate Shelf Use:** The shelves can also be used individually or as a 2-tier unit by adjusting the assembly. For example, a single shelf can serve as a draining rack on a kitchen counter.



*Image 5.1: The versatile rolling cart demonstrated in multiple home and office environments.*



Image 5.2: The rolling cart configured for under-sink storage in a kitchen, highlighting its adaptability.

## 6. MAINTENANCE

- **Cleaning:** Wipe the cart surfaces with a soft, damp cloth. For stubborn dirt, a mild soap solution can be used. Dry thoroughly immediately after cleaning.
- **Avoid harsh cleaners:** Do not use abrasive cleaners, scouring pads, or strong chemical detergents, as these can damage the finish and material.
- **Check connections:** Periodically inspect all screws and connections to ensure they are tight. Retighten if necessary to maintain stability.
- **Wheel care:** Keep the castors free from hair, dust, and debris to ensure smooth rolling.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Cart is unstable or wobbly.	Loose connections; uneven load distribution; uneven surface.	Check and tighten all screws and connections. Redistribute items evenly on shelves. Move cart to a level surface.

<b>Problem</b>	<b>Possible Cause</b>	<b>Solution</b>
Castors do not roll smoothly.	Debris caught in wheels; brakes engaged.	Clear any hair, dust, or debris from the castor wheels. Ensure locking brakes are disengaged.
Items fall off shelves.	Cart is overloaded; items are not placed securely.	Do not exceed the 5 kg (11 lbs) weight limit per shelf. Arrange items securely, utilizing dividers if necessary.

## 8. SPECIFICATIONS

<b>Feature</b>	<b>Detail</b>
<b>Model Number</b>	10052086_46
<b>Overall Dimensions (H x W x D)</b>	62.5 x 40 x 22 cm (approx. 24.61 x 15.75 x 8.66 inches)
<b>Distance Between Shelves</b>	Approx. 21 cm (8.27 inches)
<b>Ground Clearance</b>	Approx. 4.5 cm (1.77 inches)
<b>Max. Load Capacity per Shelf</b>	5 kg (11 lbs)
<b>Material</b>	PP (Polypropylene), Iron
<b>Item Weight</b>	3.43 pounds (approx. 1.56 kg)
<b>Color</b>	Black



Image 8.1: Detailed dimensions and load capacity of the Relaxdays Rolling Cart.

## 9. WARRANTY AND SUPPORT

Relaxdays products are manufactured with quality and durability in mind. For specific warranty information, please refer to the documentation provided at the time of purchase or visit the official Relaxdays website. If you encounter any issues or have questions regarding your Relaxdays 3-Tier Rolling Cart, please contact Relaxdays customer support through their official channels. Please have your model number (10052086\_46) and purchase details ready when contacting support.