

BYBARENOVA BBR-M01

BYBARENOVA Smart Toilet BBR-M01 Instruction Manual

Model: BBR-M01
Brand: BYBARENOVA

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your BYBARENOVA BBR-M01 Smart Toilet. Please read this manual thoroughly before installation and use to ensure proper function and safety. Keep this manual for future reference.

2. SAFETY INFORMATION

Observe all safety warnings and precautions to prevent injury or damage to the product. This smart toilet incorporates several safety features:

- **Prevent Low Temperature Scald:** Designed to maintain safe temperature levels.
- **Overheating Prevention:** Automatic shutdown in case of overheating.
- **Flame Retardant Protection:** Materials used are flame retardant.
- **Short-circuit Protection:** Electrical circuits are protected against short circuits.
- **Leakage Protection:** System designed to prevent water leakage.
- **Water Pressure Protection:** Regulates water pressure for safe operation.
- **IPX4 Waterproof:** Resistant to water splashes from any direction.
- **Over-voltage Protection:** Safeguards against electrical surges.



Image: Overview of the 8 safety protection features integrated into the BYBARENOVA Smart Toilet.

3. PRODUCT COMPONENTS AND DIMENSIONS

3.1 What's in the Box

Verify that all components are present before beginning installation:

- Smart Toilet Unit
- Remote Control
- Angle Valve
- Bolt Kit
- Wax Ring
- User Manual (this document)
- Spare Battery Box

3.2 Product Dimensions

The BYBARENOVA BBR-M01 Smart Toilet has the following dimensions:

- **Depth (D):** 26.77 inches (68 cm)
- **Width (W):** 16.53 inches (42 cm)
- **Height (H):** 19.29 inches (49 cm)
- **Seat Height:** 16.33 inches (41.5 cm)
- **Rough-in:** 12 inches (30.5 cm)

Intelligence makes life more convenient



Image: Product dimensions and a visual list of items included in the box.

4. INSTALLATION GUIDE

Proper installation is crucial for the optimal performance and longevity of your smart toilet. It is recommended to have a qualified plumber perform the installation.

4.1 Pre-Installation Steps

1. Clean the ground and ensure it is dry.
2. Check if the ground is horizontal and the sewer pipe is unobstructed.
3. Measure the rough-in distance (minimum 12 inches from the wall to the center of the drain hole).
4. Install the shut-off valve on the wall.
5. Drain any residual water from the existing plumbing.

4.2 Mounting the Toilet

1. Punch holes on the floor after marking the position for the mounting bracket.
2. Install expansion screws into the drilled holes.
3. Assemble the mounting bracket with bolts and secure them to the pre-installed flange on the ground, then tighten with nuts.
4. Install the wax ring onto the flange.
5. Carefully install the smart toilet unit, aligning the flange and screws with the bottom of the toilet.
6. Secure the toilet by installing the flat washer and nut from behind the toilet.

4.3 Water and Power Connection

1. Connect the water inlet pipe to the shut-off valve. Ensure the braided tube is not bent.
2. Open the angle valve to the maximum and check for any water leaks.
3. Plug the toilet into a grounded electrical outlet to power it on.

Video: Detailed installation guide for the BYBARENOVA BBR-M01 Smart Toilet.

5. OPERATING INSTRUCTIONS

Your BYBARENOVA Smart Toilet offers a range of intelligent features for enhanced comfort and hygiene.

4 Flushing Operations

Suitable for home use




Image: Overview of the smart toilet's intelligent features.


5.1 Basic Functions

- **Heated Seat:** Enjoy a comfortable experience with a heated seat, adjustable to 4 temperature levels (Normal, 93°F, 98°F, 104°F).
- **Warm Air Dryer:** After cleansing, a warm air dryer provides a hands-free drying experience. Air temperature is adjustable (Normal, 95°F, 113°F, 131°F).
- **LED Digital Display:** The integrated LED display shows current settings such as seat temperature, water temperature, and dryer temperature.
- **Technological Vibe Lighting:** Soft LED night light for convenience in low light conditions.

Cleaning Modes



Adjustable water temperature and pressure



Rear Cleaning



Oscillating Cleaning



Front Cleaning



Self Cleaning

Image: Adjustable temperature settings for the heated seat and warm air dryer.

5.2 Flushing Operations

The toilet offers multiple flushing methods for convenience:

- **Remote Control Flush:** Use the provided remote to activate flushing.
- **Off-seat Flush:** Automatic flushing when the user stands up from the seat.
- **Foot Sensor Flush:** Activate flushing by a foot gesture near the sensor.
- **Side Button Flush:** Manual flush option located on the side of the toilet.

Warm Experience Every Use

4 levels of adjustable temperature



Image: Various flushing activation methods available on the smart toilet.

5.3 Bidet Functions (Cleaning Modes)

The integrated bidet offers comprehensive cleaning options:

- **Rear Cleaning:** Targeted posterior wash.
- **Front Cleaning (Feminine Wash):** Gentle anterior wash.
- **Oscillating Cleaning:** Nozzle moves back and forth for a wider cleaning area.
- **Self-Cleaning:** The nozzle automatically cleans itself before and after each use.
- **Adjustable Water Temperature and Pressure:** Customize water temperature (Normal, 93°F, 98°F, 104°F) and pressure to your preference.
- **Automatic Pre-wetting:** A stream of water wets the inner bowl wall when you sit down, reducing waste adhesion and making cleaning easier.

8 Types of Protection

These features ensure safety, enhance durability, and provide reliable performance.



Prevent low temperature scald



Over heating prevention



Flame retardant protection



Short-circuit protection



Leakage protection



Water pressure protection



IPX4 waterproof



Over-voltage Protection

Image: Illustration of the bidet's cleaning modes and adjustable water settings.

5.4 Double Pump Assisted Flushing System

The BBR-M01 features a powerful flushing system for efficient waste removal.

- **Water Pump:** Provides strong flushing power.
- **360° Siphon Flush:** Ensures thorough cleaning of the bowl.
- **Jet Flush:** Additional powerful water jet for effective cleaning.
- **Blackout Flush:** A 9V battery can be installed for flushing during power outages.

Double Pump Assisted Flushing System

Powerful flush in 1.28GPF




Image: Visual explanation of the toilet's powerful flushing system.

6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will ensure the longevity and hygienic operation of your smart toilet.

- **Exterior Cleaning:** Wipe the exterior surfaces with a soft, damp cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive pads.
- **Bowl Cleaning:** Use a toilet brush and a standard toilet bowl cleaner. The automatic pre-wetting function helps keep the bowl cleaner.
- **Nozzle Cleaning:** The bidet nozzle has a self-cleaning function. For deeper cleaning, refer to the remote control instructions for manual nozzle extension and cleaning.
- **Filter Maintenance:** Periodically check and clean the water inlet filter to prevent blockages and maintain water flow.
- **Power Outage Battery:** If using the blackout flush feature, ensure the 9V battery in the spare battery box is replaced periodically to maintain functionality.

7. TROUBLESHOOTING

If you encounter any issues with your BYBARENOVA Smart Toilet, refer to the following common troubleshooting steps:

- **No Power:** Check if the power cord is securely plugged into a working outlet. Ensure the circuit breaker is not tripped.
- **No Water Flow:** Verify that the angle valve is fully open. Check if the water supply is turned on. Inspect the water inlet filter for blockages.
- **Weak Flush:** Ensure the water pressure is adequate. Check for any obstructions in the drain pipe.
- **Bidet Not Working:** Confirm the remote control batteries are functional. Check water supply and pressure.
- **Remote Control Issues:** Replace the batteries in the remote control. Ensure there are no obstructions between the remote and the toilet's receiver.

For persistent issues not resolved by these steps, please contact customer support.

8. SPECIFICATIONS

Feature	Detail
Brand	BYBARENOVA
Model Number	BBR-M01
Color	White
Product Dimensions (D x W x H)	26.8"D x 16.5"W x 19.3"H
Material	Ceramic
Seat Material	Polypropylene (PP)
Item Weight	85 Pounds
Rough-in	12 inches
Flushing Volume	1.28 GPF (Gallons Per Flush)
Installation Method	Floor Mounted
Included Components	Smart Toilet, Remote Control, Angle Valve, Bolt Kit, Wax Ring, User Manual, Spare Battery Box

9. WARRANTY AND SUPPORT

BYBARENOVA provides a one-year assurance for smart toilets. Our professional after-sales team is available to assist with product installation solutions and provide support.

For assistance, please contact us through Amazon message. We are committed to resolving your issues in a timely manner.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question