Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR CWM03-XL-H

VEVOR CWM03-XL-H Sliding Glass Pet Door Instruction Manual

Model: CWM03-XL-H

Brand: VEVOR

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your VEVOR Sliding Glass Pet Door. Designed for convenience and durability, this pet door allows your large pets easy access while maintaining home security and energy efficiency. Please read all instructions carefully before installation and use.



Image: VEVOR Sliding Glass Pet Door in use, providing access for pets.

Safety Information

- Always supervise your pet during initial use to ensure they understand how to use the door safely.
- Regularly inspect the pet door for any signs of wear or damage, especially the flap and locking mechanism. Replace worn parts immediately.
- Ensure the pet door is securely installed to prevent accidental dislodgement or security breaches.

- Keep children away from the pet door to prevent injury. This product is not a toy.
- Use the locking panel when you need to restrict your pet's access or for added security at night or when away from home.

Package Contents

Verify that all components are present before beginning installation:

- 1 x User Manual
- 2 x T-Shaped Positioning Plates
- 1 x Sealing Strip
- 8 x Flat Head Self-Tapping Screws
- 3 x Large Flat Head Self-Tapping Screws
- 10 x Countersunk Tail-Broken Self-Tapping Screws
- 1 x Latch Lock Assembly
- 2 x Frame Connecting Rods
- 1 x Drill Bit (Ø3.2 mm)
- 1 x Drill Bit (Ø6.5 mm)
- 1 x Exploded Diagram




Image: Included accessories and product dimensions.

Specifications

Item Model Number	CWM03-XL-H
Product Dimensions	96.06 x 17.52 x 0.79 inches (2440 x 445 x 20 mm)
Item Weight	25.7 Pounds (11.9 kg)
Adjustable Height	91 to 96 inches (2311-2439 mm)
Flap Dimensions (W x H)	13 5/8 x 23 5/8 inches (346 x 600 mm)
Frame Material	Aluminum Alloy

Window Material	Tempered Glass
Color	White
Closure Type	Lock
Pet Type	Dog
Dog Breed Size	Large

Pet Size Guide

To ensure proper fit, measure your pet's width and height. The X-Large flap size is 13 5/8 x 23 5/8 inches, suitable for large dogs.



Image: Pet size guide with measurements for various door sizes.




Image: Examples of dog breeds suitable for different pet door sizes.

Setup and Installation

The VEVOR Sliding Glass Pet Door is designed for easy, tool-free installation into your patio door track. Follow these steps for a secure fit:

1. **Assemble the Door Sections:** Connect the upper and lower halves of the glass door using the provided frame connecting rods and screws. Ensure the parts fit tightly to prevent gaps.
2. **Insert into Track:** Carefully insert the assembled pet door vertically into your sliding glass door track. Avoid tilting or inserting at an angle to prevent damage.
3. **Adjust Height:** Utilize the no-screw telescopic adjustment feature to match the height of your door frame. Twist the knob to secure the door at the desired height.
4. **Secure with Brackets (Optional):** For enhanced stability, use the T-shaped positioning plates. Mark the positions for screws and drill holes in the telescopic panel, then fix with screws.
5. **Install Ground Lock (Optional):** If necessary, install the latch lock assembly on the bottom side to further secure the pet door to your patio door. Mark and drill holes, then attach the lock.
6. **Apply Sealing Strip:** Apply the provided sealing strip along the edges where the pet door meets your sliding glass door to minimize drafts and improve insulation.
7. **Critical Alignment Check:** Verify that the pet door's rigid corners are square (90°) and align parallel to the sliding door's contact line. Adjust with shims if needed to avoid uneven gaps.

▶ **Watch video online**
VEVOR Dog Door for Sliding Glass Door

Video: Detailed installation guide for the VEVOR Sliding Glass Pet Door.




Image: No-screw telescopic adjustment for easy height fitting.




Image: Critical alignment check to ensure proper installation.

Operating Instructions

The VEVOR Sliding Glass Pet Door is designed for simple operation by your pet and includes a secure locking mechanism for your peace of mind.

- **Pet Flap Use:** Your pet can push through the flexible flap to enter or exit. The sturdy curtain magnets ensure the flap closes automatically after use, helping to maintain indoor temperature.
- **Secure Locking Design:** A metal slide-in closing panel is provided to restrict access through the pet door. Simply slide the panel down into the designated slots to block the opening.
- **Locking Mechanism:** The integrated security lock allows you to secure the sliding glass pet door to your main patio door, preventing unauthorized entry or exit. This is ideal for nighttime, when you are away, or in situations where pet access needs to be controlled.

Dual Security Lock



Image: Dual security lock features for controlling pet access.



Image: Pet door in use, providing comfortable access for pets.

Maintenance

Proper maintenance ensures the longevity and optimal performance of your VEVOR pet door.

- **Cleaning:** Clean the aluminum frame and tempered glass with a mild detergent and a soft cloth. Avoid abrasive cleaners that could scratch the surfaces.
- **Flap Inspection:** Regularly check the pet flap for tears, cracks, or stiffness. The flap is designed to be flexible and durable, even in varying temperatures (-13°F to 149°F).
- **Magnet Check:** Ensure the sturdy curtain magnets are clean and free of debris to allow the flap to close properly.
- **Hinge and Seal Inspection:** Inspect the metal rotating hinges for smooth operation and the sealing strip for any gaps or damage that could lead to drafts. The upgraded metal plate and new hinge structure are built to last and avoid curtain damage.

Sturdy Curtain Magnets	Ours	Others
Structural Stability	√ Upgraded Hinged Door Curtain, Less Likely to Break in Winter	X Traditional Structure, Prone to Breaking
Panel Fixation	√ Includes Fixing Brackets, Less Likely to Lean	X Without Fixing Brackets, Prone to Lean
Height Adjustment	√ Twist Tightening, No Drilling Needed	X Screw Tightening, Requires Drilling
Panel Material	√ Metal Panel	X Plastic Panel

Image: Durability features for long-lasting performance.




Image: Temperature resistance of the pet door.

Troubleshooting

Address common issues with your pet door:

- **Drafts Around the Door:** Ensure the sealing strip is properly installed and intact. Check that the pet door is aligned vertically and securely fastened in the track.
- **Pet Not Using the Door:** Encourage your pet with treats and positive reinforcement. Guide them through the flap a few times. Never force your pet.
- **Flap Not Closing Properly:** Check for debris obstructing the magnets or the flap's movement. Ensure the magnets are still strong and the flap is not warped or damaged.
- **Door Feels Loose:** Re-check the telescopic adjustment and ensure it is tightened. If T-brackets were installed, verify their screws are secure.

Warranty and Support

VEVOR products are designed for quality and durability. For technical support, warranty information, or to register your product for an E-Warranty Certificate, please visit the official VEVOR support website at www.vevor.com/support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0G1JMJCG7

More documents and user manuals: **https://manuals.plus/**