Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VASAGLE URMB652BD02S

VASAGLE URMB652BD02S Full Metal Bed Frame Instruction Manual

Model: URMB652BD02S | Brand: VASAGLE

1. Important Safety Information

Please read and understand all instructions before assembling and using this bed frame. Keep this manual for future reference.

- **Weight Capacity:** Do not exceed the maximum static weight capacity of 1100 lb (500 kg). Exceeding this limit may cause structural failure and injury.
- **Assembly:** Follow all assembly instructions carefully to ensure stability and prevent collapse. Ensure all screws are tightened securely before use.
- **Placement:** Place the bed frame on a flat, level surface.
- **Maintenance:** Regularly check all connections and tighten screws as needed to maintain stability.
- **Children:** Keep children away from the assembly area. Small parts can be a choking hazard.

2. Components List

Verify that all parts are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.



Image: All components and hardware included in the package.

The package includes various metal frame pieces (A-F, H, L, R, S) and slats (G), along with screws (1, 2, 6), an Allen key (3), and plastic caps/retainers (4, 5).

3. Assembly Instructions

Follow these steps for quick and easy assembly. It is recommended to assemble the bed frame with two people.

Step 3.1: Assemble the Main Frame

Begin by connecting the main frame pieces. Do not fully tighten screws until all parts are loosely assembled.



Image: Visual guide for quick assembly steps.

1. Connect the side rails (A and B) using the provided screws (1). Ensure the holes for the legs face inward.
2. Attach the corner legs (L and R) and center support legs (H) to the side rails. Ensure the holes for the slats face upward.
3. Connect the crossbars (C, D, E, F) to complete the rectangular frame.
4. Once all frame pieces are loosely connected, tighten all screws securely using the Allen key (3). Ensure all joints are aligned and flush.

Your browser does not support the video tag.

Video: Step-by-step guide to assemble the bed frame.

Step 3.2: Install the Slats

Insert the plastic caps (5) into the designated slots on the side rails. Then, place the metal slats (G) into these caps, ensuring they are evenly spaced and securely seated.

Step 3.3: Install Mattress Retainers

Attach the mattress retainers (4) to the corners of the bed frame. These retainers prevent the mattress from sliding.



Image: Detail of the non-slip mattress retainer installation.

Your browser does not support the video tag.

Video: Demonstration of the mattress retainers and their function.

4. Operating Instructions

Once assembled, place your mattress directly onto the installed slats. No box spring is required for this bed frame.



Image: The assembled bed frame with a mattress.

The 14-inch height provides approximately 12.4 inches (31.5 cm) of under-bed clearance, ideal for storage. You can add a headboard (not included) using the pre-drilled holes on the frame.



Image: Under-bed storage capacity.

5. Maintenance

- **Cleaning:** Wipe the metal frame with a dry cloth to remove dust. Avoid using harsh chemicals or abrasive cleaners.
- **Regular Checks:** Periodically inspect all screws and connections to ensure they remain tight. Re-tighten any loose fasteners to maintain the bed frame's stability and prevent squeaking.
- **Movement:** When moving the bed frame, lift it rather than dragging it to prevent damage to the legs or floor.


6. Troubleshooting

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Screws are loose; frame not assembled correctly.	Check and tighten all screws. Review assembly instructions to ensure all parts are correctly installed.
Squeaking noises.	Loose connections; metal-on-metal friction.	Tighten all screws. Apply a small amount of lubricant (e.g., silicone spray) to metal-on-metal contact points if squeaking persists.
Mattress slides on the frame.	Mattress retainers not installed or improperly installed.	Ensure all mattress retainers are correctly installed and locked into place.

7. Specifications

- **Model Number:** URMB652BD02S
- **Brand:** VASAGLE
- **Size:** Full
- **Material:** Alloy Steel
- **Product Dimensions (L x W x H):** 75.2" x 53.9" x 14" (191 x 137 x 35.5 cm)
- **Weight Capacity:** 1100 Pounds (Static)
- **Item Weight:** 27.1 Pounds
- **Ground Clearance:** 12.4 Inches (31.5 cm)
- **Color:** Matte Black
- **Assembly Required:** Yes

- **Special Features:** 8% thicker steel, No Box Spring Needed, Space Saving, Squeak Resistant, With Mattress Retainers.



Height	Twin	Full	Queen	King
14" (35.5 cm)	✓	✓	✓	✓
16" (40.6 cm)	✓	✓	✓	✓
18" (45.7 cm)	✓	✓	✓	✓

Image: Detailed dimensions and weight capacity for the Full size bed frame. Note: The image states 550lb capacity, but product description states 1100lb. Refer to product description for actual capacity.

8. Product Testing and Quality Assurance

This bed frame has undergone rigorous testing to ensure its strength, durability, and structural integrity in accordance with international ISO 19833 standards. Tests include:

- **Load Capacity Test:** Simulates everyday use (lying down, sitting, concentrated pressure) to verify strong support and controlled deformation.
- **Edge Stability Test:** Repeated edge loading to confirm secure joints, strong edge support, and lasting structural stability without deformation or loosening.
- **Durability Test:** Shifting weight and corner pressure applied to prevent tipping, lifting, sliding, or excessive movement over time.
- **Structural Integrity Test:** Sudden force applied to simulate heavy sitting or accidental impact, ensuring no cracking, loosening, or structural failure.

Your browser does not support the video tag.

Video: Demonstration of the bed frame undergoing various strength and durability tests.

9. Warranty and Support

For warranty information or customer support, please refer to the contact details provided with your purchase or visit the official VASAGLE website. Keep your purchase receipt for warranty claims.

Return Policy: This product typically has a 90-day return policy. Please check your retailer's specific return policy for details.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0G1LSLJH1

More documents and user manuals: **https://manuals.plus/**