Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Garvee UbUHpuutKzR32a37079UwA9SuwF3k

Garvee 13x26 FT Metal Carport Instruction Manual

Model: UbUHpuutKzR32a37079UwA9SuwF3k

1. Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your Garvee 13x26 FT Metal Carport. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

2. Safety Information

- Always wear appropriate safety gear, including gloves and eye protection, during assembly.
- Ensure the assembly area is clear of obstructions and level.
- Do not attempt to assemble the carport during high winds or adverse weather conditions.
- Securely anchor the carport to the ground using the provided anchor rods to prevent movement or collapse in strong winds.
- Regularly inspect the carport for any signs of damage or wear, especially after severe weather.
- Keep children and pets away from the assembly area.

3. Package Contents

The Garvee 13x26 FT Metal Carport is shipped in 7 heavy-duty cartons. These cartons may arrive separately. Please verify all parts are present and undamaged before beginning assembly. Refer to the packing list included in one of the cartons.

4. Setup and Installation

Assembly is designed to be straightforward with numbered parts and clear instructions. It is recommended to have at least two people for assembly.

4.1 General Assembly Steps

1. Unpack all components and lay them out, organizing them by part number.
2. Assemble the frame structure according to the detailed diagrams in the included instruction booklet. Ensure

all connections are secure.

3. Attach the roof panels, ensuring proper overlap and sealing with foam tape where indicated to prevent leaks.
4. Securely anchor the carport to the ground using the provided heavy-duty anchor rods. This is crucial for stability against wind.

4.2 Installation Tips

The following images illustrate key steps for proper installation, including measuring distances, applying foam tape, ensuring panel overlap, and using self-tapping screws.



Figure 1: Installation tips for measuring, foam tape application, panel overlap, and self-tapping screws.

The carport dimensions are 25.9' L x 13'W x 11.4' H, with a side pole height of 7.5'. Plan your installation location accordingly.



Figure 2: Carport dimensions, including length, width, height, and roof angle.

5. Operation

The Garvee Metal Carport is designed to provide all-weather protection for various vehicles and equipment, including pickup trucks, boats, RVs, and tractors.

5.1 All-Weather Protection

This carport features a robust design to withstand diverse weather conditions:

- **Wind Resistance:** Engineered to withstand winds up to 100 MPH. The reinforced frame with multiple roof and side bars enhances anti-high wind performance.
- **Snow Load:** Capable of handling a heavy snow load of 35 PSF. The 120° roof design increases top load-bearing capacity by 50% and effectively sheds snow.
- **Rain Protection:** High-density weatherstrip tape and proper panel overlap provide excellent leak protection, even in heavy storms.
- **UV Protection:** The galvanized steel roof offers ultraviolet light protection for your stored items.



Figure 3: Carport demonstrating rainproof capabilities with foam tape for improved waterproof performance.



Figure 4: Galvanized steel roof and windproof support features, indicating resistance to snow, rain, high winds, and heavy snow loads.



Figure 5: Examples of the carport's versatility and all-weather protection, including use on rainy days, snowy days, as an outdoor workshop, and as a boat shed.

6. Maintenance

To ensure the longevity and continued performance of your Garvee Metal Carport, regular maintenance is recommended:

- **Cleaning:** Periodically clean the roof and frame to remove dirt, debris, and leaves. Use a soft brush and mild detergent with water. Avoid abrasive cleaners.

- **Inspection:** Regularly check all bolts, screws, and connections to ensure they remain tight. Inspect the roof panels for any signs of damage, corrosion, or loose seals.
- **Anchoring:** Verify that the anchor rods are securely fastened to the ground, especially after strong winds or heavy rainfall. Re-tighten or re-secure if necessary.
- **Snow Removal:** While designed for heavy snow loads, it is advisable to remove excessive snow accumulation from the roof to prevent undue stress on the structure.

7. Troubleshooting

If you encounter issues with your carport, consider the following common solutions:

- **Leaks:** Check for proper overlap of roof panels and ensure the weatherstrip tape is correctly applied and intact. Tighten any loose screws on the roof panels.
- **Instability:** Ensure all frame connections are securely tightened. Verify that the anchor rods are fully engaged with the ground and that the carport is installed on a level surface.
- **Damaged Parts:** If any parts were damaged during shipping or assembly, or if parts are missing, please contact customer support for assistance.

8. Specifications

Feature	Detail
Brand	Garvee
Color	Gray
Item Weight	125.87 Pounds
Product Dimensions (L x W x H)	155.98"L x 311.97"W x 131.97"H (13'L x 26'W x 11.4'H)
Size	13x26 FT
Frame Material	Alloy Steel
Ultraviolet Light Protection	Yes
Water Resistance Level	Waterproof
Frame Type	Carports
UPC	824126986969
Model Number	UbUHpuutKzR32a37079UwA9SuwF3k

9. Warranty

The Garvee 13x26 FT Metal Carport is backed by a 1-year warranty. Please retain your proof of purchase for warranty claims.

10. Customer Support

Our customer support team is available to assist you with any installation difficulties, shipping damages, or missing parts. For assistance, please refer to the contact information provided with your product packaging or visit the Garvee official website.

© 2026 Garvee. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0G1MPBFHW

More documents and user manuals: **https://manuals.plus/**