

NEWBULIG C-6109-4P

NEWBULIG C-6109-4P Waiting Room Chair Set of 4 Instruction Manual

Model: C-6109-4P

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your NEWBULIG C-6109-4P Waiting Room Chair Set of 4. Please read all instructions carefully before assembly and use to ensure proper function and safety.

SAFETY INFORMATION

Caution: This product contains small parts that may pose a choking hazard to young children. Adult supervision is required during use and assembly/disassembly. Do not use this product if it appears damaged or broken.

- Ensure all screws and bolts are tightened securely before use.
- Do not stand on the chair.
- Do not exceed the maximum weight recommendation of 300 pounds.
- Keep small parts away from children during assembly.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly.

- 4 x Waiting Room Chairs (disassembled)
- Assembly Hardware (bolts, washers, wrench)
- Instruction Manual

SETUP AND ASSEMBLY

Assembly is straightforward and typically takes 15-20 minutes per chair. Tools required for installation are included.

Assembly Steps:

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches.
2. **Attach Backrest to Arm Frames:** Align the pre-drilled holes on the backrest with the arm frames. Insert bolts through the

holes and secure with washers. Hand-tighten initially.

3. **Attach Seat Cushion to Arm Frames:** Position the seat cushion between the arm frames, aligning the pre-drilled holes. Insert bolts and secure with washers. Hand-tighten initially.
4. **Final Tightening:** Once all components are loosely assembled, use the provided wrench to fully tighten all bolts. Ensure all connections are firm and stable.




Figure 1: Assembly diagram illustrating the connection points for the chair components.

Installation Video:

Video: Official NEWBULIG Waiting Room Chair Installation Guide. This video demonstrates the step-by-step assembly process for the chair.


OPERATING INSTRUCTIONS

The NEWBULIG Waiting Room Chair is designed for stationary seating in various indoor environments.

- **Seating:** Sit centrally on the seat cushion with your back against the backrest for optimal support.
- **Armrests:** Utilize the padded armrests for additional comfort and support when sitting or rising.
- **Placement:** Position the chair on a flat, stable surface to ensure stability and prevent tipping.



Figure 2: Individuals using the NEWBULIG Waiting Room Chairs in a reception area.



-  No irritating odor.
-  Resistant to abrasion and corrosion.
-  Not easily discolored.
-  Indoor and outdoor use.
-  Waterproof and easy to clean
-  Long service life

Figure 3: Illustration of the ergonomic support provided by the chair's design.

MAINTENANCE

Regular maintenance will prolong the life and appearance of your chairs.

- **Cleaning:** The high-quality PU leather surface is stain-resistant and waterproof. Wipe clean with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners.
- **Frame Care:** The metal frame is plated for rust resistance. Wipe with a dry or slightly damp cloth to remove dust.
- **Fastener Check:** Periodically check all bolts and screws to ensure they remain tight. Re-tighten if necessary to maintain stability.

TROUBLESHOOTING

If you encounter any issues with your NEWBULIG Waiting Room Chair, refer to the following common solutions:

Problem	Possible Cause	Solution
Chair feels wobbly or unstable	Loose bolts or uneven surface	Ensure all assembly bolts are fully tightened. Move the chair to a flat, even surface.
Squeaking noise during use	Loose connections or friction between parts	Check and tighten all bolts. Apply a small amount of silicone lubricant to connection points if noise persists.
Damage to upholstery	Sharp objects or excessive force	Avoid contact with sharp objects. For minor damage, consider a leather repair kit. For significant damage, contact customer support.



Figure 4: The chair's stable design with four points of support.

Stable anytime anywhere

Four points of stable support, uniform center of gravity, not easy to slip



Figure 5: Comparison highlighting the robust construction of NEWBULIG chair legs and solid screws.

SPECIFICATIONS

Feature	Detail
Brand	NEWBULIG
Model Number	C-6109-4P
Color	Black
Material	Faux Leather, Metal Frame, High-Density Sponge Fill
Product Dimensions (D x W x H)	18.14" x 20.1" x 34.5"
Seat Depth	18.14 inches

Feature	Detail
Chair Backrest Width	20.87 inches
Item Weight (per chair)	16.5 pounds
Maximum Weight Recommendation	300 pounds
Features	Arm Rest, Ergonomic, No Wheels, Stationary
Indoor/Outdoor Usage	Indoor
UPC	768857250794



Figure 6: Detailed dimensions of the NEWBULIG Waiting Room Chair.

WARRANTY AND SUPPORT

For warranty information or technical support, please contact NEWBULIG customer service through the retailer where the product was purchased. Please have your model number (C-6109-4P) and proof of purchase available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0G1YSQ392>

More documents and user manuals: <https://manuals.plus/>