

Manuals.plus /

› OKD /

› OKD 52 Inch Electric Fireplace with Mantel and 36-inch 3-Sided Glass Heater (Model NRPC52MT36P-LRO) User Manual

OKD NRPC52MT36P-LRO

OKD 52 Inch Electric Fireplace with Mantel and 36-inch 3-Sided Glass Heater (Model NRPC52MT36P-LRO) User Manual

Brand: OKD

Model: NRPC52MT36P-LRO

INTRODUCTION

This manual provides essential instructions for the safe operation, installation, and maintenance of your OKD 52 Inch Electric Fireplace with Mantel. Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

It is crucial to adhere to all safety guidelines to prevent injury or damage.

- Always unplug the unit before cleaning or servicing.
- Keep the unit away from flammable materials.
- Do not place heavy objects on the mantel to prevent tip-over.
- Secure the unit to the wall to prevent tip-over, especially if using as a TV stand.
- Keep the glass fireplace doors closed when in use to prevent burns.
- Keep the unit out of reach of children and pets.
- Do not use if damaged or broken.
- Allow the unit to cool before touching the glass or heater components.
- Always follow the manufacturer's instructions for proper assembly, usage, and maintenance.

PRODUCT OVERVIEW

The OKD 52 Inch Electric Fireplace with Mantel combines a functional TV stand with a realistic electric fireplace heater. It features multi-color flame effects, adjustable brightness, and a powerful 1500W heater.

Key Features

- **Multi-Color Flame Effects:** Customize your ambiance with three stunning flame colors: classic amber yellow for a traditional cozy feel, serene sapphire blue for a modern vibe, and vibrant ruby red for a dramatic touch. Switch between them to match your mood or decor.
- **Hyper-Realistic Flame Ambiance:** Enjoy the comforting glow of a real fire without the mess. Equipped with life-like resin logs and a detailed ember bed, our advanced LED technology creates incredibly realistic flames. Adjust the mood with 5 variable intensity levels, from a soft flicker to a vibrant blaze.
- **Classic Mantel with Hidden Storage:** Crafted with a substantial classic mantel piece, this electric fireplace brings the dignified feel of a traditional hearth to your modern home. It includes a discreet flip-top compartment on the mantel, offering convenient storage while maintaining a seamless aesthetic.
- **All-Season Comfort & Convenience:** With independent dual controls for flames and heat, enjoy the beautiful flame effect year-round--even on summer evenings. The included IR remote lets you adjust flame color, intensity, heater, and timer from anywhere in the room.
- **Powerful & Efficient Zone Heating:** The 1500W heater quickly warms spaces up to 500 square feet, making it ideal for supplemental zone heating. It efficiently reduces reliance on central heating, saving energy while keeping you perfectly cozy.

Components

Familiarize yourself with the main components of your electric fireplace.



Image: Front view of the OKD 52 Inch Electric Fireplace with Mantel, featuring a TV mounted above and a red flame effect in the fireplace insert.

36Inch Electric Fireplace

- Realistic LED Flames



Golden Yellow Flame Effect



Sapphire Blue Flame Effect



Ruby Red Flame Effect



3 Colors Flame Effect



L1-L5 Flame Brightness



1-9 Hours Timer



64°F - 82°F



Overheating Protection

Image: Close-up of the 36-inch electric fireplace insert, showcasing realistic LED flames in golden yellow, sapphire blue, and ruby red, along with icons for 3 flame colors, 5 brightness levels, 1-9 hour timer, temperature range, and overheating protection.

SETUP AND INSTALLATION

Your OKD Electric Fireplace with Mantel is designed for easy setup.

- 1. Unpacking:** Carefully remove all components from the packaging. Inspect for any damage. Retain packaging for future transport if needed.
- 2. Placement:** Position the fireplace on a flat, stable surface. Ensure adequate clearance from walls and other objects for proper ventilation. Do not block the air vents.
- 3. Power Connection:** Plug the fireplace into a standard 120V AC grounded outlet. Do not use extension cords or power strips.
- 4. Mantel Storage Access:** The mantel features a hidden flip-top compartment. To access, gently lift the front panel of the mantel.



MANTEL SHELF

- Substantial
- Clean Line

A HIDDEN COMPARTMENT

- Lift-top Lid Opens



Image: A detailed view of the mantel shelf and the hidden flip-top compartment, showing it open with books and decorative items inside.

5. **Wall Anchoring (Recommended):** If using as a TV stand or in areas with children/pets, it is highly recommended to anchor the unit to the wall using appropriate hardware (not included) to prevent tip-over.

OPERATING INSTRUCTIONS

The electric fireplace can be operated using the control panel on the unit or the included IR remote control.

Control Panel

The control panel is located on the fireplace insert. It typically includes buttons for Power, Flame Color, Flame Brightness, Heater On/Off, Temperature, and Timer.

Remote Control

The IR remote control provides convenient access to all functions from a distance.

- **Power On/Off:** Press the power button to turn the unit on or off.
- **Flame Color Selection:** Cycle through the three flame colors: amber yellow, sapphire blue, and ruby red.



Image: Close-up of the electric fireplace insert displaying a sapphire blue flame effect.

Your browser does not support the video tag.

Video: This video demonstrates the various flame colors and brightness levels of the OKD Electric Fireplace, including the hidden storage compartment.

- **Flame Brightness Adjustment:** Adjust the flame intensity through 5 levels (L1-L5) from a soft flicker to a vibrant blaze.
- **Heater Activation:** Turn the 1500W heater on or off independently of the flame effect.
- **Temperature Control:** Set the desired temperature within the range of 64°F - 82°F.
- **Timer Function:** Set the operating timer for 1 to 9 hours.

MAINTENANCE AND CARE

Regular maintenance ensures the longevity and optimal performance of your electric fireplace.

- **Cleaning:** Always unplug the unit before cleaning. Use a soft, damp cloth to clean the exterior surfaces. Do not use abrasive cleaners or solvents.
- **Glass Cleaning:** For the glass panel, use a glass cleaner and a soft cloth. Spray cleaner onto the cloth, not directly onto the glass.
- **Ventilation:** Ensure the air intake and outlet vents are clear of dust and debris. Periodically vacuum

the vents to maintain proper airflow.

- **Storage:** If storing the unit for an extended period, unplug it and cover it to protect from dust.

TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

| Problem | Possible Cause | Solution |
|----------------------------|--|--|
| No power | Unit unplugged; circuit breaker tripped; power outlet malfunction. | Ensure unit is securely plugged in; check circuit breaker and reset if necessary; test outlet with another device. |
| No flame effect | Flame effect turned off; LED malfunction. | Press the flame button on the control panel or remote; contact customer support if issue persists. |
| No heat output | Heater turned off; temperature setting too low; air vents blocked; overheating protection activated. | Turn on the heater; increase temperature setting; clear air vents; unplug unit for 5-10 minutes to reset overheating protection. |
| Remote control not working | Dead batteries; obstruction between remote and unit; remote sensor blocked. | Replace batteries; ensure clear line of sight to the unit; check for obstructions on the unit's remote sensor. |

SPECIFICATIONS

Technical details for your OKD Electric Fireplace.

| Feature | Detail |
|-------------------------|---------------------------------------|
| Brand | OKD |
| Model Number | NRPC52MT36P-LRO |
| Dimensions (Overall) | 52"W x 15.6"D x 36"H (Approximate) |
| Fireplace Insert Size | 36 inches (3-sided glass) |
| Heater Power | 1500W |
| Heating Area | Up to 500 sq ft |
| Flame Colors | Amber Yellow, Sapphire Blue, Ruby Red |
| Flame Brightness Levels | 5 (L1-L5) |
| Timer | 1-9 hours |
| Material | Engineered Wood |
| Color | Light Rustic Oak |

GENEROUS TOP

† Features a large mantel shelf that's just waiting to be styled with your personal treasures. †



Image: Diagram showing the dimensions of the OKD 52 Inch Electric Fireplace with Mantel, including width (52"), depth (15.6"), and height (36"). It also indicates TV sizes up to 65" can be placed on top.

WARRANTY AND SUPPORT

For warranty information or technical assistance, please contact OKD customer support.

You can typically find contact details on the manufacturer's website or through your purchase documentation.