

SS09 12x16 Inch

Generic Spanish California Prop 65 Chemical Exposure Area Metal Sign (Model SS09, 12x16 Inch) Instruction Manual

This manual provides essential information for the proper installation, placement, and care of your metal sign.

1. INTRODUCTION

This document outlines the features and guidelines for the Generic Spanish California Prop 65 Chemical Exposure Area Metal Sign. Designed for clarity and durability, this sign serves to inform individuals about potential chemical exposure in designated areas, in compliance with California Proposition 65.

2. PRODUCT FEATURES

- Durable tin/metal construction for long-term indoor or outdoor use.
- Standard 12x16 inch (approximately 30x40 cm) dimensions.
- Weather-resistant finish to withstand various environmental conditions.
- Rounded corners for enhanced safety during handling and installation.
- Four pre-drilled holes for quick and easy hanging.
- Waterproof design ensures durability against moisture.

3. SETUP AND INSTALLATION

The sign is designed for straightforward installation. Please follow these steps for secure mounting:

1. **Choose Location:** Select a visible location where the sign can be easily read by all individuals entering the designated area. Ensure the mounting surface is clean and dry.
2. **Mounting:** Utilize the four pre-drilled holes located at each corner of the sign. Secure the sign using appropriate fasteners (e.g., screws, nails, or rope, not included) suitable for your chosen mounting surface (e.g., wall, fence, post).
3. **Ensure Stability:** Verify that the sign is securely attached and will not easily detach or fall, especially in outdoor environments subject to wind or other elements.



ADVERTENCIA

**Entrar a esta área
puede exponerle a
Nickel compounds proveniente
de [name of one or more
sources of exposure].**

**Nickel compounds son conocido
(a) por el Estado de California
como causante de cáncer.**

**Para mayor información visite
www.P65Warnings.ca.gov.**

This image displays the reverse side of the metal sign, highlighting its dimensions of 12 inches (30 cm) in height and 16 inches (40 cm) in width. It also illustrates the rounded corners for safety, the waterproof material, and the four pre-drilled holes designed for easy and secure mounting.

4. PLACEMENT AND VISIBILITY

For effective communication of the Prop 65 warning, proper placement is crucial:

- **Eye-Level Placement:** Position the sign at eye level to ensure maximum visibility for all individuals.
- **Clear Line of Sight:** Avoid placing the sign behind obstructions or in dimly lit areas. Ensure it is easily readable from a reasonable distance.
- **Strategic Location:** Install the sign at all entrances to the chemical exposure area and at any other points where individuals may encounter the hazard.

5. MAINTENANCE AND CARE

To ensure the longevity and continued readability of your sign, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the sign periodically with a soft, damp cloth to remove dust and dirt. For stubborn marks, a mild soap solution can be used. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Regularly inspect the sign for any signs of damage, fading, or loose mounting. Address any

issues promptly to maintain its effectiveness and compliance.

- **Weather Resistance:** While the sign is weather-resistant and waterproof, extreme conditions may still affect its appearance over time. Consider sheltered placement for prolonged outdoor exposure to maximize its lifespan.

6. TROUBLESHOOTING

Common issues and their solutions:

Problem	Solution
Sign is not visible or easily readable.	Ensure it's placed at eye level and not obstructed. Improve lighting in the area if necessary.
Sign appears loose or unstable.	Re-secure fasteners. Replace damaged fasteners or use more robust mounting hardware if needed.
Sign is dirty or text is unclear.	Clean with a soft, damp cloth and mild soap. Avoid abrasive materials.

7. SPECIFICATIONS

- **Dimensions:** 12 inches (height) x 16 inches (width) / 30 cm x 40 cm
- **Material:** Durable Tin/Metal
- **Mounting:** 4 pre-drilled holes
- **Features:** Weather-resistant, Waterproof, Rounded Corners
- **Model:** SS09
- **Brand:** Generic

8. WARRANTY AND SUPPORT

This product is manufactured by Generic. For specific warranty information or support inquiries, please refer to the retailer where the product was purchased or contact the manufacturer directly through their official channels. No specific warranty details are provided with this manual.