VASAGLE LFL007BD02

VASAGLE LFL007BD02 Floor Lamp Instruction Manual

Model: LFL007BD02 | Brand: VASAGLE

1. Important Safety Instructions

Please read these instructions carefully before assembly and use. Keep this manual for future reference.

- Ensure the power supply voltage matches the lamp's requirements.
- Do not disassemble or modify the lamp. Contact qualified personnel for repairs.
- Keep the lamp away from water and high humidity environments.
- Do not cover the lamp head with cloth or other materials to avoid overheating.
- Always unplug the lamp from the power outlet before cleaning or moving it.
- This lamp is for indoor use only.
- Keep out of reach of children and pets.

2. Package Contents

Verify that all components are present and undamaged before assembly.

- 1 x VASAGLE LFL007BD02 Floor Lamp
- 1 x Remote Control (batteries not included)
- 1 x Instruction Manual

3. Product Overview

The VASAGLE LFL007BD02 Floor Lamp offers versatile lighting solutions with its adjustable features and user-friendly controls.



The VASAGLE LFL007BD02 Floor Lamp, shown in a modern living room, provides ambient and task lighting.

Key Features:

- **Adjustable Height:** The lamp's height can be adjusted from 141 cm to 175 cm to suit various needs.
- **Flexible Gooseneck:** A 360° flexible head allows precise light positioning for reading, crafting, or working.
- **Customizable Lighting:** Continuously adjust brightness from 10% to 100% and color temperature from 2700K (warm) to 6500K (cool).
- **Eye-Friendly Illumination:** 15W, 1500 lumens LED provides broad, uniform, flicker-free light, reducing eye strain.
- **Dual Control Options:** Operate the lamp using the integrated buttons on the pole or the magnetic remote control.
- **Memory Function:** The lamp remembers your last brightness and color temperature settings.
- **Timer Function:** Set a 1-hour timer for automatic shut-off.
- **Stable Design:** Features a weighted metal base with anti-slip pads and a sturdy metal pole for enhanced stability.




The lamp features 15W power, 1500 lumens brightness, soft flicker-free light, and a stable metal base.

4. Assembly Instructions

Assembly is quick and requires no tools. Follow these steps:

1. **Unpack Components:** Carefully remove all parts from the packaging.
2. **Connect Pole Sections:** Screw the pole sections together clockwise until secure. Ensure the internal wiring is not pinched.
3. **Attach to Base:** Screw the assembled pole onto the weighted metal base clockwise until firmly attached.
4. **Connect Lamp Head:** Attach the lamp head to the top pole section.
5. **Adjust Wiring:** Gently pull any excess internal wiring from the base if necessary to ensure a neat fit.
6. **Plug In:** Connect the power adapter to the lamp and then plug it into a suitable power outlet.



Visual guide for quick assembly: 1. Remove cap and connect pole. 2. Screw to base. 3. Adjust internal wiring.



The stable metal base ensures the lamp remains upright and secure.

5. Operating Instructions

5.1. Adjusting Height and Angle

- **Height Adjustment:** Turn the knob on the pole to loosen, adjust the height between 141 cm and 175 cm, then tighten the knob to secure.
- **Angle Adjustment:** The flexible gooseneck allows you to bend and rotate the lamp head 360° to direct light

as needed.



The lamp's height can be adjusted from a minimum of 141 cm to a maximum of 175 cm by turning the knob.



The flexible gooseneck allows for precise positioning of the light.

5.2. Control Panel (Buttons on Lamp Pole)



The integrated button control panel on the lamp pole for direct adjustments.

- **Power Button ( ):**
  - Short press: Turn the lamp On/Off.
  - Long press: Activate 1-hour timer.
- **Brightness Up (+):** Increase brightness.
- **Brightness Down (-):** Decrease brightness.
- **Color Temperature (CCT):** Cycle through preset color temperatures (2700K, 3500K, 4500K, 5500K, 6500K).

5.3. Remote Control

The magnetic remote control can be attached to the lamp pole for easy storage. It operates up to 15 meters away. Requires 2x AAA batteries (not included).



The lamp can be controlled via its integrated buttons or the magnetic remote control.



Functions of the remote control, including power, brightness, color temperature, and preset modes.

- **Power Button ( ):** Turn the lamp On/Off.
- **Timer (1H):** Activate 1-hour timer.
- **Brightness Up (+):** Increase brightness.
- **Brightness Down (-):** Decrease brightness.
- **Color Temperature Up (◯):** Increase color temperature (cooler light).
- **Color Temperature Down (◯):** Decrease color temperature (warmer light).
- **Max Brightness (☀):** Set to 100% brightness.
- **Preset Modes:**
  - Reading Mode ( ): Optimized light for reading.
  - Relax Mode (☕): Soft, warm light for relaxation.
  - Night Light Mode ( ): Very dim light for night use.
  - Working Mode ( ): Bright, cool light for focus.
  - Nursing Mode ( ): Gentle light for nursing.

Note: The lamp features a memory function that recalls the last brightness and color temperature settings when turned back on.



The lamp offers 3 color temperatures (2700K to 6500K) and continuous dimming for various settings.



Customize your light with continuous brightness adjustment (10%-100%) and color temperature adjustment (2700K-6500K), along with preset modes for reading, relaxing, and working.



The versatile lamp is suitable for various activities such as drawing, working, reading, and hobbies.

6. Maintenance

- Always unplug the lamp before cleaning.
- Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Avoid getting moisture into any electrical parts.

7. Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Lamp does not turn on.	Not plugged in; power outlet faulty; remote control batteries dead.	Check power connection; test outlet with another device; replace remote control batteries.
Remote control not working.	Batteries dead or incorrectly inserted; remote out of range.	Replace batteries (2x AAA); ensure correct polarity; operate within 15m range.
Light flickers or is unstable.	Loose connection; power fluctuation.	Check all connections; try a different power outlet.
Cannot adjust height.	Knob is too tight.	Loosen the adjustment knob on the pole before attempting to change height.

8. Specifications

Feature	Detail
Model Number	LFL007BD02
Brand	VASAGLE
Material	Steel, Cement, PP Plastic
Color	Matte Black
Dimensions (D x W x H)	22 x 22 x (141-175) cm
Weight	2.8 kg
Power	15 W
Luminous Flux	1500 Lumens
Color Temperature	2700 K - 6500 K
Dimmable	10% - 100% continuous adjustment
Remote Control Range	Up to 15 m
Assembly Required	Yes
UPC	194343574349

9. Warranty and Support

VASAGLE products are designed for quality and durability. For any questions, concerns, or issues regarding your product, please contact VASAGLE customer support.

Please refer to your purchase documentation or the official VASAGLE website for specific warranty details and contact information.

© 2026 VASAGLE. All rights reserved.