**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



### Aoxun 10'x12' Hardtop Gazebo

# Aoxun 10'x12' Hardtop Gazebo Instruction Manual

Model: 10'x12' Hardtop Gazebo

## 1. Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your Aoxun 10'x12' Hardtop Gazebo. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your gazebo.




Image 1.1: Aoxun 10'x12' Hardtop Gazebo with key dimensions (12ft length, 10ft width, 8.76ft peak height, 6.56ft eave height).

Your browser does not support the video tag.

Video 1.1: Overview of the Aoxun Hardtop Gazebo, showcasing its features and use in various outdoor settings.

## 2. Safety Information

- **Read all instructions:** Ensure you understand all assembly steps and safety warnings before installation.
- **Two-person assembly:** Assembly typically requires 3-4 people. Do not attempt to assemble alone.
- **Secure anchoring:** Always anchor the gazebo securely to the ground using the provided expansion bolts or ground nails to prevent wind damage.
- **Weather conditions:** While designed for various weather, exercise caution during extreme weather. Clear heavy snow accumulation from the roof to prevent collapse.
- **Clearance:** Ensure adequate clearance around the gazebo for safe use and to prevent obstruction.
- **Electrical safety:** If installing lights or fans, ensure all electrical connections are safe and waterproof.

## 3. Package Contents

Your Aoxun Hardtop Gazebo is delivered in two separate boxes. Please verify all parts are present and undamaged before beginning assembly. Refer to the parts list provided in the separate assembly guide for specific component identification.





Image 3.1: Illustration indicating the gazebo is shipped in two boxes, which may arrive on different days.

## 4. Setup and Assembly

Assembly of the Aoxun Hardtop Gazebo requires careful attention to detail and typically takes 3-6 hours with 3-4 people. Follow the detailed illustrated instructions provided in the separate assembly guide. Below are general guidelines and key considerations:

1. **Site Preparation:** Choose a level surface for installation. Ensure the area is clear of obstructions and provides sufficient space for the gazebo's footprint (144"L x 120"W).
2. **Frame Assembly:** Begin by assembling the galvanized steel frame components. The triangular structure offers enhanced stability.
3. **Roof Installation:** Install the double polycarbonate roof panels. These panels are designed for UV protection, air ventilation, and waterproofing.

4. **Anchoring:** Securely anchor the gazebo to the ground using the provided expansion bolts or ground nails. This is crucial for stability, especially in windy conditions. The durable anchor frame is designed for this purpose.
5. **Curtain and Netting Attachment:** Attach the removable curtains and zippered netting to the dual-track system.





Image 4.1: Detail of the durable anchoring frame, showing how expansion bolts secure the gazebo to the ground.





Image 4.2: Illustration of the sturdy aluminum frame and triangular support structure, highlighting durability and stability.

# 5. Operating Instructions

## 5.1 Roof Features

- **Double Polycarbonate Roof:** Provides UV protection, allows for air ventilation, and is waterproof.
- **Integrated Hooks:** The roof structure includes hooks for hanging lights, fans, or decorative items.
- **Slope Drainage System:** Designed to efficiently drain water, preventing accumulation and ensuring the roof remains waterproof and corrosion-resistant.





Image 5.1: The double roof design, illustrating its anti-UV, air ventilation, and waterproof properties.




Image 5.2: The multifunctional top design, showing integrated hooks for hanging fans, lights, or decorations.

## 5.2 Curtains and Netting

- **Detachable Curtains:** Provide privacy and protection from rain and harsh weather.
- **Zippered Netting:** Keeps mosquitoes and other insects out while maintaining airflow.
- **Dual-Track System:** Allows for independent operation of the curtains and netting.
- **Three Modes:** The curtains and netting can be configured in fully-open (ventilated), half-open (anti-mosquito), or fully-close (privacy protection) modes.
- **Extra Velcro Straps:** Use these to secure curtains when fully open.





Image 5.3: Features of the detachable curtains, including anti-mosquito netting, privacy curtain, and the dual-track system.





Image 5.4: Visual representation of the three curtain modes: fully-open for ventilation, half-open for mosquito protection, and fully-closed for privacy.

## 6. Maintenance

- **Regular Cleaning:** Clean the polycarbonate roof panels and metal frame with mild soap and water. Avoid abrasive cleaners.
- **Curtain Care:** Curtains can be removed for cleaning. Follow fabric care instructions.
- **Anchor Inspection:** Periodically check the ground anchors to ensure they remain secure, especially after strong winds.
- **Snow Removal:** In areas with heavy snowfall, regularly clear snow from the roof to prevent excessive load. The gazebo can support snow loads of up to 6 inches.
- **Weather Resistance:** The gazebo is designed to withstand winds up to 31-38mph (Beaufort 7). During severe weather, consider removing curtains and netting to reduce wind resistance.




Image 6.1: The gazebo demonstrating its UV protection in sunny conditions, waterproofing in rain, and resistance to deformation in snow.

## 7. Troubleshooting

- **Difficulty during assembly:** Ensure all parts are correctly oriented as per the assembly guide. Do not force components. If parts do not fit, double-check the part numbers and illustrations.
- **Curtains not sliding smoothly:** Check the dual-track system for any obstructions or debris. Ensure curtains are properly hung on their respective tracks.
- **Water pooling on roof:** The slope drainage system is designed to prevent this. Ensure the roof panels are installed correctly and there are no blockages in the drainage path.
- **Gazebo instability:** Verify that all frame connections are tightened and the gazebo is securely anchored to the ground. Re-tighten bolts if necessary.

If you encounter issues not covered here, please contact customer support.

## 8. Specifications

| Feature | Specification |
|---|---|
| Model | 10'x12' Hardtop Gazebo |
| Product Dimensions (L x W x H) | 144" x 120" x 105" (12 ft x 10 ft x 8.75 ft) |
| Item Weight | 200 Pounds |
| Frame Material | Aluminum, Galvanized Steel |
| Roof Material | Double Polycarbonate |
| Water Resistance Level | Waterproof |
| Ultraviolet Light Protection | Yes |

| | |
|---|---|
| Wind Resistance | Up to 31-38 mph (Beaufort 7) |
| Snow Load Capacity | Up to 6 inches |
| Assembly Required | Yes (3-4 people, 3-6 hours recommended) |

## 9. Warranty and Support

For warranty information, please refer to the documentation included with your purchase. Aoxun offers a 30-day easy return policy. For any questions, missing parts, or support needs, please contact Aoxun Direct customer service. You can typically find contact information on the seller's page or through your purchase platform.


### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

**Open the live page**

**https://manuals.plus/asin/B0G2VPH6Y2**

More documents and user manuals: **https://manuals.plus/**