**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



### Garvee oJ0vQ1EL-_wJlyaEPt7IoQkqRw5s

# Garvee 32 QT (30 L) Portable Electric Cooler & Warmer User Manual

Model: oJ0vQ1EL-_wJlyaEPt7IoQkqRw5s

Contents Introduction Safety Package Setup Operation Maintenance Troubleshooting Specifications Warranty & Support

## 1. Introduction

Thank you for purchasing the Garvee 32 QT (30 L) Portable Electric Cooler & Warmer. This device is designed to keep your food and beverages cool or warm, making it ideal for travel, camping, road trips, and home use. Please read this manual thoroughly before operation to ensure proper use and maintenance.




**Image 1.1:** The Garvee 32 QT Electric Cooler and Warmer, illustrating its dual functionality to cool items down to 32°F and heat them up to 131°F. The cooler is shown outdoors on a picnic blanket.

This portable unit features a semiconductor system for efficient temperature control. It can cool to approximately 59–64°F (15-18°C) below ambient temperature or heat up to 140°F (60°C). Its lightweight design and integrated handle ensure easy portability.

## 2. Safety Instructions

To prevent injury or damage, always observe the following safety precautions:

- Do not immerse the unit in water or other liquids.
- Do not block the ventilation openings. Ensure adequate airflow around the unit.
- Keep the unit away from direct sunlight and heat sources.
- Use only the provided power cords (AC and DC).
- Unplug the unit before cleaning or maintenance.

- Do not operate the unit if the power cord is damaged.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Ensure the lid is securely closed to prevent leakage, especially during transport.

## 3. Package Contents

Please check the package for the following items:

- 1x Garvee 32 QT (30 L) Electric Cooler & Warmer
- 1x AC Home Power Cord
- 1x DC Car Power Cord (12V)
- 1x User Manual




**Image 3.1:** Visual representation of the package contents, showing the thermoelectric cooler and warmer unit, the user guide, and both wall (AC) and car (DC) chargers.

## 4. Setup

### 4.1 Initial Placement

Place the cooler on a flat, stable surface. Ensure there is at least 4 inches (10 cm) of space around all sides for proper ventilation.

### 4.2 Connecting to Power

The Garvee cooler supports both AC (home) and DC (car) power. The power cords can be conveniently stored in the top compartment of the unit.




**Image 4.1:** Close-up view of the Garvee electric cooler's top lid, showing a hidden compartment designed for safely storing the included wall and car chargers.

1. **For AC (Home) Use:** Connect the AC power cord to the AC input port on the cooler. Plug the other end into a standard 110V AC wall outlet.
2. **For DC (Car) Use:** Connect the DC power cord to the DC input port on the cooler. Plug the other end into your vehicle's 12V cigarette lighter socket.



**Image 4.2:** Demonstrates the multiple power options for the Garvee cooler, showing it plugged into a 120V AC home outlet and a 12V DC car cigarette lighter for versatile use.

***Note:*** *Ensure the power source matches the voltage requirements of the cooler. Do not use both AC and DC power simultaneously.*

## 5. Operating Instructions

### 5.1 Mode Switching (Cooling/Heating)

The Garvee cooler features a simple toggle switch on the back to select between cooling and heating modes.

1. **To Cool:** Slide the switch to the "COOL" position. The unit will begin to cool its interior.
2. **To Heat:** Slide the switch to the "HEAT" position. The unit will begin to warm its interior.
3. **To Turn Off:** Slide the switch to the "OFF" (middle) position.

***Important:*** *Allow the unit to rest for at least 30 minutes before switching between cooling and heating modes to prolong the lifespan of the semiconductor system.*

### 5.2 Optimal Performance Tips

- For best cooling results, pre-chill items before placing them in the cooler.
- For best heating results, pre-warm items before placing them in the warmer.
- Avoid opening the lid frequently to maintain internal temperature.
- Ensure the lid is securely latched to prevent temperature loss and leakage.




**Image 5.1:** The Garvee 32 QT cooler shown in a car trunk, filled with various snacks and beverages, highlighting its ample storage capacity for travel and outdoor activities.

## 6. Maintenance

### 6.1 Cleaning

- Always unplug the unit before cleaning.
- Wipe the interior and exterior surfaces with a soft cloth and mild detergent.
- Do not use abrasive cleaners or solvents.
- Ensure the unit is completely dry before plugging it back in.

### 6.2 Storage

When not in use, store the cooler in a dry, cool place, away from direct sunlight. Ensure the lid is slightly ajar to prevent odors and mildew buildup.

## 7. Troubleshooting

| Problem | Possible Cause | Solution |
|---|---|---|
| Unit not turning on | No power supply; loose connection; faulty power cord. | Check power outlet/cigarette lighter; ensure cords are securely plugged in; try a different power source. |
| Insufficient cooling/heating | Blocked ventilation; lid not sealed; ambient temperature too high/low; unit not pre-chilled/warmed. | Clear vents; ensure lid is closed tightly; pre-chill/pre-warm items; operate in a suitable environment. |
| Excessive noise | Fan obstruction; unit not on a stable surface. | Check for obstructions around the fan; place on a flat, stable surface. |
| Water leakage | Lid not properly closed; condensation buildup. | Ensure lid is securely latched; wipe away condensation regularly. |

## 8. Specifications

| Feature | Detail |
|---|---|
| Model Number | oJ0vQ1EL-_wJlyaEPt7IoQkqRw5s |
| Capacity | 32 QT (30 Liters) |
| Cooling Performance | Cools to 59–64°F (15-18°C) below ambient temperature |
| Heating Performance | Heats up to 140°F (60°C) |
| Power Input | AC 110V, DC 12V |
| Product Dimensions | 15.2"D x 12.5"W x 17.4"H (38.6 x 31.75 x 44.2 cm) |
| Item Weight | 11 pounds (5 kg) |
| Special Feature | Portable, Integrated Handle, Dual Cooling/Heating |




**Image 8.1:** Diagram illustrating the product dimensions (15.2in x 12.5in x 17.4in) and internal capacity, capable of holding 30 standard 330ml cans, 20 550ml water bottles, or 9 750ml wine bottles.

## 9. Warranty and Support

Garvee products are designed for reliability and performance. This product comes with a standard manufacturer's warranty. For detailed warranty information, please refer to the warranty card included in your package or visit the official Garvee website.

If you encounter any issues or have questions regarding your Garvee Electric Cooler & Warmer, please contact our customer support team:

- **Email:** support@garvee.com
- **Website:** Garvee Official Store on Amazon

Please have your model number (oJ0vQ1EL-_wJlyaEPt7IoQkqRw5s) and purchase date ready when contacting support.

© 2026 Garvee. All rights reserved.

## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

---

**Open the live page**

**https://manuals.plus/asin/B0G3WVZ212**

More documents and user manuals: **https://manuals.plus/**