

[Manuals.plus](#) /

› [Airpher](#) /

› Airpher 400W Cold Press Juicer (Model MP-802T) Instruction Manual

Airpher MP-802T

Airpher 400W Cold Press Juicer (Model MP-802T) Instruction Manual

Your guide to healthy juicing

1. INTRODUCTION

Thank you for choosing the Airpher 400W Cold Press Juicer. This appliance is designed to extract juice from fruits and vegetables efficiently, preserving nutrients through its slow masticating technology. Please read this manual thoroughly before use to ensure safe and optimal operation.

2. IMPORTANT SAFETY INSTRUCTIONS

- Read all instructions before operating the juicer.
- Ensure the appliance is unplugged before assembling, disassembling, or cleaning.
- Do not use frozen fruits or vegetables, as this can damage the motor and auger.
- Always ensure the lid is tightly closed and aligned correctly for the juicer to operate, as it features an automatic safety sensor.
- Keep hands and utensils out of the feed chute during operation to prevent injury. Use the provided push rod if necessary.
- Remove pits and large seeds from fruits before juicing to prevent damage to the auger.
- Do not immerse the motor base in water or other liquids. Wipe with a damp cloth.
- This appliance is for household use only.



Image: Important safety notes and tips for using the Airpher Cold Press Juicer, highlighting proper lid alignment and fruit preparation.

3. PRODUCT COMPONENTS

The Airpher Cold Press Juicer comes with the following components:

- Juicer Base (Motor Unit)
- Juicer Bowl
- Auger (Squeezing Screw)
- Feed Chute/Lid
- Juice Container
- Pulp Container
- Cleaning Brush
- Push Rod



Image: The Airpher Cold Press Juicer fully assembled, showing the main unit, juice outlet, and pulp outlet.

4. SETUP AND ASSEMBLY

Follow these steps to assemble your Airpher Cold Press Juicer:

1. **Place the Juicer Bowl:** Position the juicer bowl onto the motor base, ensuring it is securely seated.
2. **Insert the Auger:** Place the auger (squeezing screw) into the center of the juicer bowl.
3. **Attach the Feed Chute/Lid:** Place the feed chute/lid onto the juicer bowl. Rotate it clockwise until the safety lock engages and it clicks into place. Ensure the alignment arrows on the lid and base are matched. The juicer will not operate if the lid is not correctly secured.

4. **Position Containers:** Place the juice container under the juice outlet and the pulp container under the pulp outlet.



Image: Visual instructions for the 3-step quick assembly of the juicer, showing how to place the bowl, insert the auger, and secure the feed chute.

Your browser does not support the video tag.

Video: An official product video demonstrating the assembly, operation, and disassembly of the Airpher Cold Press Juicer, highlighting its wide feed chute and ease of use.

5. OPERATING INSTRUCTIONS

The Airpher Cold Press Juicer is designed for simple, one-button operation:

1. **Prepare Ingredients:** Wash fruits and vegetables thoroughly. For best results and to prevent clogging, cut larger items into smaller pieces. Remove any hard pits or large seeds. The 5.8-inch wide feed chute accommodates whole fruits and vegetables, reducing pre-cutting time.
2. **Start Juicing:** Plug in the juicer. Turn the button to the 'ON' position.
3. **Feed Ingredients:** Slowly feed the prepared fruits and vegetables into the feed chute. Use the push rod to gently guide ingredients down, but do not force them. The 400W motor and slow masticating speed efficiently extract juice, minimizing oxidation and maximizing nutrient retention.
4. **Collect Juice and Pulp:** Fresh juice will flow into the juice container, and dry pulp will be expelled into the pulp container. The high juice yield (up to 99%) ensures minimal waste.
5. **Reverse Function:** If clogging occurs, press the 'REV' (Reverse) button to clear the blockage.
6. **Stop Juicing:** Once finished, turn the button to the 'OFF' position and unplug the appliance.



Image: The 5.8-inch large feed chute, illustrating how it simplifies adding whole fruits and vegetables.



Image: Illustration of the juicer producing drier pulp and purer juice, indicating high efficiency.

6. CLEANING AND MAINTENANCE

Regular cleaning ensures the longevity and hygiene of your juicer. The Airpher juicer is designed for easy disassembly and cleaning:

1. **Disassembly:** Unplug the juicer. Open the cover and rotate the feed chute counter-clockwise to unlock. Pull out the auger, then take out the juicer bowl.
2. **Rinse Components:** Rinse all removable parts (juicer bowl, auger, feed chute/lid, juice container, pulp container) under running water. Use the provided cleaning brush to remove any pulp residue from the filter and other intricate areas.
3. **Clean Base:** Wipe the motor base with a damp cloth. Do not immerse the base in water.
4. **Drying:** Allow all parts to air dry completely before reassembling or storing.

Note: All removable parts are dishwasher safe. For optimal performance and to prevent corrosion, clean the juicer immediately after use, especially when juicing acidic fruits like lemons.

3 Step Quick Disassembly



Image: Visual instructions for the 3-step quick disassembly of the juicer, showing how to open the cover, pull out the auger, and remove the juicer bowl.



Image: Demonstrating the easy cleaning process of the juicer components under running water.

7. TROUBLESHOOTING GUIDE

If your juicer is not operating correctly, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Juicer does not turn on.	Lid not properly closed or aligned.	Ensure the lid is tightly closed and the handle is aligned exactly with the ON/OFF start button. The safety lock must be engaged.
Juicer stops during operation.	Lid was accidentally opened.	The juicer is equipped with a safety lock setting that will automatically pause if the lid is opened. Close the lid tightly to resume operation.
Clogging occurs.	Too many ingredients fed at once, or hard ingredients.	Press the 'REV' (Reverse) button to clear the blockage. Feed ingredients slowly and cut hard items into smaller pieces. Do not use frozen items.
Low juice yield or wet pulp.	Ingredients not properly prepared or juicer overloaded.	Ensure fruits and vegetables are fresh. Cut ingredients to appropriate sizes. Do not overload the juicer.

Automatic Safety Sensor

The machine will automatically stop if the lid is opened while the machine is running.



Image: The Automatic Safety Sensor feature, which stops the machine if the lid is opened during operation.

8. SPECIFICATIONS

- **Brand:** Airpher
- **Model:** MP-802T
- **Power:** 400 Watts
- **Voltage:** 120 Volts
- **Feed Chute Size:** 5.8 inches Wide
- **Juicing Technology:** Slow Masticating Cold Press
- **Material:** Plastic, Stainless Steel, PMMA (Blade)
- **Product Dimensions:** 4.33"D x 12.99"W x 4.33"H
- **Item Weight:** 9 Pounds
- **Capacity:** 1.8 Liters
- **Number of Speeds:** 1
- **Dishwasher Safe Parts:** Yes (Removable parts)
- **UPC:** 607604926752

400W

Brushless Motor

Lower noise, longer life



50RPM



Handle
Ingredients Easily



45dB
Lower Noise



Image: The 400W brushless motor, emphasizing low noise and extended lifespan.

9. WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the contact details provided with your product packaging or visit the official Airpher website. Keep your purchase receipt for any warranty claims.