

EB-KD43VFD67J-TP41336

Instruction Manual: Generic Controller for Predator 13000 Watt Tri-Fuel Portable Generator (Models 71386, 70476)

Model: EB-KD43VFD67J-TP41336 | MPN: 881743

INTRODUCTION

This manual provides essential instructions for the safe and effective use of your Generic brand controller, designed as a replacement for Predator 13000 Watt Tri-Fuel Portable Generators, specifically models 71386 and 70476. This controller facilitates remote start and stop functions, enhancing convenience for generator operation. Please read this manual thoroughly before installation and operation.

SAFETY INFORMATION

WARNING: Improper installation or use can lead to serious injury or death. Always follow all safety guidelines provided by your generator's manufacturer in addition to these instructions.

- Ensure the generator is completely shut down and disconnected from any power source before attempting installation or maintenance of the controller.
- Always operate generators in well-ventilated areas to prevent carbon monoxide poisoning.
- Keep hands, feet, and clothing away from moving parts of the generator.
- Do not operate the generator or controller in wet conditions.
- Store the controller in a dry place, away from extreme temperatures and direct sunlight.
- This controller is designed for specific Predator generator models. Do not attempt to use it with incompatible equipment.

PACKAGE CONTENTS

Verify that all items are present and undamaged upon opening the package. If any items are missing or damaged, contact your retailer immediately.

- 1x Generic Controller Unit (Remote Control)

- 1x Carabiner Clip (attached to controller)
- 1x Instruction Manual (this document)



Figure 1: Generic Controller Unit. This image displays the black remote control with clearly labeled 'OFF' and 'ON' buttons, and a metal carabiner clip attached to its base for portability.

SETUP AND INSTALLATION

This controller is a replacement unit. Installation typically involves pairing it with your existing generator's receiver. Refer to your Predator generator's original manual for specific pairing instructions if needed. The controller itself does not require complex installation beyond battery insertion (if applicable) and pairing.

Battery Installation (if required)

If your controller requires batteries, locate the battery compartment on the back of the unit. Insert the specified battery type (e.g., CR2032 coin cell) ensuring correct polarity (+/-). Close the compartment securely.

Pairing with Generator

1. Ensure your Predator 13000 Watt Tri-Fuel Portable Generator is in a safe, well-ventilated area and is turned OFF.
2. Locate the remote receiver unit on your generator. This is typically near the control panel.
3. Follow the specific pairing procedure outlined in your Predator generator's owner's manual. This often involves pressing a "Learn" or "Pair" button on the generator's receiver and then pressing a button on the new remote controller within a short timeframe.
4. Once paired, test the controller's functionality by attempting to start and stop the generator from a safe distance.

OPERATING INSTRUCTIONS

Once the controller is successfully paired with your generator, operating it is straightforward.

Starting the Generator

1. Ensure the generator is prepared for start-up according to its own manual (fuel levels, oil levels, choke position if applicable, etc.).
2. Stand at a safe distance from the generator.
3. Press the **"ON"** button on the controller. The generator should attempt to start. You may need to hold the button briefly or press it multiple times depending on the generator's starting sequence.
4. Once the generator starts, release the button.

Stopping the Generator

1. Ensure all loads are disconnected from the generator if possible, or reduce the load to a minimum.
2. Press the **"OFF"** button on the controller. The generator should shut down.

Note: The effective range of the remote control may vary depending on environmental factors and battery strength. Always maintain line of sight if possible and ensure you are within a safe operating distance.

MAINTENANCE

The Generic controller requires minimal maintenance to ensure reliable operation.

- **Cleaning:** Wipe the controller with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.
- **Battery Replacement:** If the controller's range decreases or it becomes unresponsive, replace the battery (if applicable) with a fresh one of the correct type.
- **Storage:** When not in use for extended periods, store the controller in a cool, dry place, away from direct sunlight and moisture.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Controller does not respond.	Dead or weak battery. Not paired correctly. Out of range.	Replace battery. Re-pair the controller with the generator (refer to Setup section). Move closer to the generator.

Problem	Possible Cause	Solution
Generator starts intermittently.	Weak battery. Interference. Generator issue (not controller).	Replace battery. Try operating in a different location or clear obstructions. Consult your generator's manual for starting issues.
Buttons feel sticky or unresponsive.	Dirt or debris under buttons.	Clean the controller surface. Avoid spills.

SPECIFICATIONS

Feature	Detail
Model Number	EB-KD43VFD67J-TP41336
Manufacturer Part Number (MPN)	881743
Compatibility	Predator 13000 Watt Tri-Fuel Portable Generator (Models 71386, 70476)
Functionality	Remote Start/Stop
Brand	Generic
Condition	New

WARRANTY AND SUPPORT

This product comes with a money-back guarantee, ensuring customer satisfaction. For any issues, questions, or support needs, please contact your original point of purchase or the manufacturer directly.

Please retain your proof of purchase for warranty claims.

