Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Trucozie T356

Trucozie T356 Air Purifier User Manual

Model: **T356** | Brand: **Trucozie**

1. Introduction

This manual provides comprehensive instructions for the Trucozie T356 Air Purifier. Designed for large indoor spaces, including bedrooms, this air purifier features a double-sided air inlet, H13 True HEPA filtration, and an integrated PM2.5 air quality sensor. Please read this manual carefully before operating the device to ensure safe and efficient use.

2. Safety Information

- Always ensure the air purifier is placed on a stable, level surface.
- Do not block the air inlets or outlets. Maintain at least 15 cm (6 inches) clearance from walls or other objects.
- Unplug the device before cleaning or performing any maintenance.
- Do not operate the device with a damaged cord or plug.
- Keep the device away from water or other liquids.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

3. Package Contents

Verify that all items are present in the package:

- 1 x Trucozie T356 Air Purifier
- 2 x Air Purifier Filters (Pre-Installed)
- 1 x User Manual

4. Product Overview

The Trucozie T356 Air Purifier is designed to improve air quality in large rooms up to 1937 ft² per hour, with a CADR of 176 CFM (300 m³/h). It features a double-sided air inlet for enhanced purification speed and circulation.



Figure 4.1: Trucozie T356 Air Purifier in a living room environment.

Equipped with H13 True HEPA filters, the unit achieves 99.97% efficiency in filtering particles such as smoke, pollen, pet dander, and hair. A built-in PM2.5 sensor monitors air quality in real-time, adjusting fan speed and indicating air quality levels (blue for excellent, green for good, purple for mediocre, red for poor).



Figure 4.2: Real-time PM2.5 air quality sensor indicators.

For undisturbed rest, the T356 includes a Sleep Mode, operating at a low noise level (less than 23dB) with the display light off.



Figure 4.3: Air Purifier operating in Sleep Mode in a bedroom.

5. Setup

5.1 Unpacking and Filter Installation

1. Carefully remove the air purifier from its packaging.
2. Open the filter covers on both sides of the unit.

3. Remove the pre-installed filters and ensure to remove any plastic packaging film from each filter.
4. Insert the filters back into their compartments, ensuring they are correctly seated and snap into place.
5. Close the filter covers securely.



Figure 5.1: Installing the double-sided filters.

5.2 Placement

Place the air purifier in a central location within the room to optimize air circulation. Ensure there is adequate space

around the unit for proper airflow.

5.3 Power Connection

Connect the power adapter to the unit and then plug it into a standard electrical outlet.

6. Operating Instructions

6.1 Control Panel

The Trucozie T356 features a touch control panel on the top of the unit. Refer to the image below for button layout.




Figure 6.1: Control Panel Overview.

6.2 Functions

- **Power Button:** Press to turn the unit On or Off.
- **Speed Button:** Cycles through fan speed settings (Low, Medium, High).
- **Auto Mode:** The unit automatically adjusts fan speed based on real-time air quality detected by the PM2.5 sensor.
- **Sleep Mode:** Activates quiet operation (less than 23dB) and turns off display lights for undisturbed sleep.

- **Timer Button:** Sets the operating time (e.g., 2H, 4H, 8H). The unit will automatically turn off after the set time.
- **Light/Reset Button:** Toggles the display light on/off. Also used to reset the filter replacement indicator (see Maintenance section).
- **Lock Button:** Engages the child lock function, preventing accidental changes to settings. Press and hold to activate/deactivate.

6.3 Air Quality Indicator

The LED indicator on the unit changes color to reflect the current air quality:

- **Blue:** Excellent air quality (0-35 ug/m³)
- **Green:** Good air quality (36-75 ug/m³)
- **Purple:** Mediocre air quality (76-115 ug/m³)
- **Red:** Poor air quality (>115 ug/m³)

6.4 Operational Videos

The following videos demonstrate various aspects of the air purifier's operation and features:

Video 6.1: Overview of the Trucozie Air Purifier for Home Large Room, demonstrating its features and operation.

Video 6.2: Demonstration of how the Trucozie Air Purifier functions to improve air quality.

Video 6.3: A review highlighting the features and performance of the air purifier.

7. Maintenance

7.1 Filter Replacement

The filters should be replaced every 6-8 months, depending on usage and air quality. The unit will typically indicate when a filter change is due.

1. Unplug the air purifier from the power outlet.
2. Open the filter covers on both sides of the unit.
3. Remove the old filters and dispose of them properly.
4. Insert new Trucozie T356 replacement filters, ensuring any plastic packaging is removed.
5. Close the filter covers securely.
6. Plug the unit back in.
7. To reset the filter replacement indicator, press and hold the "Light/Reset" button for 3-5 seconds until the indicator light turns off.

7.2 Cleaning the Unit

Wipe the exterior of the air purifier with a soft, dry cloth. Do not use abrasive cleaners or solvents. Periodically vacuum the pre-filter mesh to remove larger dust particles and prolong filter life.

8. Troubleshooting

Problem	Possible Cause	Solution
Unit does not turn on.	No power supply; Filters not installed correctly or plastic film not removed.	Check power cord connection. Ensure filters are installed correctly and all plastic film is removed.

Problem	Possible Cause	Solution
Air quality indicator always red/purple.	High particulate matter in the air; Sensor blocked or dirty.	Allow time for purification. Clean the PM2.5 sensor area gently with a dry cotton swab.
Unit is noisy.	High fan speed; Obstruction in fan.	Reduce fan speed. Check for any foreign objects near the fan.
Unit turns off automatically after a short period.	Air quality is already excellent; Timer function activated.	This is normal behavior if air quality is good. Check if a timer is set.
Filter indicator light remains on after filter replacement.	Filter reset not performed.	Press and hold the "Light/Reset" button for 3-5 seconds to reset the indicator.

9. Specifications

Model Number	T356
Product Dimensions	11 x 6 x 15 inches
Item Weight	7.69 Pounds
Power Source	AC
Control Method	Touch Button Control
Filter Type	HEPA H13
Floor Area Coverage	Up to 1937 Square Feet (in 1 hour)
Noise Level	23 Decibels (in Sleep Mode)
Particle Retention Size	0.3 Micron
Special Features	Double Sided Air Inlet, Real-Time Air Quality Monitoring
Certifications	CARB Certified, CE Certified, EPA Certified, FCC Certified

10. Warranty and Support

For warranty information or technical support, please refer to the contact details provided with your purchase or visit the official Trucozie website. Keep your purchase receipt as proof of purchase for warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0G58ZV1YN

More documents and user manuals: **https://manuals.plus/**