Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

NORDRIVE Silenzio CX Black 94 cm (N15419)

Nordrive Silenzio CX Black Aluminum Roof Bar (94 cm) - User Manual

This manual provides instructions for the installation, operation, and maintenance of the Nordrive Silenzio CX Black Aluminum Roof Bar (94 cm). Learn about its aerodynamic design, quick accessory installation system, and important safety guidelines for proper use and load capacity.

1. Product Overview

The Nordrive Silenzio CX Black Aluminum Roof Bar is designed to provide a robust and aerodynamic solution for carrying additional load on your vehicle. Its innovative design aims to minimize wind noise and fuel consumption.

Key Features

- **Robust Aerodynamic Profile:** Made from aluminum alloy to minimize aerodynamic impact, reducing noise and fuel consumption.
- **Silent Front Rubber Profile:** Specifically designed for maximum quietness during travel.
- **Graduated Positioning Scale:** Ensures simple and quick assembly.
- **Patented PTO "Press-To-Open" System:** Allows quick insertion of "T" rapid connectors for fast accessory installation.
- **Concealed Foot Attachment Groove:** Bottom groove for inserting and sliding foot attachments out of sight.
- **Rubber Profiles for Sealing:** Seals the grooves after foot attachment installation.

Package Contents

- 1 x Nordrive Silenzio CX Black Aluminum Roof Bar (94 cm)

2. Safety Information

Read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage, personal injury, or voiding of the product warranty.

- **Maximum Load Capacity:** The maximum load capacity for this roof bar is determined by the lowest load rating among the roof bar itself, any attached accessories, and the vehicle's maximum roof load capacity as specified in your vehicle's owner's manual. **Never exceed the lowest of these limits.**
- **Secure Installation:** Ensure all components are securely fastened according to the installation instructions. Regularly check the tightness of all bolts and connections, especially after the first few kilometers of driving and periodically thereafter.

- **Load Distribution:** Distribute the load evenly on the roof bar. Avoid concentrating heavy items in one area.
- **Driving Speed:** Adjust your driving speed to suit the load and road conditions. High speeds with a loaded roof bar can affect vehicle stability and fuel consumption.
- **Height Clearance:** Be aware of the increased height of your vehicle when the roof bar is installed, especially when entering garages, car washes, or low-clearance areas.
- **Sharp Edges:** Ensure that any items carried do not have sharp edges that could damage the roof bar or vehicle.

3. Installation Guide

This section outlines the general steps for installing the Nordrive Silenzio CX Black Aluminum Roof Bar. Refer to your vehicle-specific fitting kit instructions for precise details regarding your car model.

Tools Required (Not Included)

- Appropriate wrenches or tools as specified by your vehicle's fitting kit.
- Measuring tape (optional, for precise positioning).

Installation Steps

1. **Prepare the Roof Bar:** Identify the front and rear roof bars. The Silenzio CX features a front rubber profile designed for maximum quietness.
2. **Attach Foot Kits:** Insert the vehicle-specific foot attachments into the bottom groove of the roof bar. The concealed foot attachment groove allows for a clean, integrated look.
3. **Positioning:** Utilize the graduated positioning scale on the roof bar for simple and quick assembly, ensuring correct placement on your vehicle's roof.
4. **Secure to Vehicle:** Mount the assembled roof bar and foot kit onto your vehicle's roof according to the specific instructions provided with your vehicle's fitting kit. Ensure all bolts are tightened to the manufacturer's specified torque settings.
5. **Seal Grooves:** After the foot attachments are installed, use the provided rubber profiles to seal the grooves. This helps maintain the aerodynamic properties and prevents water ingress.
6. **Accessory Installation (Optional):** For installing accessories, use the patented PTO "Press-To-Open" system. This allows for quick insertion of "T" rapid connectors into the top channel of the roof bar.




Figure 1: Cross-section view of the Nordrive Silenzio CX roof bar profile. The profile measures 83 mm in width and 28 mm in height, illustrating its aerodynamic design and internal channels for mounting accessories and foot attachments.

4. Usage and Operation

Once installed, the Nordrive Silenzio CX roof bar is ready for use. Follow these guidelines for safe and effective operation:

- **Loading:** Place items on the roof bar, ensuring they are centered and distributed as evenly as possible.
- **Securing Load:** Always use appropriate straps, nets, or accessory carriers (e.g., bike racks, ski carriers, roof boxes) to securely fasten your load to the roof bar. Ensure there is no movement of the load during transit.
- **Check Fastenings:** Before each journey, verify that the roof bar itself is securely attached to the vehicle and that the load is properly secured to the roof bar.
- **Aerodynamics:** Be mindful that adding a load to your roof bar will change the vehicle's aerodynamics and center of gravity. This may affect handling, braking, and fuel consumption.

Important Note on Load Capacity: This item is a component of the ORIGINE modular system. The maximum load capacity to consider is always that of the component with the lowest capacity. This limit is also subject to the maximum load specified in the vehicle's owner's manual. Maximum load includes: weight of the bars + weight of any applied accessories + weight of the transported load.

5. Maintenance

Regular maintenance will ensure the longevity and safe operation of your Nordrive Silenzio CX roof bar.

- **Cleaning:** Clean the roof bar regularly with mild soap and water. Avoid abrasive cleaners or solvents that could damage the aluminum finish or rubber components.
- **Inspection:** Periodically inspect the roof bar for any signs of wear, damage, or corrosion. Check all bolts, nuts, and rubber components for integrity. Replace any damaged parts immediately.
- **Tightness Check:** Re-tighten all mounting bolts and fasteners periodically, especially after long trips or exposure to rough roads.
- **Storage:** If removing the roof bar for extended periods, store it in a dry, protected area away from direct sunlight and extreme temperatures.

6. Troubleshooting

This section addresses common issues you might encounter with your roof bar.

Problem	Possible Cause	Solution
Excessive Wind Noise	Improper installation; missing or damaged rubber profiles; load not aerodynamic.	Ensure roof bar is correctly installed and all rubber profiles are in place. Check load for aerodynamic efficiency.
Roof Bar Feels Loose	Mounting bolts are not sufficiently tightened.	Re-tighten all mounting bolts to the specified torque. If problem persists, consult a professional.
Difficulty Installing Accessories	"T" connectors not properly aligned; PTO system not fully engaged.	Ensure "T" connectors are correctly oriented and the "Press-To-Open" system is fully activated before insertion.

7. Technical Specifications

Specification	Detail

Specification	Detail
Brand	NORDRIVE
Model	Silenzio CX Black (94 cm)
Manufacturer Part Number	N15419
ASIN	B0G6MS3D25
Color	Black
Material	Aluminum
Item Dimensions (LxWxH)	94 cm (length) x 8.3 cm (width) x 2.8 cm (height)
Vehicle Service Type	Automobile
Automotive Installation Type	Universal (requires vehicle-specific fitting kit)
Country of Origin	China
Number of Items	1 (single roof bar)

Note: The item dimensions LxPxA (Length x Width x Height) from the product specifications (64 x 8.3 x 2.8 cm) refer to a different variant or a general profile dimension. For this specific 94 cm variant, the length is 94 cm, and the profile dimensions are approximately 8.3 cm (width) x 2.8 cm (height) as shown in the cross-section diagram.

8. Warranty and Support

For warranty information or technical support, please refer to the documentation provided with your purchase or contact NORDRIVE customer service directly. Keep your proof of purchase for any warranty claims.

You can visit the official NORDRIVE store for more information:NORDRIVE Store

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0G6MS3D25

More documents and user manuals: **https://manuals.plus/**