

[Manuals.plus](#) /

› [Gasbye](#) /

› Gasbye Slushie Machine ISM2659D User Manual

## Gasbye ISM2659D

# Gasbye Slushie Machine ISM2659D User Manual

Model: ISM2659D

---

## 1. IMPORTANT SAFETY INSTRUCTIONS

---

Please read all instructions carefully before operating the Gasbye Slushie Machine. Retain this manual for future reference.

- Always ensure the machine is placed on a stable, level surface.
- Maintain at least 4 inches (10 cm) of clearance around all sides of the machine for proper ventilation.
- Do not immerse the main unit in water or other liquids.
- Keep hands and utensils out of the vessel during operation to prevent injury.
- This appliance is not intended for use by persons with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Unplug the machine from the power outlet when not in use and before cleaning.
- Do not operate the machine with a damaged cord or plug.

## 2. PRODUCT OVERVIEW

---

The Gasbye Slushie Machine ISM2659D is designed to create a variety of frozen beverages without the need for pre-made ice. It features rapid cooling technology, multiple pre-set settings, and an easy-to-clean design.



Image: The Gasbye Slushie Machine ISM2659D, a dark black unit with a clear vessel for frozen drinks.

### 3. SETUP

#### 3.1 Unpacking

1. Carefully remove all packaging materials and the machine from the box.
2. Check for any damage during transit. If damage is observed, do not operate the machine and contact customer support.
3. Remove any protective films or stickers from the unit.

#### 3.2 Placement

Place the slushie machine on a dry, stable, and level countertop. Ensure there is at least 4 inches (10 cm) of clear space on all sides of the machine to allow for adequate ventilation and prevent overheating.

### 3.3 Initial Cleaning

Before first use, clean all detachable parts that will come into contact with beverages. Refer to the "Maintenance and Cleaning" section for detailed instructions.



Image: Diagram showing the dimensions of the Gasbye Slushie Machine and its liquid capacity (Min 16 oz, Max 64 oz).

## 4. OPERATING INSTRUCTIONS

### 4.1 Filling the Vessel

1. Ensure the machine is unplugged.
2. Open the lid of the transparent vessel.
3. Pour your desired liquid into the vessel. The liquid must have a sugar content between 6% and 20% for optimal freezing.
4. Observe the MIN (16 oz) and MAX (64 oz) fill lines. Do not fill below the MIN line or above the MAX line. For best

results, ensure the liquid covers the evaporator cylinder.

5. Close the lid securely.



Image: A person pouring liquid into the Gasbye Slushie Machine vessel, illustrating the 'Just Pour' step.

## 4.2 Powering On and Selecting Settings

1. Plug the machine into a grounded electrical outlet.
2. The LED display will illuminate.
3. Use the control panel to select one of the 5 pre-set settings **Slushie**, **Frappe**, **Milkshake**, **Cocktail**, or **Wine**. Each setting optimizes temperature for the specific drink type.
4. Adjust the thickness level using the appropriate controls if desired. There are 5 thickness levels available.

# One-Touch Frozen Drinks

5 Preset Settings, Easy to Make



Image: The control panel of the Gasbye Slushie Machine showing the 5 preset drink options: Slushie, Frappe, Milkshake, Cocktail, and Wine.

## 4.3 Starting the Freezing Cycle

1. Press the Start/Stop button to begin the freezing cycle.
2. The machine will automatically activate a child lock during operation. To adjust settings or dispense during a cycle, press and hold the lock icon for 3 seconds to deactivate the child lock.
3. The rapid cooling technology will transform liquids into a smooth slushy texture within 20-60 minutes, depending on the liquid volume and desired consistency.

# Rapid Cooling Technology

Liquid is rotated 360° around a chilling cylinder to achieve the ideal temperature and texture in just 20 – 60 mins.



Image: An internal view of the Gasbye Slushie Machine showing liquid being rotated 360 degrees around a chilling cylinder for rapid cooling.

## 4.4 Dispensing

1. Once the cycle is complete, or if dispensing during a cycle (after deactivating child lock), place a glass or cup under the pour spout.
2. Use the self-serve handle to dispense the frozen beverage.

# Self-serve Handle with Pour Spout

Ergonomically designed comfort handle with  
a no-drip spout for mess-free pouring



Image: A hand operating the self-serve handle with a no-drip spout to pour a frozen drink from the Gasbye Slushie Machine into a glass.

## 4.5 Keeping Frozen

The upgraded quiet compressor can maintain the slushie at the perfect temperature and texture for up to 12 hours after the initial freezing cycle.

# Upgraded Quiet Compressor

Quietly keeps your slushies at the perfect temperature and texture for up to 12 hours.



Image: The Gasbye Slushie Machine operating quietly in a living room setting, highlighting its upgraded quiet compressor.

## 5. MAINTENANCE AND CLEANING

### 5.1 Auto-Cleaning Function

1. After dispensing, ensure the vessel is empty.
2. Fill the vessel with clean water up to the MIN line.
3. Select the 'Clean' setting on the control panel.
4. Press Start/Stop to initiate the auto-cleaning cycle.
5. Once the cycle is complete, dispense the water and unplug the machine.

### 5.2 Manual Cleaning of Detachable Parts

For thorough cleaning, the lid, vessel, auger, and drip tray are detachable.

1. Unplug the machine.
2. Carefully remove the lid, then the auger from the vessel.
3. Remove the vessel from the main unit.
4. Remove the drip tray.
5. These parts are dishwasher-safe for convenience. Alternatively, they can be hand-washed with warm, soapy water and a soft cloth. Rinse thoroughly and allow to air dry completely before reassembly.
6. Wipe the exterior of the main unit with a damp cloth. Do not use abrasive cleaners or immerse the main unit in water.



Image: A collage showing the auto-cleaning function, hand washing of detachable parts, and dishwasher-safe components of the Gasbye Slushie Machine.

## 6. TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|---------|----------------|----------|
|---------|----------------|----------|

| Problem                                | Possible Cause                                     | Solution                                                                                                     |
|----------------------------------------|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Machine not freezing / Chunky texture  | Insufficient sugar content in liquid.              | Ensure liquid has a sugar content between 6% and 20%. Artificial sweeteners may not work effectively.        |
| Machine not turning on                 | Not plugged in, power outage, or faulty outlet.    | Check power connection and try a different outlet.                                                           |
| E3 Error Code (as per customer review) | Internal malfunction.                              | Unplug the machine, wait a few minutes, then plug it back in. If the error persists, contact Gasbye Support. |
| Liquid not circulating                 | Vessel overfilled or auger not properly installed. | Ensure liquid is below the MAX fill line. Check that the auger is correctly seated.                          |

For issues not listed above, please contact Gasbye Customer Support.

## 7. SPECIFICATIONS

---

- **Model Number:** ISM2659D
- **Product Dimensions:** 5.99 x 12 x 16 inches
- **Item Weight:** 8 pounds
- **Vessel Capacity:** 88 oz (total)
- **Liquid Fill Capacity:** Min 16 oz, Max 64 oz
- **Cooling Time:** 20-60 minutes (approximate, depending on volume and desired consistency)
- **Pre-set Settings:** 5 (Slushie, Frappe, Milkshake, Cocktail, Wine)
- **Power:** [Not specified in JSON, placeholder if needed]

## 8. WARRANTY AND SUPPORT

---

### 8.1 2-Year Quality Coverage

The Gasbye Slushie Machine ISM2659D comes with a 2-Year Quality Coverage. This warranty covers defects in materials and workmanship under normal use.

# Why Choose Gasbye?

Certified Quality with 2-Year Coverage



 Johnny A.

★★★★★ **Honest Company**

Reviewed in the United States on September 8, 2024

They stand with their extended 2 year quality coverage!

 James Moyer

★★★★★ **Great service by Amy**

Reviewed in the United States on May 20, 2025

Started the unit up this spring and was having issues. Contacted customer service to request a replacement within 1 day I have a new unit being shipped! Great Service!

 Jason Marquis

★★★★★ **Warranty is legit and easy**

Reviewed in the United States on May 27, 2025

I purchased this unit 10 months ago and this spring I got an E3 code. I sent an email with low expectations. Within 2 hours I received a response, I received the new unit today. Totally hassle free! Wonderful service!

Image: The Gasbye Slushie Machine displaying ETL certification and a '2 Years Quality Coverage' badge.

## 8.2 Customer Support

If you encounter any issues with your Gasbye Slushie Machine or have questions regarding its operation or warranty, please contact Gasbye Support directly. Our team is dedicated to providing assistance and ensuring your satisfaction. For more information or to contact support, please visit the [Gasbye Store on Amazon](#).

© 2026 Gasbye. All rights reserved.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**

---

**Open the live page**

**<https://manuals.plus/asin/B0G6YWFVSR>**

More documents and user manuals: **<https://manuals.plus/>**