



Manuals.plus /

- › GEEVON-LINK /
- › GEEVON-LINK GL-25TH08 WiFi Indoor Hygrometer Thermometer User Manual

GEEVON-LINK GL-25TH08

GEEVON-LINK GL-25TH08 WiFi Indoor Hygrometer Thermometer User Manual

Model: GL-25TH08

1. INTRODUCTION

The GEEVON-LINK GL-25TH08 is a smart WiFi and Bluetooth-enabled indoor hygrometer thermometer designed to monitor temperature and humidity levels in your environment. It features a large E-Ink display, smart app connectivity for remote monitoring and alerts, and data storage capabilities. This manual provides essential information for setting up, operating, and maintaining your device.



Image: GEEVON-LINK GL-25TH08 WiFi Indoor Hygrometer Thermometer, front view showing the large digital display.

2. PRODUCT FEATURES

- **Dual Wi-Fi & Bluetooth Connectivity:** Connects to 2.4GHz Wi-Fi for remote monitoring and Bluetooth for local data access via the Smart Life app.
- **High Accuracy:** Provides temperature accuracy of $\pm 1^{\circ}\text{C}$ ($\pm 1.8^{\circ}\text{F}$) and humidity accuracy of $\pm 5\%$ RH.
- **Large Backlit E-Ink Display:** A 3.2-inch screen with an ultra-wide viewing angle for clear readability. Backlight activates for 8 seconds with a top touch button press.
- **Smart Alerts & Automated Control:** Receive instant app alerts for high/low temperature, humidity, and low battery. Integrates with Alexa and Google Home for voice control and automated scene creation.
- **Long-Term Data Storage & Export:** View historical data trends (hour, day, month, year) and export records for up to one year via the app.
- **Face Icon Comfort Indicator:** Displays a happy face for comfortable conditions (18°C - 28°C / 64.4°F - 82.4°F and 40%-65% RH) and an unhappy face when conditions are outside this range.
- **Long-Lasting Battery:** Energy-efficient design powered by 3 AAA batteries (included), with in-app low battery alerts.

Large screen with digital display



Temperature



Humidity



Comfort
Indicatd



Big
Screen



°C/°F
switch



Check the
values



Image: Close-up of the GEEVON-LINK GL-25TH08 display showing temperature, humidity, time, comfort indicator, and max/min records.

3. SETUP INSTRUCTIONS

3.1. Battery Installation

1. Open the rear battery cover of the device.
2. Remove any battery insulation sheet if present.
3. Insert 3 new AAA alkaline batteries into the battery compartment, ensuring correct polarity.
4. Close the battery cover securely.



Video: This video demonstrates the physical features of the GEEVON-LINK WiFi Thermometer Hygrometer, including how to open the battery compartment and insert batteries.

3.2. App Installation & Device Pairing

1. Download the **Smart Life** app from your smartphone's app store (Google Play Store or Apple App Store). You can also scan the QR code provided in the product packaging.
2. Register for a new account or log in if you already have one.

3. Ensure the device's Wi-Fi icon is flashing. If not, press and hold the reset button (usually a small pinhole on the back or side) for 5 seconds until it flashes.
4. In the Smart Life app, tap the "+" icon in the top-right corner or select "Add Device" to begin searching for devices.
5. Enable phone Bluetooth as prompted by the app.
6. Select your device from the list and follow the on-screen prompts to complete pairing.




Image: Step-by-step guide for installing the Smart Life app, inserting batteries, checking the Wi-Fi indicator, and pairing the device.

3.3. Wi-Fi Connection

During the pairing process, you will be prompted to enter your Wi-Fi network details. The device supports 2.4GHz Wi-Fi networks only (5GHz is not supported). Ensure your smartphone is connected to a 2.4GHz network during setup.

4. OPERATING INSTRUCTIONS

4.1. Display Overview

The large E-Ink display shows current temperature, humidity, time, and max/min records. A comfort icon (happy/unhappy face) indicates the environmental comfort level. Press the top touch button to activate the backlight for 8 seconds in low-light conditions.

Large LCD display with backlit




Image: The GEEVON-LINK GL-25TH08 display with its backlight activated, showing clear visibility in a dim environment.

4.2. Comfort Indicator

The device features a face icon to visually represent comfort levels:

- **Happy Face:** Temperature between 18°C-28°C (64.4°F-82.4°F) and humidity between 40%-65% RH.
- **Unhappy Face:** Conditions are outside the comfortable range.

Pay attention to family health




Image: The GEEVON-LINK GL-25TH08 display showing the comfort indicator face icon, with examples of temperature and humidity ranges for happy and unhappy faces.

4.3. App Monitoring & Data Export

Once connected to the Smart Life app, you can:

- View current temperature and humidity readings remotely.
- Access historical data graphs by hour, day, month, or year.
- Export up to one year of data records by tapping the share icon in the top-right corner of the data screen and entering your email address.

Smart Storage & One-Tap Export

Provides one year of remote monitoring, graph viewing, and data retention



Image: A smartphone displaying the Smart Life app interface with temperature and humidity graphs, demonstrating the data storage and export function.


4.4. Smart Alerts & Automation

Configure custom alerts and smart scenes through the Smart Life app:

- Set upper and lower limits for temperature and humidity to receive instant app, phone, or SMS notifications.
- Integrate with Alexa or Google Home to create automated scenes, such as turning on an AC or dehumidifier when specific conditions are met.
- Use voice commands (e.g., "Alexa, what's the temperature in the living room?") to get current readings.



• Real-time App Notifications



Smart Linkage •




Image: Screenshots of the Smart Life app demonstrating real-time notifications for temperature and humidity, and options for smart device linkage.

Works with Alexa & Google Home

Enable hands-free voice control and smart automation through your preferred platform



Image: A person interacting with a smart speaker, illustrating the device's compatibility with Alexa and Google Home for voice control.

Your browser does not support the video tag.

Video: A detailed "How to Use" guide demonstrating app setup, alarm functions, and settings for the GEEVON-LINK WiFi Thermometer Hygrometer.

4.5. Calibration

The Smart Life app allows for temperature and humidity calibration to ensure accuracy. Navigate to the device settings within the app to adjust calibration values if needed. These settings will take effect the next time the device wakes up.

4.6. Placement Options

The device can be placed on a flat surface using its integrated bracket or mounted on a wall using the keyhole slot on the back. Ensure placement in a location that provides accurate readings for the desired area, away from direct sunlight, heat sources, or drafts.



Image: The GEEVON-LINK GL-25TH08 device shown with its adjustable stand extended and retracted, illustrating flexible placement options.

5. SPECIFICATIONS

Feature	Detail
Brand	GEEVON-LINK
Model Name	GL-25TH08-1-WH-WUS
Color	White
Outer Material	Plastic
Power Source	Battery Powered (3 AAA batteries included)
Item Length	3.2 Inches
Item Weight	3.68 ounces
Temperature Range	-9.9°C to 60°C
Temperature Accuracy	±1°C (±1.8°F)
Humidity Range	0%-99% RH
Humidity Accuracy	±5% RH
Wi-Fi Frequency	2.4GHz (5GHz not supported)

6. MAINTENANCE

- **Cleaning:** Wipe the device with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- **Battery Replacement:** Replace all three AAA batteries when the low battery alert is received in the app or indicated on the device display.
- **Storage:** If storing the device for an extended period, remove the batteries to prevent leakage. Store in a cool, dry place.

7. TROUBLESHOOTING

- **Device not turning on:** Check battery installation and ensure batteries are new and correctly inserted.
- **Cannot connect to Wi-Fi:**
 - Ensure your Wi-Fi network is 2.4GHz. The device does not support 5GHz networks.
 - Verify your Wi-Fi password is correct.
 - Move the device closer to your Wi-Fi router.
 - Reset the device by holding the reset button for 5 seconds and try pairing again.
- **Inaccurate readings:**
 - Ensure the device is not placed near heat sources, direct sunlight, or strong drafts.
 - Perform temperature and humidity calibration via the Smart Life app settings.
- **App alerts not received:**
 - Check your phone's notification settings for the Smart Life app.
 - Verify that alert thresholds are correctly set in the app.
 - Ensure the device has a stable Wi-Fi connection.

8. WARRANTY AND SUPPORT

GEEVON-LINK products are designed for reliability and performance. For warranty information, technical support, or service inquiries, please refer to the contact information provided in your product packaging or visit the official GEEVON-LINK website. Keep your purchase receipt as proof of purchase for warranty claims.