

[Manuals.plus](#) /

› [ZMISHIBO](#) /

› ZMISHIBO 51 cm RGB Ceiling Fan ZMCF005 Instruction Manual

ZMISHIBO ZMCF005

ZMISHIBO 51 cm RGB Ceiling Fan Instruction Manual

Model: ZMCF005

Brand: ZMISHIBO

1. INTRODUCTION

Thank you for choosing the ZMISHIBO 51 cm RGB Ceiling Fan. This manual provides essential information for the safe installation, operation, and maintenance of your new ceiling fan. Please read it thoroughly before installation and keep it for future reference.

1.1 Safety Information

- Always disconnect power at the circuit breaker before installation or servicing.
- Installation must be performed by a qualified electrician in accordance with local electrical codes.
- Ensure the mounting structure can support the weight of the fan.
- Do not insert objects into the fan blades while the fan is operating.
- This appliance is for indoor use only.

1.2 Package Contents

Verify that all components are present before beginning installation:

- Ceiling Fan Unit (with integrated light)
- Remote Control
- Mounting Hardware Kit
- Instruction Manual

2. SETUP AND INSTALLATION

The ZMISHIBO ceiling fan is designed for flush mount installation. It is recommended for rooms with a height of 7-10 feet and a length/width of approximately 8.5 x 8.5 feet.

2.1 Pre-Installation Steps

1. Turn off power at the main circuit breaker.

2. Carefully unpack all components and inspect for any damage.
3. Read through the entire installation guide before starting.

2.2 Mounting the Fan

Follow the standard flush mount installation procedure. Ensure all connections are secure. Note that the compact housing may make wiring slightly crowded; take care to connect wires properly without overtightening screws.



Product Size



Memory
Function



120 Volt



3000 LM



After-sales
Service



Room Size:

Height:
7FT-10FT

Length & Width:
8.5FT x 8.5FT

Figure 2.1: Product Dimensions and Room Size Recommendation. The fan measures 20 inches (50.8 cm) in diameter, 12.6 inches (32 cm) in height, and 5.5 inches (14 cm) in depth. Recommended room size is 7-10 feet in height and 8.5 x 8.5 feet in length and width.

2.3 Remote Control and App Pairing


Before first use, pair the remote control and the mobile application with the fan.

1. Install batteries into the remote control.
2. Download the "FanLamp Pro" app from Google Play or the Apple App Store.
3. Follow the in-app instructions to connect via Bluetooth and pair the fan.
4. Use the pairing button on the app or remote to establish connection.



Systeme d'éclairage à double anneau indépendant

Doubles anneaux lumineux à commande individuelle, créant des effets visuels superposés et dynamiques



Silencieux



Double commande



Réglage de l'heure



Économie d'énergie

Figure 2.2: Remote Control and App Interface. The image displays the physical remote control with buttons for fan speed, light control, RGB modes, and timer, alongside a smartphone showing the 'FanLamp Pro' application for comprehensive control.

3. OPERATING INSTRUCTIONS

Your ZMISHIBO ceiling fan offers versatile control options via the included remote control and a dedicated smartphone application.

3.1 Fan Operation

- **Speed Control:** The fan features 6 adjustable speeds. Use the remote or app to select your desired airflow intensity.
- **Reversible Rotation:** The DC motor allows for reversible rotation. Use the forward mode for cooling in summer and the reverse mode to circulate warm air in winter.




Figure 3.1: Efficient Air Circulation. This diagram shows the fan's ability to circulate air effectively, with a 'Summer Mode' for forward rotation to create a cool breeze and a 'Winter Mode' for reverse rotation to distribute warm air.

3.2 Light Operation

The fan features independent control for its upper RGB ring and lower main light ring.

- **Main Light (Lower Ring):** Adjust color temperature from 3000K (warm white) to 6500K (cool white) and brightness from 15% to 100%.
- **RGB Light (Upper Ring):** Choose from 7 RGB colors and 2 fade modes to create ambient lighting.
- **Memory Function:** After 5 seconds of being turned off, the fan will automatically recall the last used light settings when powered on again.



Plusieurs températures de couleur




Figure 3.2: Multiple Color Temperatures and Dimmable Light. This image illustrates the fan's lighting capabilities, including warm white (3000K), natural white (4500K), cool white (6500K), and various RGB colors, along with a progressive dimming feature from 10% to 100% brightness.



Figure 3.3: Adjustable Brightness. The fan's brightness can be smoothly adjusted from 10% to 100%, as depicted by the three images showing different light intensities.

3.3 Timer Function

Set the fan and light to automatically turn off after 1, 4, or 8 hours using the timer button on the remote or app.

4. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

4.1 Cleaning

- Before cleaning, ensure the power is disconnected at the circuit breaker.
- Use a soft, damp cloth to wipe down the fan housing and blades. Do not use abrasive cleaners or solvents.
- Dust the light cover regularly to maintain light output.

4.2 General Care

- Periodically check all mounting screws to ensure they are tight.
- No lubrication is required for the motor.

5. TROUBLESHOOTING

If you encounter issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not operate	No power; Loose wiring; Remote/App not paired	Check circuit breaker; Verify all wire connections; Re-pair remote/app (refer to Section 2.3)
Light does not change colors (RGB)	Incorrect settings; Pairing issue	Ensure RGB mode is selected on remote/app; Re-pair remote/app if necessary

Problem	Possible Cause	Solution
Remote control not working	Dead batteries; Not paired	Replace batteries; Re-pair remote (refer to Section 2.3)
Excessive noise	Loose mounting screws; Obstruction	Tighten all mounting screws; Ensure nothing is interfering with fan blades

6. SPECIFICATIONS

Feature	Detail
Brand	ZMISHIBO
Model Number	ZMCF005
Dimensions (Diameter)	51 cm (20 inches)
Power Source	Electric Cable
Wattage	36 Watts
Noise Level	30 Decibels (max)
Number of Speeds	6
Light Output	2500 Lumens
Color Temperature	3000K - 6500K (Dimmable 15%-100%)
Special Features	RGB LED Lighting, Reversible DC Motor, App/Remote Control, Timer (1/4/8H), Memory Function
Material	Acrylonitrile Butadiene Styrene
Certifications	CE



Ultra Quiet Design

Enjoy a comfortable environment



Low Noise



6 Wind Speeds




Figure 5.1: Ultra Quiet Design. The fan operates at a low noise level of 30 dB, comparable to a quiet conversation, ensuring a comfortable environment.

7. WARRANTY AND SUPPORT

7.1 Product Warranty

The ZMISHIBO 51 cm RGB Ceiling Fan comes with a **2-year warranty** covering non-human induced damages from the date of purchase. Please retain your proof of purchase for warranty claims.

7.2 Spare Parts Availability

Spare parts for this model are available for up to **5 years** from the date of purchase.

7.3 Customer Support

For technical assistance, warranty claims, or inquiries about spare parts, please contact ZMISHIBO customer support through the retailer where the product was purchased or visit the official ZMISHIBO website for contact information.

© 2026 ZMISHIBO. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

Open the live page

<https://manuals.plus/asin/B0G8F37KPW>

More documents and user manuals: <https://manuals.plus/>