

[Manuals.plus](#) /

› [Pool Patch](#) /

› Pool Patch Burro Adhesives Waterproof Gray Pool Patches Instruction Manual

Pool Patch BAGPP

Pool Patch Burro Adhesives Waterproof Gray Pool Patches Instruction Manual

Model: BAGPP

PRODUCT OVERVIEW

The Pool Patch Burro Adhesives Waterproof Gray Pool Patches are designed for efficient and durable repair of vinyl liner pools. This 10-pack provides pre-sized, heavy-duty PVC patches that can be applied both underwater and on dry surfaces, offering a permanent watertight seal against leaks, cracks, and tears.

- **Quantity:** 10 pre-sized patches
- **Dimensions:** 2.75" x 4" each
- **Material:** Professional-grade PVC with industrial-strength adhesive
- **Application:** Works underwater, dry, rainy, or sunny conditions
- **Resistance:** Withstands moisture, UV exposure, and harsh pool chemicals





Image: Packaging of the Burro Adhesives 10-Pack Waterproof Gray Pool Patches. The package displays the brand logo, product name, and key features.

PREPARATION AND SAFETY

Before applying the patch, ensure the area is free from debris and the patch size is appropriate for the damage. No special tools or draining of the pool is required for application.

- **Surface Condition:** The surface to be patched should be as clean as possible. Remove any loose dirt, algae, or debris.
- **Patch Selection:** Choose a patch that extends beyond the damaged area by at least 1 inch on all sides. The patches are pre-cut to 2.75" x 4".
- **Environment:** These patches are designed to work in various conditions, including underwater.

APPLICATION INSTRUCTIONS

Follow these steps for effective application of the Burro Adhesives pool patches:

1. **Clean the Surface:** Thoroughly clean the area around the leak or damage. Remove any debris, algae, or dirt to ensure optimal adhesion.
2. **Choose a Patch:** Select a patch that is larger than the damaged area. The patch must extend beyond the edges of the hole or tear.
3. **Peel and Apply:** Carefully peel the backing from the patch. Position the patch over the damaged area. Once applied, the patch cannot be easily repositioned due to its strong adhesive.
4. **Press Firmly:** Press the patch down firmly, working from the center outwards to remove any air bubbles. Pay special attention to pressing down the corners and edges.
5. **Hold and Set:** Hold the patch in place with firm pressure for at least 2 minutes. If possible, apply weight to the patched area for a short period to enhance bonding.




Image: Visual guide illustrating the simple application process: Instant leak repair, just peel, stick, and press, conforms to any surface, and


seals holes, cracks & tears. The image shows patches being applied to a tiled pool surface.

MAINTENANCE AND LONGEVITY

Once applied correctly, Burro Adhesives pool patches are designed for long-term durability. They are engineered to withstand various environmental factors:

- **Chemical Resistance:** The patches are resistant to harsh pool chemicals, preventing degradation and yellowing.
- **UV Protection:** Built-in UV protection technology helps prevent the patches from breaking down due to sun exposure.
- **Temperature Resilience:** The adhesive maintains its bond in varying temperatures, from heat to cold.
- **Weather Resistance:** Effective in rain, wind, and sun, providing a reliable barrier against moisture.

WEATHER RESISTANT PROTECTION



BUILT FOR TOUGH ENVIRONMENTS

- **WITHSTANDS HARSH POOL CHEMICALS**
- **NO YELLOWING, PEELING, OR CRACKING**
- **HOLDS IN HEAT, COLD, WIND, RAIN, OR SUN**
- **UV PROTECTION TECHNOLOGY**
- **CREATE BARRIER AGAINST MOISTURE**
- **WATERPROOF EVEN WHEN SUBMERGED**



Image: Diagram highlighting the weather-resistant properties of the patches, including resistance to harsh pool chemicals, no yellowing or cracking, holding in various weather conditions, UV protection, moisture barrier, and waterproof performance even when submerged.

TROUBLESHOOTING

If a patch does not adhere properly or a leak persists, consider the following:

- **Poor Adhesion Underwater:** Ensure the surface was adequately cleaned before application. Even underwater, removing loose debris or slime is crucial for the adhesive to bond effectively. Apply firm, consistent pressure during application.
- **Patch Peeling:** This may indicate insufficient pressure during initial application or an unclean surface. Re-clean the area and apply a new patch, ensuring firm and prolonged pressure, especially around the edges.
- **Leak Persists:** The patch might not fully cover the damaged area, or there could be additional damage nearby. Inspect the area thoroughly and apply a larger patch or additional patches if necessary.

SPECIFICATIONS

Product Dimensions	6 x 3 x 1 inches (packaging)
Item Weight	2.39 ounces
Patch Size	2.75" x 4" (individual patch)
Quantity	10 patches per pack
Model Number	BAGPP
Manufacturer	Pool Patch

WARRANTY AND SUPPORT

Specific warranty information for this product is not provided in the available documentation. For product support, inquiries, or to report issues, please contact the manufacturer, Pool Patch, directly through their official channels or the retailer where the product was purchased.

You can often find contact information on the product packaging or the manufacturer’s website. For purchases made on Amazon, you may also refer to your order details for seller contact options.

© 2026 Pool Patch. All rights reserved.
This manual is for informational purposes only.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question