

WYLIE PW08

WYLIE 2UUL PW08 Power Mac Digital Power Switch Cable User Manual

Model: PW08 | Brand: WYLIE

1. INTRODUCTION

The WYLIE 2UUL PW08 Power Mac Digital Power Switch Cable is a professional diagnostic tool designed for computer and electronics repair. It provides real-time voltage and current measurements, along with waveform visualization, to assist technicians in identifying and resolving power-related issues in various devices. This manual provides essential information for the proper setup, operation, and maintenance of your device.

2. PRODUCT OVERVIEW

2.1 Key Features

- **Digital Power Switch Cable:** Professional diagnostic tool for computer and laptop repair featuring real-time voltage and current monitoring with 4P connection for precise troubleshooting and power testing.
- **Universal Compatibility:** Includes 10 multi-port power adapters (Type-C, DC 5.5, straight head/T, side head/L, and various DC connectors) that fit a wide range of laptops, including MacBooks and Windows computers.
- **Real-Time Monitoring:** Digital display shows voltage readings up to 20V and current measurements, enabling technicians to diagnose power issues and monitor system performance during repairs.
- **Windows Synchronized Display:** Mirrors all readings on your computer screen with detailed graphical charts and analog meter visualizations for comprehensive monitoring and documentation.
- **Professional Grade:** Diagnostic equipment built for computer repair technicians, service centers, and IT professionals requiring accurate power testing capabilities.

2.2 Package Contents

- 1x 2UUL PW08 Power Mac Digital Power Switch Cable
- 10x Multi-Port Power Adapters (various connector types)
- 1x WYLIE Name Card PVC Fine Frosted Plastic Material Removing Screen Functional Card
- 1x WYLIE WL-5A Solder Paste Scraper Dismantling Machine Piece
- 1x Pair of WYLIE ESD BGA Repair Soldering Working Antiskid Carbon Fiber Gloves
- 1x WYLIE K1 Blade Durable Screen Opener with 5 Different Depth Corners

2.3 Product Visuals



Figure 1: The 2UUL PW08 Power Mac Digital Power Switch Cable with its comprehensive set of accessories and various power adapters.



2UUL POWER MAC 电脑开机线



Figure 2: Illustration of the universal compatibility of the 2UUL PW08 Power Mac cable with various laptop power interfaces.

Your browser does not support the video tag.

Video 1: An official product video demonstrating the features and usage of the 2UUL PW08 Power Mac Digital Power Switch Cable and its multi-port adapters.

3. SETUP INSTRUCTIONS

1. **Connect the Power Mac Cable:** Connect the main 2UUL PW08 Power Mac unit to a power source. The device supports dual-input mode, including Type-C.
2. **Select Appropriate Adapter:** Identify the correct multi-port power adapter from the included set that matches the power input port of the device you intend to repair or diagnose.
3. **Connect to Device:** Securely attach the selected adapter to the Power Mac cable, then connect the adapter to the power input of your target device (e.g., laptop, MacBook).
4. **Power On:** Ensure all connections are secure, then power on the 2UUL PW08 unit. The digital display will activate.

Type-C Banana Plug DUAL-INPUT MODE

⚡ TYPE-C ,香蕉头 ⚡
— 双输入方式 —



Figure 3: The Type-C and other power supply interfaces on the 2UUL PW08 unit.

4. OPERATING INSTRUCTIONS

- Monitor Real-Time Data:** Once connected and powered on, the digital display on the 2UUL PW08 unit will show real-time voltage (V) and current (A) readings. Observe these values to assess the power status of the connected device.
- Analyze Waveform Graph:** The integrated waveform graph visualizes power fluctuations. This can help in identifying unstable power delivery or intermittent issues.
- Utilize Windows Synchronized Display:** For detailed analysis and documentation, connect the 2UUL PW08 unit to a Windows computer. The synchronized display feature will mirror all readings, including detailed graphical charts and analog meter visualizations, on your computer screen. This allows for comprehensive monitoring and data logging.
- Power Output:** The device supports a maximum output power of 100W (20V, 5A). Ensure the power requirements of the connected device do not exceed these limits.

2UUL POWER MAC 电脑开机线

支持Windows 屏幕同步显示



Figure 4: Windows synchronized display showing detailed power monitoring data.

2UUL POWER MAC 电脑开机线



Figure 5: Display indicating maximum output power capabilities.

5. MAINTENANCE

- Keep the device clean and free from dust and debris. Use a soft, dry cloth for cleaning.
- Store the Power Mac cable and adapters in a cool, dry place when not in use.
- Avoid exposing the device to extreme temperatures or humidity.
- Regularly inspect cables and adapters for any signs of wear or damage. Replace damaged components immediately.

6. TROUBLESHOOTING


- **No Power Display:** Ensure the Power Mac unit is properly connected to a power source and turned on. Check all cable connections.
- **Incorrect Readings:** Verify that the correct adapter is used for the device and that it is securely connected. Ensure the device being tested is functioning correctly.

- **Windows Display Not Synchronizing:** Check the connection between the Power Mac unit and your computer. Ensure the necessary software or drivers are installed on your Windows system. Refer to the manufacturer's website for software downloads and installation guides.
- **Device Not Charging/Powering On:** Confirm the Power Mac unit is receiving power and displaying output. Check the integrity of the adapter and the device's power input port.

If issues persist, please contact WYLIE customer support for further assistance.

7. SPECIFICATIONS

Attribute	Value
Model Name	2UUL PW08 Power Mac Digital Power Switch Cable
Brand	WYLIE
Compatible Devices	95% of Laptops, Desktop Computers, MacBook Air 11 Inch A1465, Tablets
Manufacturer	2UUL
Operating Voltage	Below 30V DC
Maximum Output Power	100W (20V, 5A)
Digital Display	Voltage up to 19.86V, Current up to 2.018A
Cable Length Options	23.6 inches (60cm) and 39.4 inches (100cm)
Dimensions (Unit)	Approx. 6.64 x 1.97 x 1.1 inches (16.85 x 5.0 x 2.8 cm)
Net Weight	280g



Product Parameters 产品参数

Name 名称: **POWER MAC 电脑开机线**

Model No 产品编码: **PW08**

Net Weight 净重: **280g**

Gross Weight 毛重: **330g**

Product Size 产品尺寸: **168.5cm x 50mm x 28mm**

Package Size 包装尺寸: **150mm x 87mm x 65mm**

Operating Voltage 使用电压: **below30V DC30V以下**

Accessories 产品配件: **Multi-Port Power Adapter x10**

多功能电源转接头 x10

Figure 6: Product dimensions and cable lengths.

8. WARRANTY AND SUPPORT

WYLIE products are manufactured to high-quality standards. For warranty information, technical support, or service inquiries, please refer to the warranty card included in your package or visit the official WYLIE website. Keep your purchase receipt as proof of purchase.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question