

[Manuals.plus](#) /

> [Konus](#) /

> Konus Fighter 3x-9x40mm Rifle Scope Instruction Manual

Konus 7352

Konus Fighter 3x-9x40mm Rifle Scope Instruction Manual

Model: 7352

INTRODUCTION

Thank you for choosing the Konus Fighter 3x-9x40mm Rifle Scope. This manual provides essential information for the proper setup, operation, and maintenance of your new riflescope. Please read these instructions carefully before use to ensure optimal performance and safety.



Image: The Konus Fighter 3x-9x40mm Rifle Scope, showcasing its design and included mounting rings.

SAFETY INFORMATION

- Always treat firearms as if they are loaded.

- Never point a firearm at anything you are not willing to destroy.
- Keep your finger off the trigger until your sights are on target and you have made the decision to shoot.
- Be sure of your target and what is beyond it.
- Always wear appropriate eye and ear protection when shooting.
- Ensure the firearm is unloaded and safe before mounting or adjusting the scope.
- Do not look directly at the sun or any intense light source through the scope, as this can cause permanent eye damage.

PACKAGE CONTENTS

Verify that all items are present in your package:

- Konus Fighter 3x-9x40mm Rifle Scope (Model 7352)
- Mounting Rings (compatible with Weaver and Picatinny rails)
- Lens Caps
- Cleaning Cloth
- Instruction Manual

SETUP

1. Mounting the Scope

The Konus Fighter 3x-9x40mm rifle scope includes mounting rings designed for Weaver and Picatinny rails. Ensure your firearm has a compatible rail system.

1. Attach the mounting rings to the rail, ensuring they are spaced appropriately for the scope's length and your preferred eye relief.
2. Place the scope into the bottom halves of the rings.
3. Position the scope to achieve proper eye relief. Eye relief is the distance between your eye and the ocular lens when you have a full field of view. This is crucial for safety and comfort.
4. Ensure the reticle is level. Use a leveling tool if available.
5. Attach the top halves of the rings and tighten the screws evenly, but do not overtighten. Refer to your firearm's manual for recommended torque specifications for scope rings.

2. Initial Focus (Fast-Focus Ocular)

The scope features a fast-focus ocular for rapid reticle sharpening.

1. Point the scope at a clear, bright area (e.g., a blank wall or the sky) but avoid direct sunlight.
2. Look through the scope and quickly glance at the reticle.
3. Rotate the ocular lens (the eyepiece) clockwise or counter-clockwise until the reticle appears sharp and clear to your eye.
4. Once focused, avoid further adjustment unless your vision changes.

OPERATING THE SCOPE

1. Magnification Adjustment

The Konus Fighter 3x-9x40mm offers variable magnification from 3x to 9x. To adjust the magnification, rotate the power ring located near the ocular lens. Turn it clockwise to increase magnification and counter-clockwise to

decrease it.

2. Reticle: 30/30 Duplex

This model features a 30/30 reticle, which is a classic duplex style reticle. It provides a clear aiming point with thicker outer posts that draw the eye to the center, and thinner crosshairs for precise targeting. The 30/30 reticle is in the second focal plane (SFP), meaning its size appears constant regardless of magnification. This provides consistent target acquisition across various hunting scenarios.



Image: Diagram of the 30/30 Duplex Reticle, showing its thick outer posts and fine crosshairs.

3. Windage and Elevation Adjustments

The scope is equipped with finger-adjustable turrets for precise windage (horizontal) and elevation (vertical) corrections. Each click adjusts the point of impact by 1/4 MOA (Minute of Angle) at 100 yards.



Image: Close-up view of the finger-adjustable turrets for windage and elevation adjustments.

1. **Elevation Turret:** Located on top of the scope. Turning it clockwise typically moves the point of impact down, and counter-clockwise moves it up.
2. **Windage Turret:** Located on the right side of the scope. Turning it clockwise typically moves the point of impact right, and counter-clockwise moves it left.
3. **Zeroing:** To zero your scope, fire a group of shots at a target. Observe where the shots land relative to your aim point. Adjust the turrets in the direction you want the bullet to move. For example, if your shots are hitting low and left, adjust the elevation turret UP (counter-clockwise) and the windage turret RIGHT (clockwise). Repeat until your shots are consistently hitting your desired aim point.

MAINTENANCE

1. Cleaning

Your Konus Fighter scope features multi-coated optics for enhanced light transmission. Proper cleaning is essential to maintain optical clarity.

- **Lenses:** Use the provided cleaning cloth or a soft, lint-free optical cloth. For stubborn dirt or smudges, use a lens cleaning solution specifically designed for optics. Apply a small amount to the cloth, not directly to the lens. Gently wipe in a circular motion. Avoid using harsh chemicals or abrasive materials.
- **Body:** Wipe the scope's body with a soft, damp cloth. Avoid solvents that could damage the finish.



Image: Illustration of multi-coated optics, highlighting the protective layers on the lenses.

2. Storage

Store your scope in a cool, dry place, away from direct sunlight and extreme temperatures. Always use the lens

caps when the scope is not in use to protect the lenses from dust and scratches. The scope is waterproof, fogproof, and shockproof, ensuring reliability in various conditions, but proper storage extends its lifespan.



Image: A rifle scope with water droplets, illustrating its waterproof capabilities.

TROUBLESHOOTING

- **Blurry Image:** Ensure the ocular lens is properly focused for your eye (see Initial Focus section). Check for dirt or smudges on the lenses and clean them if necessary.
- **Cannot Zero Scope:** Verify that the scope is securely mounted and that the rings are tightened correctly. Check for any loose components on the firearm or scope. Ensure you are using consistent shooting technique.
- **Reticle Appears Tilted:** Recheck the scope's levelness during mounting. If necessary, loosen the ring screws slightly, adjust the scope, and re-tighten.
- **Fogging:** While the scope is fogproof, extreme temperature changes can sometimes cause external condensation. Allow the scope to acclimate to the ambient temperature or wipe away external moisture. Internal fogging indicates a seal issue and may require service.

SPECIFICATIONS

Feature	Specification
Brand	Konus
Model Name	Fighter 3x-9x40mm Hunting Rifle Scope (7352)
Style	3x-9x40mm (7352)
Magnification	3x-9x
Objective Lens Diameter	40mm
Tube Diameter	1 inch (25.4mm)
Reticle	30/30 Duplex (Second Focal Plane)
Click Value	1/4 MOA at 100 yards
Optics Coating	Multi-coated
Weather Protection	Waterproof, Fogproof, Shockproof
Mounting Rings	Included (Weaver/Picatinny compatible)

Feature	Specification
Color	Black
UPC	698156073520

WARRANTY AND SUPPORT

Konus products are manufactured to high standards and are designed for durability and performance. For specific warranty details, please refer to the warranty card included with your product or visit the official Konus website. If you encounter any issues or require technical assistance, please contact Konus customer support through their official channels.

Always retain your proof of purchase for warranty claims.