

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [CATLINK](#) /

› [CATLINK Open-X Automatic Litter Box User Manual](#)

CATLINK Open-X

CATLINK Open-X Automatic Litter Box User Manual

Model: Open-X (CL-CH-01)

INTRODUCTION

The CATLINK Open-X Automatic Litter Box is designed to provide a convenient and hygienic solution for cat owners. This self-cleaning litter box features advanced technology for health monitoring, waste analysis, and enhanced safety, ensuring a clean environment for your cat and home.

PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- Open-X Litter Box Main Unit
- Power Adapter
- Trash Liner (Roll)
- Odor Eliminator
- Support Legs (4)
- Filter Screen
- User Manual & Guide



Figure 1: All components included in the CATLINK Open-X Automatic Litter Box package.

SETUP

1. **Unpack and Inspect:** Carefully remove all components from the packaging. Inspect for any damage.
2. **Install Support Legs:** Attach the four support legs to the designated slots on the bottom of the main unit. Ensure they click securely into place.
3. **Insert Waste Bin and Trash Liner:** Slide the waste bin into the bottom compartment of the main unit. Line the waste bin with a trash liner, ensuring the edges are smooth and facing downward.
4. **Place Odor Eliminator:** Insert the odor eliminator into its designated slot, typically located at the front of the waste collection bin.
5. **Add Litter:** Pour clumping cat litter into the globe, ensuring the litter level is between the MIN and MAX lines indicated on the litter pad.
6. **Connect Power:** Plug the power adapter into the litter box and then into a wall outlet. The unit will perform an automatic self-check and level the litter.

Video 1: CATLINK Open-X Unboxing Guide. This video demonstrates the unboxing and initial assembly steps for the litter box.

OPERATING INSTRUCTIONS

The CATLINK Open-X offers both automatic and manual cleaning modes, along with smart app control.

Automatic Cleaning

In automatic mode, the litter box detects when your cat uses it via built-in weight and infrared sensors. After a customizable delay (set via the app), the unit will automatically initiate a cleaning cycle, sifting waste into the sealed bin below.

Manual Cleaning

To manually initiate a cleaning cycle, press the 'Clean' button on the control panel or use the CATLINK app. This is useful for immediate cleaning or if your cat prefers a manual cycle.




Figure 2: One-click cleaning via the control panel.

APP CONTROL & FEATURES

The CATLINK app enhances your experience with remote control and detailed insights into your cat's health and litter box usage.

- **Dual-Band WiFi:** Connects to both 5GHz and 2.4GHz networks for stable connectivity.
- **Remote Control:** Initiate cleaning cycles, empty the litter, or adjust settings from anywhere.
- **Health Monitor:** Tracks your cat's bathroom habits, distinguishing between urination and defecation, and provides daily/weekly health reports. This helps in early detection of potential urinary issues.
- **AI Waste Analysis:** Provides insights into your cat's waste patterns.
- **Customizable Cleaning Delay:** Set a delay time after your cat exits the box before a cleaning cycle begins, allowing litter to clump effectively.
- **Multi-Cat Recognition (Paid Feature):** Available as a one-time paid feature in the app to distinguish between multiple cats.

Smart Care with the App

Real-time Health Insights with remote monitoring, helping you detect potential urinary issues early



Figure 3: Smart Care with the CATLINK App for real-time health insights and remote monitoring.

Video 2: How to connect the CATLINK Open-X to the internet via the app.

SAFETY FEATURES

The CATLINK Open-X is equipped with multiple safety mechanisms to ensure your cat's well-being during operation.

- **Weight Sensors:** Multiple weight sensors detect your cat's presence, immediately pausing any cleaning cycle if a cat enters or is inside the unit.
- **Infrared Sensors:** These sensors provide an additional layer of detection, ensuring the unit stops if a cat is detected in the ball chamber.
- **Anti-Pinch Switch:** If a cat triggers this sensor when the ball chamber and waste bin are open, the device will pause to prevent pinching.
- **Always-Open Safe Entrance:** The incomplete gear design ensures the entrance is never fully closed, preventing cats from being trapped.

Never Fully Closed

Incomplete Gear, always keeps a safe exit to ensure safety, which is suitable for curious cats.



Figure 4: Anti-Pinch Switch ensures safety by pausing operation if triggered.

Anti-Pinch Switch

If the cat triggers the sensor when the ball chamber and waste bin are open, the device will pause.




Figure 5: Never Fully Closed design for enhanced cat safety.

MAINTENANCE & CLEANING

Regular maintenance ensures optimal performance and hygiene for your CATLINK Open-X.

- **Waste Bin Emptying:** The 12L extra-large waste bin can hold up to 15 days of waste for a single cat. Empty the trash liner when full.
- **Removable Litter Pad:** The elastic litter pad features a hook for easy installation and removal, making cleaning simple.
- **Easy Disassembly:** The unit features a 3-step quick disassembly process for thorough cleaning of the ball chamber and other components.
- **Odor Control:** Triple odor control includes an odor eliminator, ozone freshness, and a seal-lined waste drawer to minimize odors.

Easy to Maintain



Figure 6: 3-step quick disassembly for easy and thorough cleaning.

Ozone Freshness

Layered purification, give cat parents and cats a fresh environment.




Figure 7: Odor eliminator for a fresh environment.

TROUBLESHOOTING

If you encounter any issues with your CATLINK Open-X, refer to the following common troubleshooting tips:

- **Connectivity Issues:** Ensure your device is connected to a 5GHz or 2.4GHz Wi-Fi network. Check your router settings and device proximity.
- **Cleaning Cycle Not Starting:** Verify that the waste bin is correctly installed and the litter level is within the MIN/MAX lines. Check for any foreign objects obstructing the globe.
- **Error Lights:** Refer to the user manual for specific meanings of indicator lights (e.g., white flashing for waste bin full, red flashing for motor stall).
- **Anti-Pinch Alert:** If an anti-pinch alert is triggered, ensure no cat or object is interfering with the litter box's operation. Manually resolve the exception by long-pressing the 'Clean' and 'Empty' buttons simultaneously for 10 seconds.
- **Odor Persistence:** Replace the odor eliminator as needed. Ensure the waste bin is sealed properly.

SPECIFICATIONS

- **Model Name:** Open-X

- **Item Model Number:** CL-CH-01
- **Dimensions (LxWxH):** 23"L x 21"W x 23"H
- **Item Weight:** 21.4 Pounds
- **Material:** Acrylonitrile Butadiene Styrene (ABS)
- **Waste Bin Capacity:** 12 Liters
- **Connectivity:** 5G & 2.4G WiFi
- **Target Audience:** Cats (suitable for cats from 2 to 34 pounds)
- **Litter Box Type:** Automated Self-Cleaning Litter Box
- **Smart Home Compatibility:** Yes

WARRANTY & SUPPORT

The CATLINK Open-X Automatic Litter Box comes with a standard return policy allowing for refund or replacement within 30 days of purchase. For detailed warranty information and customer support, please refer to the included User Manual & Guide or visit the official CATLINK website.