Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR ZN2401CG-30L

VEVOR ZN2401CG-30L 8 Gallon Wet Dry Shop Vacuum Instruction Manual

Model: ZN2401CG-30L

1. Introduction

Thank you for choosing the VEVOR ZN2401CG-30L 8 Gallon Wet Dry Shop Vacuum. This manual provides essential information for the safe operation, assembly, maintenance, and troubleshooting of your new vacuum cleaner. Please read this manual thoroughly before first use and keep it for future reference.
This powerful 6 Peak HP wet dry shop vacuum is designed for versatile cleaning tasks in various environments, including jobsites, workshops, garages, and homes. Its one-button self-cleaning feature and dual-filter system ensure efficient performance for both wet and dry debris.

2. Safety Instructions

WARNING: To reduce the risk of fire, electric shock, or injury, read and follow all instructions before using this appliance.

- Always unplug the power cord from the electrical outlet before cleaning or performing maintenance on the vacuum.
- Do not leave the appliance unattended when plugged in. Unplug from outlet when not in use and before servicing.
- Do not use with a damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- Do not handle plug or appliance with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Use extra care when cleaning on stairs.

- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not use without filters in place.
- Connect to a properly grounded outlet only. See grounding instructions.

3. Package Contents

Verify that all items are present and in good condition upon unpacking.

- 1 x VEVOR Shop Vac Main Body (ZN2401CG-30L)
- 1 x Hose (1.25in x 7ft)
- 1 x Floor Brush
- 1 x Long Flat Nozzle (Crevice Nozzle)
- 1 x Plastic Extension Tube (3-piece set)
- 1 x Cylindrical Filter (Cartridge Filter)
- 1 x Sponge Filter





Figure 3.1: Included Components

4. Assembly Instructions

1. **Attach the Casters:** Turn the tank upside down. Insert the casters into the slots on the base of the tank until they click into place.
2. **Connect the Hose:** Insert the larger end of the hose into the suction port on the front of the vacuum. Twist clockwise to secure. For blowing function, insert the hose into the exhaust port on the back.
3. **Install Filters:**
    - For **Dry Vacuuming**: Ensure the cylindrical (cartridge) filter is securely installed over the filter cage.
    - For **Wet Vacuuming**: Remove the cylindrical filter and install the sponge filter over the filter cage.
4. **Attach Accessories:** Connect the desired attachment (floor brush, crevice nozzle, or extension tubes) to the smaller end of the hose.

5. Operating Instructions

5.1 Powering On/Off

Plug the power cord (9.8ft) into a 110-120V~ / 60Hz grounded electrical outlet. Press the ON/OFF switch located on the top of the motor head to start or stop the vacuum.

5.2 Wet & Dry Debris Suction

The VEVOR Shop Vac offers powerful 6 Peak HP suction for both wet and dry messes. Ensure the correct filter is installed for the type of debris you are collecting.




Figure 5.1: One-Step Cleanup for Wet & Dry Messes




Figure 5.2: Powerful Suction for Various Debris

5.3 Using Attachments

The vacuum comes with three types of attachments for various cleaning scenarios:

- **Wet-Dry Brush (Floor Brush):** Ideal for cleaning large areas like car trunks and floor mats, handling both wet and dry debris.
- **Sofa Brush:** Designed for cleaning sofas, seats, and other upholstered surfaces. For dry waste, ensure the cartridge filter is in place.
- **Long Flat Nozzle (Crevice Nozzle):** Perfect for reaching tight corners, air vents, cup holders, door compartments, and other hard-to-reach areas. Effective for both dry debris and liquids.

Figure 5.3: Reach Every Corner with Multiple Vacuum Tools



Figure 5.4: Multi-Function Vacuum Nozzles

5.4 One-Button Self-Cleaning Filter

The one-touch shake function quickly clears dirt from the filter, restoring suction and preventing clogs. This reduces the frequency of manual filter washing.

1. Block the nozzle or seal the hose near the floor, wall, or top cover to close the barrel.
2. Press the dirt removal button 5 times for better results.
3. After pressing, a strong reverse airflow will blow dirt and debris off the filter, achieving self-cleaning.




Figure 5.5: One-Touch Self-Cleaning Mechanism




Figure 5.6: One-Click Dust Shake & Self-Cleaning Steps

5.5 Blower Function

To use the blower function, detach the hose from the suction port and connect it to the exhaust port located on the back of the motor head. This is useful for clearing leaves or debris from outdoor areas.

▶ **Watch video online**
VEVOR Wet Dry Shop Vac 8 Gal

Video 5.1: VEVOR Wet Dry Shop Vac 8 Gal in action, demonstrating its powerful suction and versatility for various cleaning tasks, including the blower function.

6. Maintenance

6.1 Dual Filter System

Your VEVOR Shop Vac is equipped with a dual-filter system for optimal performance in different conditions:

- **Cylindrical (Cartridge) Filter:** Traps micron-level dirt and fine debris for daily wet-dry use.
- **Expanding Sponge Filter:** Used for wet applications, such as basement flood repair, to catch sediment, wood chips, and branches.



Figure 6.1: Dual-Filter Solution for Tough Cleaning



Figure 6.2: Cartridge Filter: Traps Micron-Sized Debris




Figure 6.3: Sponge Filter: For Flood and Waterlogging Cleanup

6.2 Emptying the Tank

The 8-gallon large capacity tank allows for extended cleaning sessions. To empty the tank:

1. Unplug the vacuum from the power outlet.
2. Release the side latches on the motor head and lift it off the tank.
3. Carefully lift the tank and pour out the collected debris or liquid into an appropriate disposal area.
4. Clean the inside of the tank if necessary before reassembling.




Figure 6.4: Large Capacity, Less Emptying

6.3 Cleaning Filters

Both the cylindrical and sponge filters are washable and reusable. Always unplug the vacuum before cleaning.

1. Release the side latches and lift the top motor head.
2. Detach the filter from the filter cage.
3. Rinse the filter under running water while gently brushing off debris.
4. Let the filter air-dry completely before re-installation and reuse.




Figure 6.5: Washable & Reusable Filter Cleaning

7. Troubleshooting

- **No Power:**
  - Check if the power cord is securely plugged into a working outlet.
  - Ensure the ON/OFF switch is in the 'ON' position.
  - Check the circuit breaker or fuse in your electrical panel.
- **Loss of Suction:**
  - Check if the hose or attachments are clogged. Clear any obstructions.
  - Ensure the filter is clean and properly installed. Use the one-button self-cleaning feature or manually clean

the filter.
    - Verify that the tank is not full, especially during wet vacuuming.
    - Ensure the motor head is securely latched onto the tank.
- **Motor Overheating:**
    - Turn off the vacuum and unplug it. Allow it to cool down for at least 30 minutes.
    - Check for blockages in the hose, attachments, or filters that might be causing the motor to work harder.
- **Water Leaking:**
    - Ensure the sponge filter is correctly installed for wet vacuuming.
    - Check for cracks or damage in the tank or hose connections.

8. Specifications

Feature	Specification
Brand	VEVOR
Model Number	ZN2401CG-30L
Capacity	8 Gallons (30 L)
Motor Horsepower	6 Peak HP
Input Power	900W
Voltage / Frequency	110-120V~ / 60Hz
Filter Type	Cartridge, Sponge
Hose Length	1.25 in x 7 ft (3.8 cm x 2.1 m)
Power Cord Length	9.8 ft (3.0 m)
Item Dimensions (L x W x H)	12.99"L x 12.99"W x 24.72"H (330 x 330 x 628 mm)
Item Weight	10.69 Pounds (4.85 kg)
Material	PP (Polypropylene)
Color	Orange & Black (Stainless Steel Tank)
Control Method	Touch
Special Features	High Power, Portable, Wet/Dry, One-Button Self-Cleaning



Figure 8.1: Product Dimensions and Specifications

9. Warranty and Support

VEVOR products are designed to provide reliable performance. For warranty information, technical support, or service inquiries, please refer to the warranty card included with your product or visit the official VEVOR website. Keep your purchase receipt as proof of purchase.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0GDQ8TZK5

More documents and user manuals: **https://manuals.plus/**