Qlife Triker Electric Bike

Qlife Triker Electric Bike User Manual

Model: Triker Electric Bike

Introduction Safety Information Setup Operation Maintenance Troubleshooting Specifications Warranty & Support

1. Introduction

Welcome to the Qlife Triker Electric Bike user manual. This manual provides essential information for the safe assembly, operation, maintenance, and troubleshooting of your new electric tricycle. Please read this manual thoroughly before using your Qlife Triker to ensure optimal performance and safety.



Figure 1: Qlife Triker Electric Bike, Black Standards model.

2. Safety Information

Your safety is paramount. Always wear a helmet and appropriate safety gear when riding. Observe all local traffic laws and regulations. Regular maintenance checks are crucial for safe operation.

- Always perform a pre-ride inspection, checking brakes, tires, and battery level.
- Do not operate the e-bike under the influence of alcohol or drugs.
- Ensure the battery is securely locked in place before riding.
- Avoid riding in adverse weather conditions or on excessively rough terrain.
- The maximum weight recommendation for this trike is 400 pounds. Do not exceed this limit.

3. Setup and Assembly

The Qlife Triker Electric Bike arrives largely pre-assembled. Final assembly steps typically include attaching the

handlebars, pedals, front wheel, and baskets. Refer to the included assembly guide for detailed, step-by-step instructions.

3.1 Battery Installation and Charging

The 468Wh removable battery is designed for easy charging. To charge, remove the battery from the frame and connect it to the provided charger. A full charge can provide up to 50 miles of range.



Figure 2: The 468Wh removable battery, UL2849-certified for safety. It offers up to 50 miles range and has an IP54 waterproof level.

3.2 Adjusting Seat and Handlebars

Adjust the seat height and handlebar position to ensure a comfortable and ergonomic riding posture. The step-thru frame design and adjustable components accommodate riders from 4.9 to 6.2 feet tall.




Figure 3: The adjustable seat and overall dimensions of the Qlife Triker, showing suitability for various rider heights and its compact folded size.

4. Operating Instructions

4.1 Powering On and Off

To power on the e-bike, press and hold the power button on the display unit. To power off, press and hold the same button. The display shows speed, mileage, and battery life.

4.2 Riding Modes

The Qlife Triker offers three riding modes:

- **Manual Mode:** Ride like a traditional bicycle using pedal power.
- **Pedal-Assist Mode:** The motor provides assistance as you pedal. Adjust the assist level via the display.
- **Full Electric Mode:** Use the throttle for motor-only propulsion without pedaling.

4.3 Motor and Performance

The e-bike is equipped with a 750W peak brushless motor, providing strong acceleration and a maximum speed of 16 MPH.



Figure 4: Illustration of the 750W peak brushless motor, highlighting its power output, 60Nm max torque, and 16 MPH max speed.

4.4 Braking System

The trike features reliable disc brakes for effective stopping power. A parking brake is also included for securing the trike when stationary.



Figure 5: Details of the dual front shock absorption system, the parking brake lever, and the large shock-absorbing seat cushion for enhanced comfort and safety.

4.5 Stability and Comfort

The three-wheel design and rear differential mechanism enhance stability, especially during turns and braking. Dual front shock absorption and a large seat cushion contribute to a comfortable ride.




Figure 6: Diagram illustrating the wheels speed differential mechanism, which provides enhanced maneuverability, safer rides, and cornering confidence.

4.6 Cargo Capacity

The Qlife Triker includes both front and rear baskets, offering ample space for carrying groceries, personal items, or small pets. The maximum load capacity is 400 pounds.



Figure 7: The Qlife Triker with its front and rear baskets, demonstrating its cargo-carrying capabilities with a maximum load of 400 pounds.

4.7 Folding Mechanism

The foldable frame design allows for easy storage and transport. Consult the assembly guide for specific instructions on how to fold and unfold the trike safely.

5. Maintenance

Regular maintenance ensures the longevity and safe operation of your Qlife Triker Electric Bike.

- **Battery Care:** Charge the battery regularly, even when not in use, to maintain its health. Store in a cool, dry place.
- **Tire Pressure:** Check tire pressure before each ride. Maintain recommended PSI levels for optimal performance and safety.
- **Brake Inspection:** Periodically inspect brake pads and cables for wear. Adjust or replace as needed to ensure effective braking.
- **Cleaning:** Clean the e-bike with a damp cloth. Avoid high-pressure washing directly on electrical components.

- **Fasteners:** Regularly check all bolts, nuts, and quick-release levers to ensure they are securely tightened.

6. Troubleshooting

This section addresses common issues you might encounter with your Qlife Triker Electric Bike.

Problem	Possible Cause	Solution
E-bike does not power on	Battery not charged or not properly installed.	Ensure battery is fully charged and securely seated. Check connections.
Motor not assisting	Pedal-assist level too low or motor connection issue.	Increase pedal-assist level on the display. Check motor cable connections.
Brakes feel weak	Worn brake pads or loose brake cables.	Inspect brake pads for wear and replace if necessary. Adjust brake cable tension.
Unusual noises from differential	Debris in mechanism or component wear.	Inspect for foreign objects. If noise persists, contact customer support.

If you encounter issues not listed here or if solutions do not resolve the problem, please contact Qlife customer support.

7. Specifications

Feature	Detail
Bike Type	Electric Bike (Trike)
Motor	750W Peak Brushless Motor
Battery	468Wh (36V 13Ah) Removable Lithium Battery
Max Speed	16 MPH
Max Range	Up to 50 Miles (pedal-assist)
Frame Material	Carbon Steel
Wheel Size	Three 20-inch Alloy Steel wheels
Suspension Type	Front
Brakes	Disc Brakes
Item Weight	93 Pounds
Maximum Weight Recommendation	400 Pounds
Minimum User Height	4.9 Feet
Electric Assist Type	Pedelec
Intended Riding Terrain	City streets, light trails

8. Warranty & Support

8.1 Official Warranty

The Qlife Triker Electric Bike comes with a 12-month official warranty, ensuring top-notch quality and reliability. Please retain your proof of purchase for warranty claims.

8.2 Customer Support

For any questions, technical assistance, or warranty inquiries, please contact Qlife customer support:

Call Center: +1-833-475-1642 (M-F 8:00 AM - 5:00 PM PST)

Email Support: service@qlifebike.com

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

How do I reinstall the battery on my Qlife Triker Electric Bike?

While the manual confirms that the 468Wh battery is removable and designed for easy installation, it does not provide a step-by-step mechanical guide for the physical reinsertion. Based on standard e-bike battery designs and...

Read full answer