

[Manuals.plus](#) /

› [SOLIDEE](#) /

› SOLIDEE 42" Bathroom Vanity Cabinet with Removable Laundry Hamper and White Ceramic Boat Sink Instruction Manual

SOLIDEE US-BTC8025-WH-O42-C+BTS8016-WH-02-A

SOLIDEE 42" Bathroom Vanity Cabinet Instruction Manual

Model: US-BTC8025-WH-O42-C+BTS8016-WH-02-A

1. PRODUCT OVERVIEW

This manual provides instructions for the SOLIDEE 42-inch Bathroom Vanity Cabinet, featuring a removable laundry hamper and a white ceramic boat sink. This modern standing pedestal cabinet is designed to enhance your bathroom space with both functionality and style. It includes a vanity, sink, faucet, pop-up drain, hot/cold lines, and mounting hardware.



Image: The SOLIDEE 42-inch Bathroom Vanity Cabinet with a white ceramic boat sink, shown installed in a modern bathroom.

2. SETUP AND ASSEMBLY

The SOLIDEE 42-inch Bathroom Vanity Cabinet requires self-assembly. The product is shipped in two separate packages, which may arrive at different times. Please ensure you have received both packages before beginning assembly.

2.1 Package Contents

- **Package 1:** Main cabinet, all hardware for the cabinet, and the installation manual.
- **Package 2:** Vessel sink, faucet, pop-up drain, and all associated hardware for plumbing connections.



Image: Illustration of the two packages the vanity is shipped in, detailing their contents.

2.2 Dimensions and Placement

Before assembly, verify the dimensions to ensure proper fit in your desired bathroom space. The overall dimensions of the vanity are 18.7"D x 42"W x 34"H. The laundry hamper measures 15"D x 8.7"W x 21.6"H (14 Gallons). The sink dimensions are 21.7" L x 13.4" W x 5.9" H with a bowl thickness of 0.5 inches.




Image: Dimensional drawing of the vanity cabinet, indicating all key measurements for installation planning.

2.3 Assembly Steps

Refer to the detailed installation manual included in Package 1 for step-by-step assembly instructions. Ensure all components are present and undamaged before starting. Use appropriate tools and follow safety guidelines.



Image: The faucet, pop-up drain, and hot/cold lines, which are part of the included components for plumbing installation.

3. OPERATING INSTRUCTIONS

This vanity cabinet is designed for ease of use and efficient storage in your bathroom.

3.1 Tilt-out Cabinet with Foldable Laundry Hamper

The vanity features a hidden tilt-out door that conceals a foldable laundry basket. This design helps to keep dirty clothes out of sight and minimizes odors, contributing to a fresh indoor environment. The laundry basket includes a handle for convenient transport to your washing area.



Image: The tilt-out cabinet door open, showing the removable laundry hamper.

3.2 Soft-Close Door Mechanism

The cabinet doors are equipped with a soft-close mechanism, ensuring they close gently and silently. This feature prevents slamming and reduces wear and tear on the hinges and cabinet structure, enhancing user experience and product longevity.

Upgraded storage design provides more storage space



Image: An interior view of the vanity, highlighting the storage design with shelves and the laundry hamper compartment.

4. MAINTENANCE

Proper maintenance will ensure the longevity and appearance of your SOLIDEE bathroom vanity.

4.1 Cabinet Care

- Wipe the engineered wood surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that can damage the finish.
- Promptly wipe up any water spills to prevent moisture damage.
- Periodically check and tighten any loose hardware.

4.2 Sink and Faucet Care

- Clean the ceramic boat sink with mild soap and water. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- For the faucet, use a soft cloth and a non-abrasive cleaner specifically designed for plumbing fixtures.
- Avoid using harsh scouring pads or acidic cleaners on the sink or faucet, as these can scratch or corrode the surfaces.

5. TROUBLESHOOTING

This section addresses common issues you might encounter.

5.1 Loose Hardware

- **Issue:** Cabinet doors or drawers feel loose or misaligned.
- **Solution:** Use a screwdriver to gently tighten all visible screws on hinges, drawer slides, and handles. Avoid over-tightening.

5.2 Water Leaks

- **Issue:** Water leaking from the faucet or drain connections.
- **Solution:** Ensure all plumbing connections are securely tightened. Check for proper seating of rubber gaskets and O-rings. If leaks persist, consult a qualified plumber.

5.3 Slow Drainage

- **Issue:** Sink drains slowly.
- **Solution:** Check the pop-up drain for any obstructions like hair or debris. Clean as necessary. If the issue continues, the P-trap may need to be cleaned or inspected by a plumber.

6. SPECIFICATIONS


Detailed specifications for the SOLIDEE 42" Bathroom Vanity Cabinet.

Feature	Specification
Brand	SOLIDEE
Model Number	US-BTC8025-WH-O42-C+BTS8016-WH-02-A
Product Dimensions (D x W x H)	18.7" x 42" x 34"

Material	Engineered Wood
Sink Type	White Ceramic Boat Sink
Sink Dimensions (L x W x H)	21.7" x 13.4" x 5.9"
Sink Bowl Thickness	0.5"
Laundry Hamper Dimensions (D x W x H)	15" x 8.7" x 21.6" (14 Gallons)
Mounting Type	Floor Mount (Freestanding)
Number of Doors	2 (including tilt-out hamper door)
Number of Drawers	1
Hardware Color	Black
Finish Type	Matte
Assembly Required	Yes
Item Weight	100 Pounds

Unit:inch

Basin



Material:

low Lead Tempered Glass

Style:

Top Mounted Vessel Bowl

Package

Integrated Foam /pp bag

Artifact:

Artificial Casting, Glossy Glaze



0.5"thick tempered glass



scratch resistant
curving edge



2912 ° F firing



windshield tempered glass



oil-free

Image: Specifications for the basin, highlighting its material (low lead tempered glass), style (top mounted vessel bowl), and features like 0.5" thick tempered glass and scratch resistance.

7. WARRANTY INFORMATION

For specific warranty details regarding your SOLIDEE Bathroom Vanity Cabinet, please refer to the warranty card included with your product or contact SOLIDEE customer service directly. Warranty terms typically cover manufacturing defects and material flaws under normal use. Keep your proof of purchase for any warranty claims.

8. CUSTOMER SUPPORT

If you have any questions, require assistance with assembly, or need to report a missing or damaged part, please contact SOLIDEE customer support. You can typically find contact information on the manufacturer's website or within the packaging materials. Please have your model number (US-BTC8025-WH-O42-C+BTS8016-WH-02-A) and proof of purchase ready when contacting support.