

[Manuals.plus](#) /

> [IDEALHOUSE](#) /

> IDEALHOUSE Floating Bathroom Vanity with Sink 30 inch - Instruction Manual

## IDEALHOUSE IDH-VANITY36RR

# IDEALHOUSE Floating Bathroom Vanity with Sink 30 inch - Instruction Manual

Model: IDH-VANITY36RR-BLACK30sJ9e

## 1. SAFETY INFORMATION

---

Please read all instructions carefully before assembly and installation. Failure to follow these instructions may result in injury or property damage.

- Keep all packaging materials away from children.
- Ensure all parts are present and undamaged before beginning assembly.
- Assembly requires two people for safety and ease of installation.
- Wear appropriate safety gear, such as gloves and eye protection, during assembly and installation.
- Do not overtighten screws, as this may damage the material.
- Ensure the wall structure is suitable for supporting the weight of the vanity and its contents. Consult a professional if unsure.
- Apply glass sealant around the sink during installation and allow 24 hours for it to cure before use to prevent leaks.

## 2. PRODUCT OVERVIEW

---

The IDEALHOUSE Floating Bathroom Vanity with Sink is a modern, wall-mounted unit designed to enhance your bathroom space. It features a durable engineered wood cabinet, a ceramic vanity top with an integrated sink, and two spacious soft-close drawers with gold metal handles.

### Key Features:

- **Floating Design:** Creates a spacious visual effect and allows for easy floor cleaning.
- **Ceramic Sink:** Integrated, smooth, non-porous, stain-resistant, and scratch-resistant surface. Includes an overflow hole.
- **Soft-Close Drawers:** Two large storage drawers with silent ball-bearing slide rails for quiet operation.
- **Durable Construction:** Crafted from engineered wood with humidity-resistant properties for long-lasting use in bathroom environments.

- **Modern Aesthetic:** Clean, contemporary design with gold metal handles.



Figure 2.1: IDEALHOUSE Floating Bathroom Vanity with Sink (30 inch, Black).

### 3. PACKAGE CONTENTS

---

Before beginning assembly, ensure all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Vanity Cabinet (Engineered Wood)
- Ceramic Sink Top
- Gold Metal Handles (2)
- Soft-Close Drawer Slides (Pre-installed or separate)
- Installation Kit (Includes mounting hardware)
- Assembly Instructions

### 4. SETUP AND INSTALLATION

---

This vanity requires wall-mounted installation. Professional installation is recommended, especially for plumbing connections and wall mounting. Two people are recommended for assembly.

### Required Tools (Not Included):

- Drill
- Level
- Measuring Tape
- Pencil
- Screwdriver (Phillips and Flathead)
- Caulk Gun and Glass Sealant
- Adjustable Wrench (for plumbing)

### Installation Steps:

1. **Prepare the Wall:** Identify the desired mounting location. Ensure the wall can support the vanity's weight. Mark the mounting points using a level and pencil.
2. **Assemble the Cabinet:** Follow the detailed assembly instructions provided in the installation kit to construct the vanity cabinet. Attach the gold metal handles to the drawers.
3. **Mount the Cabinet:** Securely attach the vanity cabinet to the wall using the provided mounting hardware. Ensure it is level and firmly anchored.
4. **Install the Sink Top:** Carefully place the ceramic sink top onto the vanity cabinet. Apply a bead of glass sealant around the edges where the sink meets the cabinet to prevent water infiltration.
5. **Connect Plumbing:** Connect the faucet (not included) and drain assembly to the sink. Connect the water supply lines and drain pipe to your home's plumbing system. Ensure all connections are tight to prevent leaks.
6. **Cure Sealant:** Allow the glass sealant to cure for at least 24 hours before using the sink.

# PRODUCT DIMENSIONS




Figure 4.1: Product Dimensions. Refer to this diagram for precise measurements during installation.

# WIDEN CERAMIC SINK



Figure 4.2: Ceramic Sink Installation. Note the overflow hole and smooth edges. Faucet is not included.

## 5. OPERATING INSTRUCTIONS

The IDEALHOUSE Floating Bathroom Vanity is designed for straightforward use.

- **Drawer Operation:** The two large drawers feature soft-close mechanisms. Gently push the drawers to close them, and they will retract smoothly and silently.
- **Storage:** Utilize the spacious drawers for organizing toiletries, towels, and other bathroom essentials. The U-shaped sink drain pipe design allows for optimized storage space around the plumbing.

# MAXIMIZE STORAGE SPACE



Figure 5.1: Maximizing Storage Space. The dual-drawer design provides ample room for bathroom items.

## 6. MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your IDEALHOUSE bathroom vanity.

- **Ceramic Sink:** The smooth, non-porous ceramic surface is easy to clean. Wipe regularly with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive scrubbing pads that could damage the glaze.
- **Vanity Cabinet:** Wipe the engineered wood cabinet with a soft, damp cloth. Avoid excessive moisture. For stubborn marks, use a mild wood cleaner. Do not use abrasive cleaners or solvents.
- **Gold Metal Handles:** Clean with a soft, dry cloth. Avoid chemical cleaners that may tarnish the finish.
- **Spills:** Wipe up any water spills immediately to prevent moisture damage to the cabinet.
- **Humidity:** While the vanity is humidity-resistant, maintaining good ventilation in the bathroom is recommended.

## 7. TROUBLESHOOTING

Refer to this section for solutions to common issues.

Problem	Possible Cause	Solution
Vanity feels unstable or wobbly.	Improper wall mounting or loose anchors.	Ensure mounting hardware is securely fastened to wall studs or appropriate anchors. Re-check levelness.
Drawers do not close smoothly or are misaligned.	Drawer slides are not properly aligned or debris is obstructing the mechanism.	Check that drawer slides are correctly installed and free of obstructions. Adjust drawer alignment if necessary (refer to assembly instructions for specific adjustments).
Water leaks from sink or plumbing connections.	Sealant not applied correctly or plumbing connections are loose.	Ensure glass sealant around the sink is properly applied and cured. Tighten all plumbing connections. If leaks persist, consult a professional plumber.
Stains on ceramic sink.	Hard water deposits or residue from products.	Clean with a soft cloth and a mild, non-abrasive cleaner. For hard water stains, use a vinegar solution. Rinse thoroughly.

## 8. SPECIFICATIONS

Detailed product specifications for the IDEALHOUSE Floating Bathroom Vanity (30 inch, Black).

<b>Brand</b>	IDEALHOUSE
<b>Model Number</b>	IDH-VANITY36RR-BLACK30sJ9e
<b>Color</b>	Black
<b>Size</b>	30 inches
<b>Product Dimensions (D x W x H)</b>	30"D x 18"W x 18"H
<b>Item Weight</b>	87.08 Pounds
<b>Material</b>	Engineered Wood
<b>Top Material Type</b>	Ceramic
<b>Number of Drawers</b>	2
<b>Mounting Type</b>	Wall Mount
<b>Hardware Color</b>	Gold
<b>Assembly Required</b>	Yes (recommended for two people)
<b>Additional Features</b>	Stain Resistant (sink)

## 9. WARRANTY AND SUPPORT

For any questions regarding your IDEALHOUSE Floating Bathroom Vanity, please contact our customer support team.

- Customer Support:** If you have any questions about the product, assembly, or encounter any issues, please feel free to contact IDEALHOUSE customer support at any time. Refer to your purchase documentation for contact details.
- Warranty Information:** Specific warranty details may vary. Please retain your proof of purchase and contact IDEALHOUSE customer support for information regarding warranty coverage.

