

ZAFRO 42009EDE0

ZAFRO 24-Pint Dehumidifier Instruction Manual

Model: 42009EDE0

1. INTRODUCTION

Thank you for choosing the ZAFRO 24-Pint Dehumidifier. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new appliance. Please read it thoroughly before use and retain it for future reference.

2. SAFETY INFORMATION

- Always ensure the dehumidifier is placed on a stable, level surface.
- Do not block the air intake or exhaust vents. Maintain at least 8 inches of clearance around the unit.
- Do not operate the unit with a damaged power cord or plug.
- Unplug the dehumidifier before cleaning or performing any maintenance.
- Keep the appliance away from water and other liquids.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

3. WHAT'S IN THE BOX

- ZAFRO 24-Pint Dehumidifier Unit
- Drain Hose
- User Manual (this document)

4. PRODUCT FEATURES

- **Powerful Humidity Control:** Removes up to 24 pints of moisture per day (at 86°F, 80% RH) to maintain a healthy humidity level between 35%–55%.
- **Flexible Drainage Options:** Features a removable water tank for manual emptying and includes a drain hose for continuous drainage.

- **Three Smart Modes:**

- **Auto Mode:** Automatically adjusts humidity (30%–80%) with two fan speeds based on room conditions.
- **Continuous Mode:** Operates continuously for high-humidity environments.
- **Sleep Mode:** Provides quiet operation for undisturbed rest.

- **Intuitive Touch Control Panel:** Easy-to-use interface for precise humidity adjustment, 24-hour timer, and child lock.

- **Quiet Operation:** Designed to operate at noise levels under 40 dB.

- **User-Friendly Design:** Equipped with 360° rolling wheels, an ergonomic handle, and a removable water tank for easy mobility and maintenance.

- **Auto Defrost:** Prevents frost buildup on internal coils, ensuring efficient operation in cooler temperatures.

Fast & Effective Dehumidifying

Adjustable Humidity
30%-80% RH

Dehumidification Capacity
24 Pints / Day
(at 95°F, 90% RH)

X 23 (24 Pints = 3Gal)

500ml

Image: Adjustable humidity and 24-pint capacity.

Smart Indicator Lights Show Humidity



Image: Smart indicator lights for humidity levels.

Smart Touch Controls for Precise Adjustment 24Hrs Timer



Image: Smart touch controls for precise adjustment.

Ultra Quiet & Comfortable

Designed for bedrooms and daily living.



Image: Ultra quiet operation at 38 dB.

Flexible Drainage Options




Image: Flexible drainage options.

Designed for Easy Movement



Image: Designed for easy movement with handle, visual tank, and wheels.

5. SETUP

1. **Unpack the Unit:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Placement:** Place the dehumidifier on a firm, level surface in an area where the humidity is highest. Ensure there is at least 8 inches (20 cm) of space around the unit for proper airflow. Avoid placing it against walls or furniture.
3. **Power Connection:** Plug the power cord into a grounded electrical outlet.
4. **Drainage Setup:**
 - o **Manual Drainage:** Ensure the water tank is correctly inserted into the unit. The unit will automatically shut off when the tank is full.
 - o **Continuous Drainage:** For continuous operation without emptying the tank, connect the included drain hose to the drainage port on the back of the unit. Route the hose to a suitable drain (e.g., floor drain, sink) ensuring it is sloped downwards to allow water to flow out by gravity.

6. OPERATING INSTRUCTIONS

The control panel is located on the top of the unit. It features touch-sensitive buttons and a digital display.



Image: Control panel overview.

6.1 Power On/Off

- Press the **Power** button to turn the unit on or off.

6.2 Setting Desired Humidity

- Press the **Humidity** button to cycle through desired humidity levels (30% to 80% RH). The unit will operate until the set humidity level is reached, then pause. It will resume operation if the humidity rises above the set level.

6.3 Mode Selection

- Press the **Mode** button to select between Auto Mode, Continuous Mode, and Sleep Mode.
- **Auto Mode:** The unit automatically adjusts fan speed and operation to maintain optimal humidity.
- **Continuous Mode:** The unit runs continuously regardless of the ambient humidity level. Ideal for very damp conditions.
- **Sleep Mode:** Reduces fan speed and dims display lights for quiet nighttime operation.

6.4 Fan Speed

- Press the **Speed** button to switch between two fan speeds (High and Low).

6.5 Timer Function

- Press the **Timer** button to set an auto-on or auto-off time from 1 to 24 hours.

6.6 Child Lock

- Press and hold the **Lock** button for 3 seconds to activate or deactivate the child lock, preventing accidental changes to settings.

6.7 Humidity Indicator Lights

- The LED display ring changes color to indicate current humidity levels:
 - **Blue:** Humidity below 45%
 - **Green:** Humidity between 45% and 65%
 - **Red:** Humidity above 65%

7. MAINTENANCE

7.1 Emptying the Water Tank

1. When the water tank is full, the unit will beep and the 'Tank Full' indicator will illuminate. The unit will stop operating.
2. Carefully pull out the water tank from the front of the unit.
3. Pour out the collected water.
4. Reinsert the empty water tank firmly into the unit. The unit will resume operation automatically.

7.2 Cleaning the Water Tank

- Clean the water tank regularly to prevent mold and mildew growth.
- Wash the tank with mild detergent and warm water. Rinse thoroughly.
- Ensure the tank is completely dry before reinserting it into the dehumidifier.

7.3 Cleaning the Air Filter

The washable air filter helps maintain the unit's efficiency and air quality. Clean it every two weeks or more frequently depending on usage.

1. Turn off and unplug the dehumidifier.
2. Locate the air filter on the back of the unit. Gently pull it out.
3. Wash the filter with clean water. A mild detergent can be used if necessary.
4. Allow the filter to air dry completely before reinserting it. Do not use a dryer or direct heat.
5. Slide the dry filter back into its slot.



Auto Mode

Automatically adjusts humidity to maintain the perfect balance of comfort and freshness, no matter the weather

Image: Cleaning the washable air filter.

8. TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|---|---|---|
| Dehumidifier does not turn on. | No power; Power cord not plugged in; Tank full or not properly inserted. | Check power supply; Ensure power cord is securely plugged in; Empty and reinsert water tank correctly. |
| Unit is running but not collecting water. | Room temperature too low; Humidity level too low; Air filter clogged. | Dehumidifiers are most effective above 41°F (5°C); Adjust desired humidity setting lower; Clean the air filter. |
| Unit is noisy. | Unit not on a level surface; Air filter clogged. | Place unit on a flat, stable surface; Clean the air filter. |
| Water leaks from the unit. | Water tank not properly inserted; Drain hose connection loose or blocked. | Ensure water tank is fully seated; Check drain hose for secure connection and clear any blockages. |

9. SPECIFICATIONS

- **Model Name:** Home Dehumidifier
- **Model Number:** 42009EDE0
- **Dehumidification Capacity:** 24 Pints per Day
- **Coverage Area:** Up to 1500 Square Feet
- **Water Tank Volume:** 0.53 Gallons (approx. 4.24 Pints)
- **Product Dimensions:** 8.66"D x 10.04"W x 17.52"H
- **Item Weight:** 24.25 Pounds
- **Number of Speeds:** 2
- **Special Features:** 24Hrs Timer, Automatic Restart, Automatic Shutoff, Child Lock, Digital Display, Ergonomic Handle, LED Power Indicator, Removable Tank, Sleep Mode, Water Level Indicator
- **Material:** Acrylonitrile Butadiene Styrene (ABS)

10. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided on the product packaging or visit the official ZAFRO website. Please have your model number (42009EDE0) and purchase date available when contacting support.