

[Manuals.plus](#) /

› [WORKPRO](#) /

› WORKPRO 72" x 22" Rolling Tool Cabinet (Model W082188AE) - Instruction Manual

WORKPRO W082188AE

WORKPRO 72" x 22" Rolling Tool Cabinet Instruction Manual

Model: W082188AE

1. INTRODUCTION

Thank you for choosing the WORKPRO 72" x 22" Rolling Tool Cabinet. This manual provides essential information for the safe assembly, operation, and maintenance of your new tool cabinet. Please read these instructions thoroughly before use and retain them for future reference.



Image: Overview of the WORKPRO 72" x 22" Rolling Tool Cabinet with its wooden workbench top.

Product Features:

- **High Load Capacity:** Constructed from thick, high-quality steel plates with a powder-coated surface, supporting up to 1500 lbs.
- **Durable Workbench:** Features a solid 1-3/8-inch thick wooden workbench top.
- **Ample Storage:** Includes 9 drawers of various sizes and 1 door with adjustable shelves.
- **Smooth Operation:** Drawers are equipped with ball-bearing slides and anti-slip liners.
- **Enhanced Mobility:** Fitted with 6 swivel casters (4 with brakes) and 2 side handles for easy movement.

- **Secure Locking System:** Central locking system with keys to secure all drawers and the door.
- **Integrated Power Strip:** ETL and DOE certified power strip with 6 outlets and 2 USB ports, and a 1.5-meter cord.
- **Protective Design:** Corner bumpers reduce collision damage.

2. SAFETY INFORMATION

Always follow basic safety precautions when using this product to reduce the risk of injury or damage.

- Read all instructions before assembly and operation.
- Ensure all components are securely fastened before loading the cabinet.
- Do not exceed the maximum load capacity of 1500 lbs for the entire unit, or individual drawer/shelf capacities.
- When moving the cabinet, ensure all drawers and the door are closed and locked. Engage wheel brakes once the cabinet is in its desired position.
- Avoid placing heavy objects on the top drawers to prevent tipping.
- Do not allow children to climb on or play with the tool cabinet.
- Use the integrated power strip only with compatible devices and avoid overloading.
- Keep hands and fingers clear of moving parts, especially when opening and closing drawers.
- Wear appropriate personal protective equipment (PPE) during assembly, such as gloves.

3. PACKAGE CONTENTS

The WORKPRO Rolling Tool Cabinet is shipped in multiple packages due to its size and weight. Verify all parts are present before beginning assembly. If any parts are missing or damaged, contact customer support.




Image: Important note regarding multi-package delivery for assembly.

Included Components:

- Cabinet Frame Components (sides, back, bottom)
- Wooden Workbench Top
- 9 Drawers (various sizes)
- 1 Door with adjustable shelves
- 6 Swivel Casters (4 with brakes)
- 2 Side Handles

- Integrated Power Strip (6 outlets, 2 USB ports)
- Locking Mechanism with Keys
- Drawer Liners
- Assembly Hardware (bolts, screws, nuts)
- Instruction Manual


4. ASSEMBLY INSTRUCTIONS

Assembly typically takes approximately 2-3 hours. It is recommended to have assistance for certain steps, especially when lifting the unit. Ensure you have adequate space and tools (e.g., power drill, spanner) for assembly.

1. **Unpack Components:** Carefully unpack all boxes and lay out components. Verify all parts against the package contents list. The manufacturer often includes extra hardware.
2. **Prepare for Assembly:** Assemble the unit upside down on a padded surface to protect the wooden workbench top.
3. **Assemble Frame:** Attach the side panels and back panel to the workbench top using the provided bolts. Ensure all connections are secure.
4. **Install Casters:** Attach the 6 swivel casters to the bottom of the cabinet frame. Ensure the 4 casters with brakes are positioned appropriately for easy access. Use a spanner for better tightening.
5. **Install Side Handles:** Secure the two side handles to the cabinet.
6. **Install Drawers:** Gently slide each drawer into its designated ball-bearing slides. Ensure correct alignment to avoid damage. Do not force drawers.
7. **Install Door:** Attach the door and install the adjustable shelves inside the compartment.
8. **Install Power Strip:** Mount the power strip to the designated location on the side of the cabinet.
9. **Install Locking System:** Ensure the locking mechanism is correctly installed and functional, securing all drawers and the door.
10. **Upright the Cabinet:** With assistance, carefully flip the assembled unit upright.**Important:** Lock the caster wheels before attempting to flip the unit to prevent it from rolling away unexpectedly.
11. **Final Checks:** Test all drawers, the door, and the locking mechanism for smooth operation. Ensure all bolts are tightened.

AMPLE STORAGE SPACE

9-DRAWER & 1-DOOR



1 43-3/8"W x 19-5/8"D x 4-7/8"H

2 20"W x 19-5/8"D x 3-1/4"H

3 20"W x 19-5/8"D x 8-1/2"H

4 21-3/8"W x 19-5/8"D x 26-7/8"H



Image: Detailed view of the cabinet's structure, showing drawers, door, and overall dimensions.

5. OPERATING INSTRUCTIONS

5.1 Using Drawers and Door:

- To open a drawer, pull the handle firmly. The ball-bearing slides ensure smooth movement.
- To close, push the drawer completely until it latches.
- The door opens via a handle and provides access to adjustable shelves.
- Place the provided anti-slip liners at the bottom of each drawer to prevent tools from shifting and scratching.



Image: Close-up of the side handle, power strip, and smooth ball-bearing drawer slides.

5.2 Locking System:

- Insert the key into the lock cylinder located on the front of the cabinet.
- Turn the key to engage or disengage the central locking mechanism, which secures all drawers and the door simultaneously.
- Always remove the key after locking to prevent loss or unauthorized access.




Image: Detail of the hardwood countertop, safety lock, and a swivel caster with brake.

5.3 Mobility and Braking:

- To move the cabinet, ensure all drawers and the door are closed and locked. Release the brakes on the 4 locking casters.
- Use the side handles to push or pull the cabinet to the desired location.
- Once positioned, engage the brakes on all 4 locking casters to prevent unintended movement and ensure stability.

5.4 Integrated Power Strip:

- Plug the power strip's cord into a grounded electrical outlet.
- The power strip provides 6 standard outlets and 2 USB ports for charging or powering tools and devices.
- Do not exceed the maximum electrical rating of the power strip.
- Ensure the power strip is protected from moisture and extreme temperatures.

6. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your WORKPRO tool cabinet.

- **Cleaning:** Wipe down the powder-coated steel surfaces with a damp cloth and mild detergent. Avoid abrasive cleaners that could damage the finish. For the wooden workbench top, clean with a wood-safe cleaner and wipe dry.
- **Drawer Slides:** Periodically inspect ball-bearing slides for debris. Clean and apply a light lubricant if drawers become stiff.
- **Casters:** Check casters for accumulated debris (e.g., hair, dust) and clear as needed. Ensure brakes engage and disengage smoothly.
- **Hardware:** Periodically check all bolts and screws for tightness and re-tighten if necessary.
- **Locking Mechanism:** Ensure the lock operates smoothly. If it becomes stiff, a small amount of graphite lubricant can be applied to the keyhole.
- **Power Strip:** Inspect the power cord and outlets for any signs of damage. Discontinue use if damage is observed and replace if necessary.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Drawers are stiff or difficult to open/close.	Debris in slides, lack of lubrication, drawer misalignment, overloaded drawer.	Clean slides, apply lubricant, check drawer alignment, reduce load.
Cabinet rolls unexpectedly.	Caster brakes are not engaged.	Engage all 4 caster brakes firmly.
Locking system does not work.	Key not fully inserted, mechanism jammed, drawers/door not fully closed.	Ensure all drawers and door are fully closed. Insert key completely and try again. Do not force.
Power strip not providing power.	Not plugged into wall outlet, circuit breaker tripped, power strip switch off, overloaded.	Check wall connection, reset circuit breaker, ensure power strip switch is ON, reduce load.
Cabinet feels unstable.	Uneven floor, casters not locked, heavy items on top.	Move to a level surface, lock casters, distribute weight evenly, avoid placing excessively heavy items on top.

8. SPECIFICATIONS

LOAD CAPACITY 1500 LBS



Image: Visual representation of the 1500 lbs load capacity and individual drawer capacities.

Model Number:	W082188AE
Dimensions (D x W x H):	23.4" x 78.8" x 38.3" (59.4 cm x 200.2 cm x 97.3 cm)
Workbench Top Material:	Wood (1-3/8" thick)
Cabinet Material:	SPCC Cold-Roll Steel with Powder Coating
Maximum Weight Capacity:	1500 lbs (680 kg)
Number of Drawers:	9
Number of Doors:	1 (with adjustable shelves)
Casters:	6 Swivel Casters (4 with brakes)
Power Strip:	6 Outlets, 2 USB Ports, 1.5m Cord (ETL & DOE Certified)

Lock Type:	Key Lock (Central Locking System)
------------	-----------------------------------




Diagram of a 9-drawer and 1-door tool chest. Dimensions are shown: 72" (top surface), 78-7/8" (total width), 20" (drawer width), and 38-3/8" (height). Numbered callouts 1-4 correspond to the load-bearing table.

Maximum load capacity: 1500lbs

Dimension	Load-bearing
1 43-3/8"W x 19-5/8"D x 4-7/8"H	50 lbs
2 20"W x 19-5/8"D x 3-1/4"H	30 lbs
3 20"W x 19-5/8"D x 8-1/2"H	50 lbs
4 21-3/8"W x 19-5/8"D x 26-7/8"H	50 lbs/shelf

9-DRAWER & 1-DOOR

Image: Detailed dimensions and individual load capacities for the 9 drawers and 1 door compartment.

9. WARRANTY AND SUPPORT

WORKPRO products are manufactured to high-quality standards. For warranty information, technical support, or to inquire about replacement parts, please contact WORKPRO customer service.

You can visit the official WORKPRO store for more information and support:

Visit WORKPRO
Store

Please have your model number (W082188AE) and purchase information ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question