

[Manuals.plus](#) /

> [EROMMY](#) /

> EROMMY 20x20 FT Heavy Duty Carport Instruction Manual (Model PXYOT199GY)

EROMMY PXYOT199GY

EROMMY 20x20 FT Heavy Duty Carport Instruction Manual

Model: PXYOT199GY

1. SAFETY INFORMATION

Please read and understand all instructions and safety warnings before assembly and use. Failure to follow these instructions may result in property damage or personal injury.

- Always follow the assembly instructions carefully.
- Ensure the carport is securely anchored to a stable foundation to prevent it from being blown over in high winds.
- Do not attempt to assemble or disassemble the carport in windy conditions.
- Regularly inspect all connections and anchors for tightness and wear.
- Clear snow accumulation from the roof promptly to prevent structural damage.
- Keep children and pets away from the assembly area.

2. PACKAGE CONTENTS

Verify that all components are present before beginning assembly. Refer to the parts list provided in your physical manual for specific quantities and identification. The carport is typically shipped in multiple boxes.

EASY ASSEMBLY




Image: The carport components are typically shipped in two boxes, as indicated in the assembly diagram.

3. SETUP AND ASSEMBLY

Assembly requires at least two adults. Choose a level surface for installation. Follow the step-by-step guide below and refer to the provided diagrams.

3.1. Frame Assembly

Begin by laying out all frame components. Connect the poles according to the numbered steps in the assembly diagram. Ensure all connections are secure.

EASY ASSEMBLY




Image: Step-by-step visual guide for assembling the carport frame and cover.

The frame features a **triangular structure** for enhanced stability and is constructed from **galvanized steel** with a **powder-coated anti-rust finish** for durability. The base plates are thickened and designed for secure anchoring.



Dual Solar Lights: Bright Overhead + Soft White Strips

Image: Details of the carport's robust frame construction, including triangular supports and a sturdy base.

3.2. Cover Installation

Carefully drape the **waterproof 3-layer PE cover** over the assembled frame. Secure the cover using the provided fasteners, ensuring it is taut and evenly distributed to prevent water pooling.

3.3. Sidewall Attachment

Attach the sidewalls as desired. The carport includes **removable sidewalls**, allowing for flexible configuration. They can be rolled up for ventilation or deployed for full enclosure and weather protection.

REMOVABLE SIDEWALLS



NO SIDE

Can be used in summer, ventilation



WITH SIDE

Can be used in sun and rain weather

Image: The carport with sidewalls removed for ventilation and with sidewalls attached for full enclosure.

3.4. Anchoring

Proper anchoring is critical for stability. Use the provided ground nails and any additional anchoring kits recommended for your specific ground type and local weather conditions. Ensure all anchor points are firmly secured.

3.5. Video Guide

For a visual guide on the carport's features and assembly, please watch the official product video:

Video: An overview of the EROMMY 20x20 FT Heavy Duty Durable Carport, showcasing its design and features.

4. OPERATING AND USAGE

This 20x20 FT carport is designed for versatile outdoor storage and shelter.

4.1. Vehicle Storage

The spacious design accommodates **two cars, SUVs, pickup trucks, boats, or farm equipment**, providing protection from various weather conditions.



Product Dimension



Large space



Heavy duty carport



Large vehicles allowed



Various vehicles

Image: The 20x20 FT carport providing shelter for two vehicles, illustrating its generous dimensions.

4.2. All-Weather Protection

The **waterproof 3-layer PE cover** offers **UV protection, wind resistance, rain drainage, and snow load strength**, ensuring reliable coverage in all seasons.

Reliable coverage for All seasons



UV
Protection



Wind
Resistance



Rain
Drainage



Snow Load
Strength

Image: Visual representation of the carport's ability to withstand sun, wind, rain, and snow.

4.3. Lighting Features

The carport is equipped with **dual solar lights**, providing both bright overhead illumination and soft ambient strip lighting for various scenes and uses.




220g PE Waterproof Fabric

<p>Huge Windows, Endless Fresh Air</p>	<p>Double-sided Zip Design</p>	<p>Four Doors, Total Freedom of Access</p>

Image: The carport illuminated by its dual solar lights, suitable for evening use.

4.4. Versatile Access and Ventilation

The cover includes **four doors** with a **double-sided zip design** for easy access from multiple points. Large mesh windows provide ventilation when needed.



Triangular Structure Offers unparalleled stability




Heavy Duty Metal Frame



Sturdy metal windproof base

OURS



Powder-Coated Against Rust

OTHERS



Image: Details of the carport's cover, highlighting the waterproof fabric, zippered doors, and mesh windows.

4.5. Multi-Purpose Use

Beyond vehicle storage, the carport can serve as an outdoor storage shed for equipment or a temporary shelter for events.



Image: The carport configured as a storage shed, demonstrating its utility for various items.

5. MAINTENANCE

Regular maintenance will extend the life of your carport.

- **Cleaning the Cover:** Clean the PE cover periodically with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material.
- **Frame Inspection:** Annually, or after severe weather, inspect the galvanized steel frame for any signs of rust, bending, or loose connections. Tighten any loose bolts.
- **Anchor Check:** Regularly check the security of all anchoring points. Re-secure or reinforce anchors as needed, especially before anticipated high winds.
- **Snow Removal:** In snowy conditions, promptly remove snow accumulation from the roof to prevent excessive weight and potential collapse.
- **Storage:** If disassembling for storage, ensure all components are clean and dry before packing them away in a cool, dry place.

6. TROUBLESHOOTING

This section addresses common issues you might encounter.

- **Carport Instability:** Ensure all frame connections are fully tightened and the carport is properly anchored to the ground. Check for level ground.
- **Water Pooling on Roof:** Verify that the cover is taut and evenly stretched over the frame. Adjust tension if necessary to allow for proper water runoff.
- **Difficulty with Zippers:** Ensure the fabric is not caught in the zipper. Apply a silicone-based lubricant if the zipper is stiff.
- **Missing Parts:** If any parts are missing upon delivery, contact EROMMY customer support immediately with your purchase details.

7. SPECIFICATIONS

Brand	EROMMY
Model Number	PXYYOT199GY
Product Dimensions	240"L x 240"W x 144"H (20 FT x 20 FT x 12 FT)
Floor Area	400 Square Feet
Item Weight	160.6 Pounds
Frame Material	Galvanized Steel
Cover Material	Waterproof 3-Layer PE Cover
Water Resistance Level	Water Resistant
UV Protection	UV Resistant
Assembly Required	Yes

8. WARRANTY INFORMATION

For specific warranty details, including coverage period and terms, please refer to the warranty card included with your product or contact EROMMY customer support directly. Keep your proof of purchase for warranty claims.

9. CUSTOMER SUPPORT

If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact EROMMY customer support. Contact information can typically be found on the product packaging or the EROMMY official website.

