

[Manuals.plus](#) /

› [Kviflon](#) /

› Kviflon 104 cm Flat Ceiling Fan with LED Light and Remote Control User Manual

Kviflon 8245-41in-White

Kviflon 104 cm Flat Ceiling Fan with LED Light and Remote Control User Manual

Model: 8245-41in-White

INTRODUCTION

Thank you for purchasing the Kviflon 104 cm Flat Ceiling Fan with LED Light and Remote Control. This manual provides essential information for the safe installation, operation, and maintenance of your new ceiling fan. Please read these instructions thoroughly before installation and keep them for future reference.

SAFETY INSTRUCTIONS

- Always disconnect power at the main circuit breaker before installation or servicing.
- Ensure all electrical connections comply with local codes and ordinances.
- The fan must be mounted to a ceiling joist or support structure capable of supporting at least 15 kg (33 lbs).
- Do not place the appliance at a high place to avoid falling.
- Ensure the fan blades are at least 2.3 meters (7.5 feet) from the floor.
- Do not insert objects into the path of the fan blades.
- This appliance is for indoor use only.
- Only use the provided remote control for operation.

PACKAGE CONTENTS

Before beginning installation, ensure all components are present and undamaged. If any parts are missing or damaged, contact customer service.

- Ceiling Fan Unit (Motor, Blades, Light Kit)
- Remote Control
- Mounting Bracket and Hardware

umkehrbare Luftzirkulation

Kühl im Sommer und warm im Winter



Image: All components of the Kviflon 104 cm Flat Ceiling Fan, including the fan unit, remote control, and mounting hardware.

SPECIFICATIONS

Brand	Kviflon
Model Number	8245-41in-White
Dimensions (L x W x H)	104 x 26 x 19.51 cm (41 x 10 x 7.68 inches)
Weight	4.05 kg (8.93 lbs)
Color	White
Installation Type	Flush Mount
Light Source Type	LED

Number of Light Sources	1 (Integrated LED)
Motor Type	Reversible DC Motor
Fan Speeds	6
Light Features	3 Color Temperatures (Warm, Neutral, Cool White), Stepless Dimming, Memory Function
Noise Level	As low as 35 dB
Control Method	Remote Control
Timer Function	2-hour timer
Energy Label	F (EPREL Link)




Image: Technical diagram illustrating the dimensions (41 inches diameter, 10 inches height) and key specifications of the Kviflon ceiling fan, including material (Plastic + Acrylic), color (White), 5 blades, remote control, 18W LED light source, and 30W D/C motor.

CEILING FAN WITH LIGHT

Model:	8245-41in-White	Manufacturer:	Zhongshan Longxuange Lighting Co.,Ltd
Brand:	Kviflon	Manufacturer Address:	No.5, 1st floor, 4th road No. 3, Jiaochang Liuling Industrial Avenue,Haizhou Village, Guzhen Town, Zhongshan Guangdong,528400,CN
Country Origin:	Made in China	Manufacturer Email:	yueshengdengshi@163.com

UK

REP

UK001762335034393pYRT

EU

REP

EU001762244536168cgbZ

EVATOST CONSULTING LTD

Office 101 32 Threadneedle Street, London, United Kingdom, EC2R 8AY

contact@evatost.com

SUCCESS COURIER SL

CALLE RIO TORMES NUM. 1, PLANTA 1, DERECHA, OFICINA 3, Fuenlabrada, Madrid, 28947 Spain

successservice2@hotmail.com

EMBALLAGE À DÉPOSER DANS LE BAC DE TRI

Cet appareil se recycle

Les piles et batteries se recyclent

À DÉPOSER EN MAGASIN

À DÉPOSER EN DÉCHÈTERIE

Points de collecte sur www.quefairedemesdechets.fr

ENERGY

Kviflon

8922

A

B

C

D

E

F

G

24

kWh/1000h

2019/2015

UK

!

Please do not place at a high place to avoid falling

DE

!

Bitte nicht an einer hohen Stelle platzieren, um St ü rze zu vermeiden

FR

!

Ne pas placer l'appareil en hauteur pour é viter qu'il ne tombe.

IT

!

Non posizionarlo in alto per evitare cadute

ES

!

No lo coloque en un lugar alto para evitar ca í das

Image: Product label detailing manufacturer (Zhongshan Longxuange Lighting Co.,Ltd), model (8245-41in-White), brand (Kviflon), country of origin (Made in China), and energy efficiency class F with a QR code linking to EPREL database.

SETUP AND INSTALLATION

The Kviflon ceiling fan is designed for easy installation. It is recommended to have two people for installation. An online installation video is available for additional guidance.

Pre-Installation Checklist:

- 1. Ensure power is OFF at the circuit breaker.
- 2. Verify the mounting location can support the fan's weight (minimum 15 kg).
- 3. Gather necessary tools (screwdriver, wire strippers, ladder, etc.).

Installation Steps:

- 1. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box or support structure using appropriate screws and anchors. Ensure it is firmly attached.
- 2. **Wiring Connections:** Connect the fan's electrical wires to the household wiring according to local electrical codes. Typically, this involves connecting live, neutral, and ground wires.
- 3. **Fan Assembly:** Attach the fan motor assembly to the mounting bracket. Ensure all screws are tightened securely.
- 4. **Blade Attachment:** Securely attach the fan blades to the motor housing.
- 5. **Light Kit Installation:** Connect the light kit wiring and attach the light kit to the fan assembly.
- 6. **Final Check:** Double-check all connections and ensure no loose wires or components. Restore power and test the fan.



Image: The Kvikflon 104 cm Flat Ceiling Fan with LED light, flush-mounted in a modern living space, demonstrating its integrated design.

OPERATION

Your Kvikflon ceiling fan is operated using the included remote control. Ensure the remote control has batteries installed.

Remote Control Functions:




Image: Diagram of the remote control, showing buttons for power on/off, light on/off, fan off, 6 fan speeds, color temperature adjustment (+/-), brightness adjustment (+/-), 2-hour timer, and reverse function (F/R).

- **Power On/Off:** Press the **Power** button to turn the fan and light on or off.
- **Light On/Off:** Press the **Light** button to control the light independently.
- **Fan Speed:** Select from 6 speed settings (1-6) using the numbered buttons. Speed 1-2 for comfortable sleep, 3-4 for daily use, 5-6 for strong wind.
- **Color Temperature:** Adjust the light color between Warm White (3000K), Neutral White (4500K), and Cool White (6000K) using the **Color Temperature +/-** buttons.
- **Brightness Dimming:** Adjust the light brightness from 0% to 100% using the **Brightness +/-** buttons. The fan features a memory function that saves your last light setting.
- **Reverse Function (F/R):** Press the **F/R** button to change the direction of the fan blades.
 - **Summer Mode (Downward Airflow):** Creates a cooling breeze.
 - **Winter Mode (Upward Airflow):** Circulates warm air trapped near the ceiling, distributing it evenly.



Image: Illustration demonstrating the reversible airflow function. Downward airflow for cooling in summer and upward airflow for circulating warm air in winter.

- **Timer:** Set a 2-hour timer for the fan to automatically turn off.
- **Code Match:** If the remote control does not pair, follow the instructions in the full manual for code matching.

Silent Operation:

The DC motor ensures quiet operation, with noise levels as low as 35 dB, making it suitable for bedrooms and nurseries.



Image: A graphic illustrating the low noise output of the Kviflon ceiling fan (30dB) compared to breathing sounds (20dB), other fan lights (45dB), and speaking sounds (50dB), highlighting its quiet operation.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Dust the fan blades and motor housing regularly with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Blade Balance:** If the fan wobbles, check that all blade screws are tight and that the blades are not bent or damaged.
- **Light Source:** The integrated LED light source is designed for long life and typically does not require replacement. If issues arise, contact customer service.
- **Remote Control:** Replace batteries in the remote control when its range decreases or it stops responding.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Fan does not start.	No power; Loose wiring; Remote control issues.	Check circuit breaker. Ensure all wiring connections are secure. Replace remote control batteries or re-pair remote.
Light does not work.	Loose wiring; LED failure; Remote control issues.	Check light kit wiring. Ensure remote batteries are fresh. If LED is faulty, contact customer service.
Fan wobbles.	Loose blades; Uneven blade balance; Loose mounting.	Tighten all blade screws. Check for bent blades. Ensure mounting bracket is securely fastened to the ceiling.

Remote control not working.	Dead batteries; Not paired with fan.	Replace batteries. Follow code matching instructions in the full manual to re-pair the remote.
-----------------------------	--------------------------------------	--

WARRANTY AND SUPPORT

The Kviflon 104 cm Flat Ceiling Fan comes with a **1-year warranty** against manufacturing defects. In case of quality issues, a free exchange is provided.

For technical assistance, warranty claims, or any other inquiries, please contact Kviflon customer service. 24-hour customer service is available.

Manufacturer: Zhongshan Longxuange Lighting Co.,Ltd

Manufacturer Address: No.5, 1st floor, 4th road No. 3, Jiaochang Liuling Industrial Avenue, Haizhou Village, Guzhen Town, Zhongshan Guangdong, 528400, China

Manufacturer Email: yueshengdengshi@163.com

EU Representative: SUCCESS COURIER SL, CALLE RIO TORMES NUM. 1, PLANTA 1, DERECHA, OFICINA 3, FUENLABRADA, MADRID, 28947 Spain (successservice2@hotmail.com)

UK Representative: EVATOST CONSULTING LTD, Office 101 32 Threadneedle Street, London, United Kingdom, EC2R 8AY (contact@evatost.com)

