

[Manuals.plus](#) /

› [domi outdoor living](#) /

› Domi 10' x 16' Wall-Mounted Lean-to Gazebo Instruction Manual

domi outdoor living LGMF-DR-1759-G-US



Domi 10' x 16' Wall-Mounted Lean-to Gazebo

Model: LGMF-DR-1759-G-US

INTRODUCTION

Thank you for choosing the Domi 10' x 16' Wall-Mounted Lean-to Gazebo. This hardtop patio shelter is designed to provide a durable and stylish outdoor living space, seamlessly integrating with your home's exterior. Featuring a galvanized steel roof and an advanced drainage system, it offers reliable protection against various weather conditions. This manual provides essential information for safe assembly, operation, maintenance, and troubleshooting to ensure long-lasting enjoyment of your gazebo.

SAFETY INFORMATION

- Read all instructions carefully before assembly and use.
- Ensure all parts are present and undamaged before beginning assembly. Do not proceed with assembly if any parts are missing or damaged.
- Assembly requires at least two adults.
- Wear appropriate safety gear, including gloves and eye protection, during assembly.
- Choose a level and stable surface for installation. The gazebo must be securely anchored to a wall and the ground to prevent tipping or collapse.
- Do not climb on the gazebo roof or frame.
- Regularly inspect the gazebo for loose connections, damage, or wear. Tighten fasteners as needed.
- Clear heavy snow accumulation from the roof to prevent structural damage.
- In extreme weather conditions (e.g., severe winds, heavy snow), take necessary precautions, such as removing any hanging items and ensuring all components are secure.

PRODUCT FEATURES

Dimensions and Design

The Domi 10' x 16' Lean-to Gazebo features a space-saving wall-mounted design, allowing for seamless integration with your home's exterior. Its rectangular shape provides ample coverage for decks, patios, and porch areas. Refer to the diagram below for

detailed measurements.



Detailed dimensions of the Domi 10' x 16' Wall-Mounted Gazebo.

Reinforced Heavy-Duty Frame

Engineered for long-term use, the gazebo features an upgraded frame strength, supporting 50% more weight than standard gazebos. This robust construction ensures stability and durability for year-round outdoor use. The 3.94-inch pillars provide enhanced support.



Close-up of the reinforced frame structure and 3.94-inch pillar base.

Galvanized Steel Roof & Weather Resistance

The roof is constructed from galvanized steel panels, offering lasting protection against the elements. This material is rustproof and weatherproof, ensuring years of maintenance-free shelter. The gazebo is rated for 60 MPH wind resistance and 22 lbs/Sq.Ft snow resistance, making it suitable for various climates.



View of the galvanized steel roof panels, highlighting their durability.

Upgraded Drainage System

An improved gutter design efficiently channels away rain and snow, preventing water buildup and extending the roof's lifespan. This integrated drainage system ensures smooth water flow and minimizes maintenance.



Close-up of the integrated gutter system effectively draining water.

Stable Triangle Structure

The gazebo incorporates a stable triangle structure in its design, enhancing overall durability and providing UV protection. This design element contributes to both the structural integrity and timeless aesthetic of the unit.



Illustration highlighting the stable triangle support structure within the gazebo frame.

Expandability

Two or more Domi gazebos of the same width can be connected and expanded using a dedicated linking kit (ASIN: B0FNJXBNX5). This feature allows for customization of size and layout to suit various outdoor living needs.

SETUP & ASSEMBLY

Assembly of the Domi 10' x 16' Wall-Mounted Lean-to Gazebo is required. Please follow the detailed instructions provided in the separate assembly guide included with your product packaging. Ensure you have all necessary tools and assistance before beginning.

Pre-Assembly Checklist:

- Verify all components are present and undamaged against the parts list in your assembly guide.
- Gather required tools (e.g., wrenches, screwdrivers, ladder).
- Select a suitable, level location for installation, ensuring adequate clearance and a sturdy wall for mounting.
- Ensure the mounting surface is capable of supporting the gazebo's weight and wind loads.

General Assembly Steps (Refer to detailed guide for specifics):

1. Assemble the main frame components according to the provided diagrams.
2. Attach the frame to the designated wall using appropriate fasteners (expansion screws are not included and must be selected based on your wall material).
3. Install the galvanized steel roof panels, ensuring they are securely fastened and aligned for proper drainage.
4. Securely anchor the gazebo's ground posts to the chosen surface (deck, patio, concrete, or lawn using appropriate stakes/anchors).
5. Perform a final check of all connections and fasteners to ensure stability and safety.



Illustration showing different surface types suitable for gazebo installation (deck, lawn, cement). Expansion screws are not included.

OPERATING

Once assembled and securely anchored, your Domi Lean-to Gazebo is ready for use. It provides a shaded and protected area for relaxation, dining, or other outdoor activities. The integrated drainage system operates automatically to manage rainwater and snowmelt.

Key Operational Aspects:

- **Shade and UV Protection:** The galvanized steel roof offers 99% UV-proof protection with a UPF 50+ rating, creating a comfortable shaded environment.
- **Weather Protection:** The hardtop roof and sturdy frame provide shelter from sun, rain, and moderate wind.
- **Drainage:** The built-in gutter system directs water away from the structure, preventing pooling on the roof.

MAINTENANCE

Proper maintenance will extend the life and appearance of your Domi Gazebo.

- **Cleaning:** Clean the galvanized steel roof and frame periodically with mild soap and water. Rinse thoroughly and dry to prevent water spots. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Drainage System:** Regularly check the gutters and drainage channels for leaves, debris, or blockages. Clear any obstructions to ensure efficient water flow.
- **Fasteners:** Periodically inspect all bolts, screws, and connections. Tighten any loose fasteners to maintain structural integrity.
- **Snow Removal:** In areas with heavy snowfall, gently remove accumulated snow from the roof to prevent excessive load and potential damage.
- **Rust Prevention:** Although the roof is galvanized steel, inspect for any signs of rust, especially on exposed metal parts or hardware. Touch up any scratches or chips in the paint to prevent rust. The hardware used is stainless steel for enhanced rust resistance.



Comparison illustrating the durability of Domi's stainless steel hardware against ordinary iron screws, highlighting rust resistance.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Water pooling on roof	Blocked drainage channels or improper roof panel installation.	Clear any debris from gutters. Ensure roof panels are correctly overlapped and sealed as per assembly instructions.
Gazebo feels unstable or wobbly	Loose fasteners or inadequate anchoring.	Check and tighten all bolts and screws. Verify ground anchors are secure and appropriate for your surface. Ensure wall mounting is firm.
Squeaking or creaking noises	Loose connections or friction between metal parts.	Tighten all fasteners. Apply a silicone-based lubricant to moving parts or points of friction if necessary.
Rust spots appearing	Scratches in protective coating or prolonged exposure to moisture.	Clean the affected area, sand lightly if needed, and apply rust-inhibiting paint or primer. Ensure proper drainage to prevent moisture buildup.

SPECIFICATIONS

Attribute	Detail
Brand	domi outdoor living
Model Number	LGMF-DR-1759-G-US
Product Dimensions (L x W x H)	189.7" x 117.13" x 96.13"
Item Weight	329.6 Pounds
Material	Alloy Steel, Metal (Galvanized Steel Roof)
Frame Material	Metal
Color	Gray
Style	Modern, Wall-Mounted Lean-to
Water Resistance Level	Water Resistant
Ultraviolet Light Protection	99% UV-proof, UPF 50+
Wind Resistance	60 MPH
Snow Load Capacity	22 lbs/Sq.Ft
Assembly Required	Yes

WARRANTY & SUPPORT

Domi Outdoor Living is committed to providing quality products and customer satisfaction.

- **Returns:** This product is eligible for 30-day easy returns. Please refer to your purchase platform's return policy for detailed instructions.
- **Protection Plans:** Optional protection plans, such as a 3-Year Protection Plan, may be available for purchase separately. Refer to your retailer for details.
- **Customer Support:** For any questions, missing parts, or assistance with assembly and operation, please contact Domi Outdoor Living customer support. Contact information can typically be found on the packaging or the retailer's website where

the product was purchased.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

Does the Domi 10' x 16' Wall-Mounted Lean-to Gazebo drain through the posts, and can the center post be removed if supports are added at the five and ten-foot marks?

Based on the product specifications for the Domi 10' x 16' Wall-Mounted Lean-to Gazebo (Model LGMF-DR-1759-G-US), here is the information regarding drainage and structural modifications: Drainage: The gazebo features an integrated gutter system designed...

[Read full answer](#)