Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

HOZEREEL HZM005

HOZEREEL Retractable Garden Hose Reel 1/2" x 165 FT Instruction Manual

Model: HZM005

Introduction

Thank you for choosing the HOZEREEL Retractable Garden Hose Reel. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new hose reel. Please read these instructions carefully before use and retain them for future reference.

Safety Information

- Always ensure the hose reel is securely mounted before connecting to a water source.
- Do not attempt to disassemble or repair the hose reel yourself. Contact customer service for assistance.
- Keep children and pets away from the hose reel during operation to prevent injury from retracting hose.
- Do not use the hose reel with hot water or chemicals.
- Drain all water from the hose reel before storing it in freezing temperatures to prevent damage.

Package Contents

Verify that all components are present:

- HOZEREEL Retractable Garden Hose Reel (1/2" x 165 FT hose included)
- Aluminum Alloy Mounting Bracket
- Watering Nozzle (10 patterns)
- Inlet Hose
- Mounting Hardware
- Hose Reel Cover

Installation

Follow these steps to install your HOZEREEL Retractable Garden Hose Reel:

1. **Choose a Mounting Location:** Select a sturdy wall or post capable of supporting the weight of the hose reel when

full of water. Ensure the location allows for the 180-degree swivel function and easy access to a water spigot.

2. **Mount the Bracket:** Position the aluminum alloy mounting bracket at the desired height. Mark the drilling points. Drill pilot holes and securely fasten the bracket using the provided mounting hardware.
3. **Attach the Hose Reel:** Slide the hose reel onto the mounted bracket. Ensure it is firmly seated and can swivel freely.
4. **Connect to Water Supply:** Connect one end of the inlet hose to your water spigot and the other end to the inlet connection on the hose reel. Ensure all connections are tight to prevent leaks.



Image: The robust aluminum alloy metal bracket ensures stable and secure mounting.

Video: This video demonstrates the installation process of the HOZEREEL Retractable Garden Hose Reel, including mounting the bracket and connecting the water supply.

Operation

Operating your HOZEREEL is designed for convenience:

1. **Pulling Out the Hose:** Gently pull the hose to the desired length. The internal locking mechanism will engage automatically, holding the hose in place.
2. **Retracting the Hose:** To retract, pull the hose slightly further out, then release it. The advanced slow-retraction technology will smoothly and safely rewind the hose into the reel.
3. **Using the Nozzle:** The included zinc alloy nozzle offers 10 different spray patterns. Rotate the nozzle head to select the desired pattern for various watering and cleaning tasks.



Image: The hose reel features an easy-pull mechanism and any-length lock for convenient use.



Image: The included nozzle provides 10 distinct spray patterns for versatile watering.

Video: This video showcases the HOZEREEL Retractable Garden Hose Reel in action, demonstrating its ease of use and various features.

Maintenance

Proper maintenance ensures the longevity of your HOZEREEL:

- **Self-Cleaning Brush System:** The hose reel features a built-in brush that cleans the hose as it retracts, preventing debris from entering the casing. Regularly inspect the brush for excessive buildup and clean if necessary.
- **Winter Storage:** Before the first frost, disconnect the hose reel from the water supply and drain all water from the hose and reel. The unit can be easily lifted off its mounting bracket for indoor storage. Use the provided cover for added protection during storage.
- **General Cleaning:** Wipe the exterior of the hose reel with a damp cloth as needed to remove dirt and grime.



Image: The self-cleaning brush system helps keep the hose free of debris during retraction.



Image: The included cover provides protection for the hose reel, especially during winter storage.

Troubleshooting

If you encounter issues with your HOZEREEL, consider the following:

- **Hose not retracting:** Ensure the hose is pulled slightly further out to disengage the lock before releasing. Check for any obstructions in the hose path or debris in the reel mechanism.
- **Leaks:** Verify all connections (spigot to inlet hose, inlet hose to reel, nozzle to hose) are tight and properly sealed. Inspect the hose for any visible damage.
- **Low water pressure:** Check your water supply pressure. Ensure the spigot is fully open and the hose is not kinked.

For persistent issues, please contact HOZEREEL customer service.

Specifications

Feature	Detail
Brand	HOZEREEL
Model Number	HZM005
Hose Length	165 FT
Hose Diameter	1/2 inch
Bracket Material	Aluminum Alloy
Swivel Angle	180 degrees
Hose Material	Reinforced fiber-braided PVC
Fittings	Brass
Nozzle Type	10-pattern zinc alloy
Operation Mode	Automatic

Warranty and Support

HOZEREEL offers a **2-YEARS Service** for this product. If you encounter any unexpected issues or require a replacement, please do not hesitate to contact HOZEREEL customer service. Our team is dedicated to providing support and ensuring your satisfaction.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0GJSF644F

More documents and user manuals: **https://manuals.plus/**