

Gawfolk GFTY987

Gawfolk 34-inch UWQHD 165Hz Curved Gaming Monitor User Manual

Model: GFTY987

INTRODUCTION

Thank you for choosing the Gawfolk 34-inch UWQHD 165Hz Curved Gaming Monitor. This manual provides essential information for setting up, operating, and maintaining your monitor. Please read it thoroughly before use to ensure optimal performance and safety.

This monitor is designed to deliver an immersive visual experience with its 34-inch ultrawide curved display, UWQHD (3440x1440) resolution, and a high 165Hz refresh rate. It features Adaptive Sync technology for smooth visuals, eye care features to reduce strain, and a versatile ergonomic stand.

SAFETY INFORMATION

- Always place the monitor on a stable, level surface to prevent it from falling.
- Do not block ventilation openings. Ensure adequate space around the monitor for proper airflow.
- Use only the power adapter and cables supplied with the monitor.
- Keep the monitor away from water, moisture, and direct sunlight.
- Do not attempt to open or repair the monitor yourself. Refer all servicing to qualified personnel.
- Unplug the monitor from the power outlet during lightning storms or when unused for long periods.
- Avoid touching the screen with sharp objects.

PACKAGE CONTENTS

Please check that all items are present in your package:

- Gawfolk 34-inch Curved Gaming Monitor
- Monitor Stand (Base and Neck)
- Power Adapter and Cable
- DisplayPort Cable
- HDMI Cable

- User Manual
- VESA Mounting Screws (if applicable)

SETUP GUIDE

1. Assembling the Stand

Carefully remove the monitor and stand components from the packaging. Attach the stand neck to the monitor panel, then secure the base to the neck. Ensure all screws are tightened securely.



Image: Gawfolk 34-inch ultrawide curved gaming monitor with stand.

2. Ergonomic Adjustments and VESA Mounting

The monitor stand allows for tilt, swivel, and height adjustments. You can tilt the screen from 5° forward to 20° backward, swivel it 30° to the left or right, and adjust the height by 130±5 mm. For wall or arm mounting, the monitor is VESA-compatible (100x100mm). Remove the stand and attach your VESA mount using the provided screws.

Effortless Tilt & Wall-Mount Versatility

Adjust viewing angle easily. VESA 100×100 wall mount saves desk space for sleek gaming/work setups.



Easy to install



**Angle 5°-20°
(±3°)**



**Swivel
30°±3°**



**Lifting height
130±5mm**




Image: Monitor stand showing tilt, swivel, and height adjustment ranges, and VESA compatibility.

3. Connecting Cables

Connect the power cable to the monitor and a power outlet. Use either the DisplayPort or HDMI cable to connect your computer or gaming console to the monitor. For optimal performance, especially 165Hz refresh rate, use the DisplayPort connection. HDMI supports up to 120Hz.

- **DC Input:** Connect the power adapter.
- **DP Version 1.4 (x2):** For up to 165Hz refresh rate.
- **HDMI Version 2.0 (x2):** For up to 120Hz refresh rate.
- **Audio Output:** For external audio devices.

Diversity Interfaces Can Be Connected



HDMI (up to 120 Hz), DP (up to 165 Hz)

The default refresh rate of the monitor is 60 Hz. If your computer supports 165 Hz, connect the monitor via the supplied DP cable and go to the display settings to change the refresh rate.

Image: Rear view of the monitor displaying available input ports.

OPERATING INSTRUCTIONS

1. Powering On/Off

Press the power button, usually located on the back or bottom right of the monitor, to turn it on or off. The power indicator light will illuminate when the monitor is active.

2. On-Screen Display (OSD) Menu

The OSD menu allows you to adjust various monitor settings. Access it by pressing the OSD joystick or button. Navigate through the menu using the joystick/buttons and confirm selections. Common settings include:

- **Picture Settings:** Brightness, Contrast, Sharpness, Color Temperature.
- **Display Settings:** Resolution, Refresh Rate, Aspect Ratio.
- **Audio:** Volume control for built-in speakers or audio output.

- **Gaming Features:** FreeSync/Adaptive Sync, Crosshair (aiming reticle).
- **Eye Care:** Low Blue Light mode, Flicker-Free.

3. Refresh Rate and Adaptive Sync

This monitor supports a 165Hz refresh rate for incredibly smooth motion. Ensure your graphics card and connection (DisplayPort recommended) support this rate. Enable Adaptive Sync (FreeSync/G-Sync compatible) in the OSD menu and your graphics card settings to eliminate screen tearing and stuttering.



Image: Comparison of 75Hz and 165Hz refresh rates on the monitor.

4. UWQHD Resolution and Color Performance

Experience sharp, detailed visuals with the UWQHD (3440x1440) resolution. The VA panel offers a static contrast ratio of 4000:1 and supports 1.07 billion colors (8-bit + FRC) for deep blacks and vibrant colors.

34" 21:9 UWQHD Ultrawide Gaming Display



34inch

21:9

UWQHD
3440X1440P

Image: Monitor displaying an ultrawide gaming scene, highlighting 34-inch, 21:9, UWQHD.

Professional Color Performance



 **1.07G(8 bits.+ High FRC)**
Display Color

 **16.7M**
Chromatic number

4000:1
High Contrast

120%sRGB
RGB Colors

Image: Monitor showcasing professional color performance with color gamut details.

5. Screen Split Feature

Utilize the screen split feature for enhanced multitasking, allowing you to view multiple applications simultaneously on the ultrawide display. Refer to the OSD menu for options to configure screen layouts.

Screen split

Split more ways. Do more things.



Screen Split



Image: Monitor showing a split screen with a game on one side and another application on the other.

6. Built-in Speakers

The monitor includes built-in speakers for convenient audio output. Adjust the volume through the OSD menu or your connected device. For higher quality audio, external speakers or headphones can be connected via the audio output port.



Image: Side view of the monitor highlighting the built-in speakers.

7. Eye Care Technology

The monitor incorporates Flicker-Free technology and a Low Blue Light filter to minimize eye strain during extended use. These features can be enabled or adjusted via the OSD menu.

MAINTENANCE

- **Cleaning the Screen:** Gently wipe the screen with a soft, lint-free cloth. For stubborn marks, dampen the cloth slightly with water or a specialized screen cleaner. Do not spray cleaner directly onto the screen.
- **Cleaning the Casing:** Use a soft, dry cloth to wipe the monitor casing. Avoid abrasive cleaners or solvents.
- **Storage:** If storing the monitor for an extended period, unplug it and cover it to protect against dust.

TROUBLESHOOTING

No Power

- Ensure the power cable is securely connected to the monitor and a working power outlet.
- Check if the power adapter is functioning correctly.

No Signal

- Verify that the DisplayPort or HDMI cable is securely connected to both the monitor and your computer/device.
- Ensure the correct input source is selected in the monitor's OSD menu.
- Check if your computer/device is powered on and outputting a signal.

Flickering or Distorted Image

- Check the cable connections for looseness or damage. Try a different cable if possible.
- Adjust the refresh rate in your computer's display settings.
- Disable Adaptive Sync temporarily to see if the issue persists.
- Update your graphics card drivers.

No Sound from Built-in Speakers

- Increase the volume in the monitor's OSD menu and your computer's sound settings.
- Ensure the audio output device is correctly selected in your computer's sound settings.
- If using HDMI/DisplayPort, ensure your graphics card is configured to send audio over the cable.

SPECIFICATIONS

Feature	Specification
Brand	Gawfolk
Model Number	GFTY987
Screen Size	34 inches
Resolution	UWQHD 3440x1440
Aspect Ratio	21:9
Curvature	3800R
Refresh Rate	165 Hz
Response Time	1 ms
Panel Type	VA
Brightness	350 cd/m²
Contrast Ratio	4000:1 (Static)
Color Support	1.07 Billion Colors (8-bit + FRC)
Adaptive Sync	FreeSync & G-Sync Compatible

Feature	Specification
Connectivity	2x HDMI 2.0, 2x DisplayPort 1.4, Audio Out
Speakers	Built-in
Ergonomics	Tilt (-5° to 20°), Swivel (±30°), Height Adjustment (130±5 mm), Pivot (90°)
VESA Compatibility	100x100mm
Eye Care Technology	Flicker-Free, Low Blue Light
Product Dimensions (with stand)	87 x 5 x 42 cm
Weight	8.84 kg

WARRANTY AND SUPPORT

Warranty Information

Your Gawfolk 34-inch curved monitor comes with a **12-month manufacturer's warranty**. This warranty covers defects in materials and workmanship under normal use. It does not cover damage caused by misuse, accidents, unauthorized modifications, or external factors.

Customer Support

If you encounter any issues, require technical assistance, or have questions regarding your monitor, please contact Gawfolk customer service. Provide your product model number (GFTY987) and a detailed description of the issue for prompt support. Contact information can typically be found on the official Gawfolk website or through your purchase platform.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question