

[Manuals.plus](#) /

› [OLIXIS](#) /

› OLIXIS Full Size Bed Frame with Headboard - Instruction Manual

OLIXIS OLWT01V2FULL

OLIXIS Full Size Bed Frame with Headboard

Model: OLWT01V2FULL

INTRODUCTION

This manual provides detailed instructions for the assembly, usage, and maintenance of your OLIXIS Full Size Bed Frame with Headboard. Please read all instructions carefully before assembly and retain this manual for future reference.



Image: The OLIXIS Full Size Bed Frame with Headboard in Rust Brown, showcasing its industrial design and sturdy metal construction.

SAFETY INFORMATION

- Do not load more than 800 pounds on the bed frame.
- Always assemble and use the bed frame as instructed to prevent slipping hazards.
- Ensure all screws and bolts are securely tightened before use.
- Keep small parts away from children during assembly.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- Left bed leg (x1)
- Right bed leg (x1)
- Left bed tail leg (x1)
- Right bed tail leg (x1)

- Head and tail board (x4)
- Head and tail rail (x4)
- Link bar (x3)
- Ribs strip (x10)
- Side frame (x2)
- Middle frame (x1)
- Assembly tools (Allen wrench, screws, washers)



Image: A visual representation of all parts included in the OLIXIS Full Size Bed Frame package.

SPECIFICATIONS

Feature	Detail
Size	Full
Material	Metal frame, Wood headboard/footboard
Product Dimensions (L x W x H)	77.5"L x 54.3"W x 39.3"H
Style	Industrial
Special Features	No Box Spring Needed, Squeak Resistant, Under-bed Storage
Maximum Weight Recommendation	800 Pounds
Item Weight	44.73 Pounds
Color	Rust Brown

SPACIOUS STORAGE SPACE



Image: Detailed product specifications including dimensions and weight capacity.

ASSEMBLY INSTRUCTIONS

Assembly is designed to be quick and easy. All necessary tools are included. It is recommended to assemble the bed frame with two people.

Step-by-Step Guide:

1. **Prepare Components:** Unpack all parts and lay them out on a clean, soft surface to prevent scratches. Identify each component using the parts list.
2. **Assemble Headboard and Footboard:** Attach the head and tail boards (E) to the left and right bed legs (A, B, C, D) using the provided screws. **Note:** For easy setup, do not fully tighten screws during the initial installation process.
3. **Connect Side Rails:** Attach the head and tail rails (F) to the assembled headboard and footboard sections.
4. **Install Middle Frame and Link Bars:** Secure the middle frame (J) and link bars (G) to the side frames (I) to create the central support structure.
5. **Attach Ribs Strips:** Place the ribs strips (H) across the frame, ensuring they are evenly spaced and

securely fastened.

6. **Final Tightening:** Once all components are in place and aligned, fully tighten all screws with the provided Allen wrench.

Visual Assembly Guide:

Your browser does not support the video tag.

Video: A step-by-step visual guide demonstrating the assembly process of the OLIXIS bed frame.



Image: Close-up view of bed frame components highlighting the ease of installation.

USAGE AND FEATURES

The OLIXIS Full Size Bed Frame is designed for comfort and practicality, offering several key features:

- **No Box Spring Needed:** The sturdy metal slat system provides ample support for your mattress, eliminating the need for a box spring.
- **Under-Bed Storage:** With 12.8 inches of clearance from the ground, the frame offers significant space for storing items, helping to keep your room organized.
- **Noise-Free Design:** EVA sponge padding on the bed frame slats reduces friction and minimizes

noise for a quiet sleeping environment.

- **Durable Construction:** Made of high-strength steel and waterproof, scratch-resistant wood panels, ensuring long-lasting stability and durability.



Image: Illustration showing the 12.8-inch under-bed storage space.



ENJOY A NOISE-FREE AND COZY SLEEPING ENVIRONMENT

Image: Detail of the foam padding on the metal slats, designed to prevent noise.

CARE AND MAINTENANCE

- Regularly check and tighten all bolts and screws to ensure stability.
- Clean the metal frame with a soft, damp cloth. Avoid abrasive cleaners.
- Wipe wood surfaces with a dry or slightly damp cloth.
- Avoid exposing the bed frame to excessive moisture or direct sunlight for prolonged periods.

TROUBLESHOOTING

Problem	Solution
Squeaking noises	Ensure all bolts are securely tightened. The EVA sponge on the slats is designed to prevent squeaking; check if it is properly in place.
Bed frame feels unstable	Verify that all connections are firm and that the bed is placed on a level surface. Re-tighten all screws if necessary.

Mattress
sagging

Confirm that the mattress is compatible with the full-size frame and that the ribs strips are correctly installed and evenly distributed. Ensure the mattress thickness is between 8-10 inches for optimal support.

WARRANTY AND SUPPORT

For any questions, concerns, or to report missing/damaged parts, please contact OLIXIS customer support. While specific warranty details are not provided in this manual, please refer to your purchase documentation or the retailer's website for information regarding product warranty and return policies. For additional support, visit the [OLIXIS Store on Amazon](#).