

WBJBPJBWE-15B37D55

Generic Toothbrush Head for Xiaomi Dr. Bei Electric C1 (Clean Type) - Instruction Manual

Model: WBJBPJBWE-15B37D55

INTRODUCTION

This manual provides instructions for the proper use and maintenance of your Generic Toothbrush Head, designed for compatibility with the Xiaomi Dr. Bei Electric C1 electric toothbrush. This specific product is the Clean Type brush head, optimized for effective plaque removal.

SETUP AND INSTALLATION

Follow these steps to correctly install the replacement toothbrush head onto your Xiaomi Dr. Bei Electric C1 electric toothbrush.

1. **Remove the old brush head:** Gently pull the existing brush head straight off the toothbrush handle. Do not twist.
2. **Align the new brush head:** Take the new Generic Clean Type toothbrush head. Align the base of the brush head with the metal shaft on the toothbrush handle.
3. **Push into place:** Push the new brush head firmly down onto the shaft until it clicks securely into position. Ensure there is no gap between the brush head and the handle.



Image: The Generic Clean Type toothbrush head, ready for installation. This image shows the brush head's design and bristles.

OPERATING INSTRUCTIONS

Once the brush head is installed, you can begin using your electric toothbrush for daily oral care.

1. **Wet the bristles:** Rinse the brush head under running water.
2. **Apply toothpaste:** Apply a small amount of toothpaste to the bristles.
3. **Start brushing:** Place the brush head against your teeth at a slight angle towards the gum line. Turn on the electric toothbrush.
4. **Guide the brush:** Gently guide the brush head slowly from tooth to tooth, allowing the bristles to clean each surface. Do not scrub aggressively.
5. **Brush all areas:** Ensure you brush all surfaces of your teeth (outer, inner, and chewing surfaces).
6. **Rinse:** After brushing, rinse your mouth and the brush head thoroughly with water.



Image: A close-up view of the toothbrush head bristles, highlighting their design for effective cleaning.

MAINTENANCE AND REPLACEMENT

Proper maintenance ensures hygiene and extends the effectiveness of your toothbrush head. Regular replacement is crucial for optimal oral health.

- **Rinse after use:** After each use, rinse the brush head thoroughly under running water to remove any toothpaste residue and debris.
- **Air dry:** Allow the brush head to air dry in an upright position. Avoid covering it, as this can promote bacterial growth.
- **Replacement schedule:** Dentists recommend replacing toothbrush heads every 3 months, or sooner if the bristles become frayed or worn. Worn bristles are less effective at cleaning.
- **Storage:** Store the toothbrush head in a clean, dry place.



Image: A side-by-side comparison of toothbrush bristles, illustrating different textures or wear patterns. This image helps visualize the condition of bristles.

TROUBLESHOOTING

If you encounter issues with your toothbrush head, refer to the following common solutions.

Problem	Possible Cause	Solution
Brush head feels loose or vibrates excessively.	Not fully seated on the handle.	Remove the brush head and re-install, ensuring it clicks firmly into place.
Bristles appear frayed prematurely.	Brushing too hard or incorrect technique.	Brush with less pressure. Replace the brush head if bristles are significantly damaged.
Reduced cleaning effectiveness.	Worn bristles or overdue for replacement.	Replace the brush head. Ensure regular replacement every 3 months.

SPECIFICATIONS

- **Product Type:** Toothbrush Head
- **Compatibility:** Xiaomi Dr. Bei Electric C1 Electric Toothbrush
- **Brush Head Type:** Clean Type
- **Bristle Firmness:** Extra Soft
- **Model Number:** WBJBPJBWE-15B37D55
- **Manufacturer:** Generic
- **Age Range:** Adult
- **Package Dimensions:** 3.94 x 3.94 x 3.94 inches
- **Item Weight:** 1.76 ounces

SUPPORT INFORMATION

For further assistance or inquiries regarding your Generic Toothbrush Head, please refer to the retailer or manufacturer's support channels. Keep your purchase receipt for any warranty claims, if applicable.

