

Lumisky NERIO TALL

Lumisky NERIO TALL H150cm Solar LED Floor Lamp User Manual

Model: NERIO TALL

INTRODUCTION

The Lumisky NERIO TALL H150cm Solar LED Floor Lamp is designed to provide versatile and decorative lighting for outdoor and indoor spaces. Featuring a robust aluminum structure and a removable SUNNY SMALL ROUND LED module, this lamp offers adjustable warm white illumination via a remote control. Its hybrid charging capability allows for solar or USB power, ensuring reliable performance. The lamp is IP65 certified for outdoor resistance and includes an automatic "Daylight" mode for dusk activation.

IMPORTANT SAFETY INSTRUCTIONS

- Read all instructions carefully before use.
- Do not attempt to disassemble or modify the lamp or its components. This may void the warranty and pose safety risks.
- Ensure the solar panel is exposed to direct sunlight for optimal charging.
- Keep the lamp away from open flames or extreme heat sources.
- Do not immerse the lamp in water; despite its IP65 rating, prolonged submersion is not recommended.
- Use only the provided USB cable for charging, if applicable.
- Dispose of batteries according to local regulations.
- This product is not a toy. Keep out of reach of children.

PACKAGE CONTENTS

Please check that all the following items are included in your package:

- Lumisky NERIO TALL H150cm Solar LED Floor Lamp (main body and shade)
- SUNNY SMALL ROUND LED Module (removable)
- Remote Control
- USB Charging Cable (if applicable)
- User Manual (this document)



Image: The remote control and the removable SUNNY LED module, showing the solar panel on one side and the light diffuser on the other.

SETUP AND INITIAL CHARGING

1. **Unpack Components:** Carefully remove all items from the packaging.
2. **Assemble Lamp:** Connect the lamp sections if they are separate. Ensure the base is stable.
3. **Insert LED Module:** Place the SUNNY SMALL ROUND LED module into the lamp's shade. Ensure it is securely fitted.
4. **Initial Charge (Solar):** For first use, place the lamp in a location where the solar panel on the LED module receives direct sunlight for at least 6-8 hours. This ensures the internal battery is sufficiently charged.

5. **Initial Charge (USB - Optional):** If immediate use is desired or solar charging is insufficient, connect the provided USB cable to the LED module's charging port and a suitable USB power adapter (not included). Charge until the indicator light (if present) shows full charge.
6. **Placement:** Position the lamp in your desired location. For outdoor use, ensure it is on a flat, stable surface and the solar panel has unobstructed access to sunlight.



Image: The Lumisky NERIO TALL lamp standing on an outdoor patio, demonstrating typical placement.



Image: A close-up view of the lamp's shade, showing the integrated solar panel on top of the LED module.

OPERATING INSTRUCTIONS

Using the Remote Control

The Lumisky NERIO TALL lamp is controlled using the provided remote. Ensure the remote has working batteries.

- **ON Button:** Press to turn the lamp on.
- **OFF Button:** Press to turn the lamp off.
- **Brightness Levels:**
 - **30% / 16H:** Sets the brightness to 30% for extended battery life (up to 16 hours).
 - **60% / 10H:** Sets the brightness to 60% for balanced illumination and battery life (up to 10 hours).

- **100% / 8H:** Sets the brightness to 100% for maximum illumination (up to 8 hours).
- **DAYLIGHT Mode:** Activates the automatic dusk-to-dawn sensor. When this mode is active, the lamp will automatically turn on at dusk and turn off at dawn, conserving battery during daylight hours.



Image: The Lumisky NERIO TALL lamp providing warm illumination on an outdoor terrace at sunset.



Image: The Lumisky NERIO TALL lamp positioned indoors in a living room, showcasing its decorative presence.



Image: A full view of the Lumisky NERIO TALL lamp in an indoor environment, highlighting its height and design.

Hybrid Charging

The lamp features hybrid charging:

- **Solar Charging:** The integrated solar panel on the LED module charges the internal battery during the day when exposed to sunlight.
- **USB Charging:** For faster charging or during periods of low sunlight, the LED module can be charged via a USB cable.

MAINTENANCE

- **Cleaning:** Wipe the lamp's aluminum structure and the solar panel with a soft, damp cloth. Do not use abrasive

cleaners or solvents. Ensure the solar panel is clean for efficient charging.

- **Battery Care:** The high-performance battery is designed for longevity. To maximize its lifespan, avoid fully discharging it frequently. If storing the lamp for an extended period, ensure the battery is partially charged (around 50%) and recharge it every few months.
- **Weather Resistance:** The lamp is IP65 certified, meaning it is protected against dust ingress and low-pressure water jets from any direction. It is also UV resistant. However, for extreme weather conditions (e.g., heavy storms, prolonged freezing temperatures), it is advisable to bring the lamp indoors to prolong its life.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Lamp does not turn on.	Battery is depleted. Solar panel is dirty or not receiving enough sunlight. Remote control batteries are dead. Lamp is in "OFF" mode or "DAYLIGHT" mode during daytime.	Charge the lamp via solar panel (6-8 hours direct sunlight) or USB cable. Clean the solar panel. Relocate the lamp to a sunnier spot. Replace remote control batteries. Press the "ON" button on the remote. If in DAYLIGHT mode, wait for dusk.
Lamp light is dim or flickers.	Low battery charge. Solar panel efficiency reduced.	Recharge the lamp fully. Clean the solar panel and ensure optimal sun exposure.
Remote control not responding.	Remote control batteries are dead or incorrectly inserted. Obstruction between remote and lamp.	Replace batteries, ensuring correct polarity. Ensure a clear line of sight between the remote and the lamp's LED module.

TECHNICAL SPECIFICATIONS

Model Number	NERIO TALL
Dimensions (D x W x H)	30 x 30 x 150 cm
Weight	3.7 Kilograms
Material	Stainless Steel (structure), Aluminum (shade)
Light Source	LED Module (SUNNY SMALL ROUND)
Light Output	60 to 200 Lumens (adjustable)
Light Color	Warm White
Power Source	Solar powered, USB rechargeable (hybrid)
Battery Life	Up to 16 hours (at 30% brightness)
IP Rating	IP65 (Dust tight, protected against water jets)
UV Resistance	Yes

Energy Efficiency Class	A
-------------------------	---




Image: EU Energy Label for the Lumisky NERIO TALL lamp, indicating an energy efficiency class of A. For more details, visit the official [EPREL database](#).

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Lumisky customer service directly. Details can typically be found on the Lumisky official website or through your retailer.

You can visit the Lumisky store on Amazon: [Lumisky Store](#)

© 2023 Lumisky. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question