

KYBOLT KYQDR3 1216-G 0129

KYBOLT 12x16 Ft Hardtop Gazebo Instruction Manual

Model: KYQDR3 1216-G 0129 | Brand: KYBOLT

INTRODUCTION

Thank you for choosing the KYBOLT 12x16 Ft Hardtop Gazebo. This manual provides essential information for the safe assembly, operation, and maintenance of your new gazebo. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

Safety Information


- This gazebo with a metal roof can handle snow loads of up to approximately 15 lbs per square foot. For long-term durability, keep the roof snow under 10 inches. Clear heavy snow accumulation in a timely manner.
- The structure provides basic wind resistance. Use under Beaufort Level 10 only.
- For enhanced safety in windy conditions, we strongly recommend using additional securing methods such as sandbags, concrete footings, or guy ropes.
- Ensure all parts are securely fastened before and during use. Regularly inspect the gazebo for any loose connections or damage.

PRODUCT FEATURES

Double-layer Hardtop Roof: The galvanized iron sheet roof is designed to withstand various weather conditions, contributing to extended product lifespan. Rainwater is efficiently directed to the ground through eave leak holes, minimizing issues during rainy seasons. The double-roof design promotes better ventilation, cooling, and reduced wind stress.

Sturdy Aluminum Frame: Constructed with a powder-coated aluminum frame, this gazebo is corrosion-resistant, rust-resistant, and fade-resistant. For increased stability, the feet include holes for installing ground nails or expansion screws.

Netting and Side Curtains: The gazebo features a fully enclosed design with double-sided zippers, a dual-track system, and double-layer side walls. This provides superior protection, increased privacy, and enhanced security. Hooks are integrated into the roof structure for hanging lights and fans, allowing for personalization of your outdoor space.



- Aluminum Frame
- Reinforced Poles
- Anti-Rust Coating

Image: Detailed view of the gazebo's robust aluminum frame and multi-layered roof construction.

SETUP AND ASSEMBLY

Assembly of the KYBOLT Hardtop Gazebo requires careful attention to detail and multiple individuals for safety and efficiency.

- **Team Assembly:** We recommend assembling with 3-5 people. This will ensure easier handling of large components and safer installation.
- **Estimated Time:** Assembly typically takes approximately 4-6 hours. Plan accordingly and ensure you have sufficient time without interruptions.
- **Instruction Format:** The instructions are primarily image-based. Review all diagrams closely before and during each step to ensure correct component orientation and attachment.
- **Component Handling:** Be patient if outer boxes are delivered separately. Handle all parts with care to prevent bending or damage. If any parts appear bent, carefully attempt to straighten them or contact customer service for assistance.
- **Foundation:** Utilize the pre-drilled holes in the gazebo feet to install ground nails or expansion screws. This step is crucial for reinforcing the pavilion and increasing its stability against wind.

PACKED INTO 5 CARTONS

prime Delivery




Image: The gazebo is typically delivered in multiple cartons, requiring careful unpacking and inventory.

OPERATION

The KYBOLT Hardtop Gazebo offers versatile configurations to suit your needs and preferences.

- **Netting and Curtains:** The dual-track system allows for flexible positioning of the mosquito netting and privacy curtains. They can be fully closed for complete enclosure and privacy, or tied back to keep the gazebo open.
- **Integrated Hooks:** Use the hooks located on the roof structure to hang outdoor lights, decorative elements, or a small fan for added comfort.



Fully
CLOSED



Fully
OPEN

Semi
OPEN



Mosquito Net
OFF



Image: Various configurations of the gazebo, demonstrating the flexibility of the netting and curtains.

MAINTENANCE

Proper maintenance will ensure the longevity and optimal performance of your gazebo.

- **Snow Removal:** In snowy conditions, regularly clear snow from the roof. Do not allow snow accumulation to exceed 10 inches or 15 lbs per square foot to prevent structural damage.
- **Cleaning Frame:** Clean the aluminum frame with a mild soap solution and water. Rinse thoroughly and dry to prevent water spots. Avoid abrasive cleaners.
- **Cleaning Fabric:** The netting and curtains can be spot cleaned with a mild detergent and water. For deeper cleaning, follow care instructions on the fabric tags if available. Ensure they are completely dry before storing or closing for extended periods to prevent mildew.
- **Fastener Check:** Periodically check all bolts, screws, and connections to ensure they remain tight and secure. Tighten any loose fasteners as needed.



Image: The gazebo is designed for year-round use, but requires snow removal in winter.

TROUBLESHOOTING

This section addresses common issues you might encounter during assembly or use.

- **Missing Parts:** If you find any parts missing upon unpacking, please contact KYBOLT customer service immediately with your product model number and a list of the missing components.
- **Bent Components:** In rare cases, components may arrive slightly bent. For minor bends, carefully attempt to straighten the piece. For significant damage, contact customer service for replacement parts.
- **Roof Vent Screen and Hanging Items:** Be aware that the screen for the roof vent may interfere with hanging lights or fans if installed directly across the bottom roof opening. Adjust placement of hanging items or the screen as necessary.
- **Assembly Difficulty:** If you encounter difficulty during assembly, re-examine the image-based instructions carefully. Ensure all parts are oriented correctly. If issues persist, consider seeking assistance from additional people or contacting customer support.

SPECIFICATIONS

Brand	KYBOLT
Model Number	KYQDR3 1216-G 0129
Material	Aluminum (Frame), Galvanized Steel (Roof)
Product Dimensions (L x W x H)	190"L x 143"W x 120"H (approximately 15.8 ft x 11.9 ft x 10 ft)
Item Weight	382.94 Pounds
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Yes
Assembly Required	Yes
Shape	Rectangular
UPC	822255031567

CUSTOMER SUPPORT

For any questions, concerns, or assistance with missing/damaged parts, please contact KYBOLT customer service. Refer to your purchase documentation for specific contact details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question